

Programme 2019

Prices in Euro excl. VAT · effective January 1, 2019





Welcome to LUX ELEMENTS


The family-owned company LUX ELEMENTS specialises in the production of polystyrene hard foam and its processing into **secure substrates for bathrooms and spa areas**. Established in 1945, we have constantly developed as a company and continuously expanded our product range.

From the selection of suitable raw materials through each production stage up to the safe processing of products with matching system components, everything we do is based on our philosophy of total quality assurance. To document this, our two production sites in Leverkusen in Germany and Ungersheim in France are certified to EN ISO 9001:2015.

So that our products can be installed professionally at their place of use, we hold regular training courses for customers and installers in which we provide theoretical and practical training on the use of the hard foam support material. For this purpose, we have built a training centre in Leverkusen in which national and international industry meetings also take place.

This allows us to keep in touch with the actual users and to use this experience for our research and product development, because our utmost goal is satisfied customers who trust the quality and benefits of our products.

Secure. Fast. Individual.





LUX ELEMENTS® – The original

'The original' – the trailblazing invention of company founder Herbert Lux – is an element made of hard foam support material with a double layer of mortar on both sides in which a stabilising glass-fibre fabric is embedded. At the core, these hard foam support elements consist of expanded polystyrene (EPS), which we produce in our own factory in an environmentally friendly manner without harmful foaming agents such as CO₂ or CFC and without HBCD.



On account of its outstanding physical properties in combination with very good workability, this moisture-resistant and modern building material creates free space for planners, designers, tradesmen and industry – whether in the form of panels, blanks or ready-made products.


Our production facilities manufacture complete spa, sauna and bathing complexes segmented into components as well as products for the design and renovation of bathrooms – from wall cladding to shower base.



environmentally
friendly



proven quality



pressure-stable
and rigid




lightweight




water-resistant




fire-retarding



insulating



mould-resistant



design variety




alternative
surfaces



economical



system-oriented



Would you like to learn more? Please see:
www.the-original-can-do.com



LUX ELEMENTS – Products

■ Product groups – Standard products, made to measure products and system components

The product range from LUX ELEMENTS encompasses a broad range of prefabricated shaped parts and system construction kits as standard products, individual products made to measure at the customer's request, and tried and tested system components for the safe installation of the hard foam support elements.



**LUX ELEMENTS®-
ELEMENT**



**LUX ELEMENTS®-
TEC**



**LUX ELEMENTS®-
TOP**



**LUX ELEMENTS®-
LAVADO**




**LUX ELEMENTS®-
TUB**



**LUX ELEMENTS®-
RELAX**



**LUX ELEMENTS®-
MODUL**



**LUX ELEMENTS®-
CONCEPT**



**LUX ELEMENTS®-
DECO**



**LUX ELEMENTS®-
FOAM**

LUX ELEMENTS®-SYSTEM COMPONENTS



LUX ELEMENTS®-FIX



LUX ELEMENTS®-COL



LUX ELEMENTS®-DRY



LUX ELEMENTS®-ARM



LUX ELEMENTS®-MONT

■ LUX ELEMENTS®-...-PLUS – Individual, special manufacture for each product group


In addition to standard products, also individually made to measure and specially manufactured products are available for the product groups listed under the designation 'PLUS'. Sizes, shapes, thicknesses etc., that deviate from standard features can be inquired from LUX ELEMENTS. After successful verification of implementation possibility at LUX ELEMENTS an appropriate offer will be prepared. Once an order is placed, it will be manufactured and delivered accordingly.

PLUS is available in product groups LUX ELEMENTS®-ELEMENT, -TEC, -TOP, -LAVADO, -TUB, -RELAX and DECO. The LUX ELEMENTS®-CONCEPT and LUX ELEMENTS®-FOAM product groups encompass exclusively individual custom-made products according to customer requirements.



LUX ELEMENTS – Online

■ Website – Product information and download centre




Detailed information on all products and on the company. A clearly arranged download area contains data sheets, assembly instructions, test reports and all brochures in PDF format.

Links to the online calculator (see icon) and YouTube on the home page.

www.luxelements.com



■ YouTube – Product and assembly videos



Illustrative information on many products, arranged into playlists. An extensive range of assembly videos shows you step by step how fast and simple the installation of the LUX ELEMENTS® hard foam support elements is:

www.youtube.com/user/luxelementscom



■ Online calculator – Determining material requirements



Complete bill of materials for a defined application. Following once-only registration, a few steps lead to free and non-binding information on the required material from the LUX ELEMENTS product range – available as a PDF document.

Online calculator (home page, see icon) and instructions (downloads area) at:

www.luxelements.com



Programme 2019 – Content

■ The construction panel for walls and floors

LUX ELEMENTS®-ELEMENT



The construction panel for walls and floors	10
Universal construction panel – ELEMENT-EL	12
Pre-slit construction panel – ELEMENT-SQ/SL	12
Multi-functional construction panel – ELEMENT-VK	13
Easy to process on the building site – ELEMENT Baby Panel	13
Product specifications – LUX ELEMENTS®-ELEMENT	14

■ The installation cladding

LUX ELEMENTS®-TEC



The installation cladding	16
Pipe cladding elements – TEC-KA / TEC-U	18
Cladding of pre-wall installation systems as a set – TEC-VWD	18
Cladding of pre-wall installation systems as a panel – TEC-VWD-P	18
Product specifications – LUX ELEMENTS®-TEC	19

■ The bath surrounds

LUX ELEMENTS®-TOP



The bath surrounds	20
Bath tub surrounds for rectangular standard bath tubs – TOP-TR ...	22
Inspection options – TOP-REVR-TR / MONT-TOPREV	22
Removable whirlpool surround – TOP-WP ...	23
Mounting aids – TOP-KIT / TOP-KIT-WP	23
Product specifications – LUX ELEMENTS®-TOP	24

■ The washstands

LUX ELEMENTS®-LAVADO



The washstands	26
Washstands – LAVADO-FLOAT	28
Product specifications – LUX ELEMENTS®-LAVADO	29

■ The shower bases

LUX ELEMENTS®-TUB



The shower bases	30
Overview TUB	32
Point drainage	
Flush with the floor shower bases – TUB	34
Product specifications – LUX ELEMENTS®-TUB-EQ (square)	36
Product specifications – LUX ELEMENTS®-TUB-MQ (square)	37
Product specifications – LUX ELEMENTS®-TUB-ER (rectangular)	38
Product specifications – LUX ELEMENTS®-TUB-MR (rectangular)	39

LUX ELEMENTS®-TUB continuation

Flush with the floor shower bases for the substitution of bath tubs – TUB-BOL	40
Product specifications – LUX ELEMENTS®-TUB-BOL	41
Flush with the floor shower bases for the use on wooden sub-constructions – TUB-H	42
Product specifications – LUX ELEMENTS®-TUB-H	43
Flush with the floor extra-slim shower bases with integrated drain technology – TUB-COMBI	44
Product specifications – LUX ELEMENTS®-TUB-COMBI	45
Flush with the floor shower bases including surface element – TUB-FINISH	46
Product specifications – LUX ELEMENTS®-TUB-FINISH	47
TUB floor drain systems	48
TUB combinable floor drain systems	48
Product specifications – TUB combinable floor drain systems	48
TUB complete floor drain systems	50
Product specifications – TUB complete floor drain systems	50
TUB floor drain systems accessories	51
Product specifications – TUB floor drain systems accessories	51

Linear drainage

Flush with the floor shower bases with sealed floor channel drain – TUB-LINE	52
Product specifications – LUX ELEMENTS®-TUB-LINE	54
Floor channel drains – TUB-LINE RT	58
Product specifications – LUX ELEMENTS®-TUB-LINE RT	59
Floor channel drains with extended cover rail – TUB-LINE V RT	60
Product specifications – LUX ELEMENTS®-TUB-LINE V RT	61
Flush with the floor shower bases for the substitution of bath tubs – TUB-LINE BOL	62
Product specifications – LUX ELEMENTS®-TUB-LINE BOL	63
Flush with the floor shower bases with extended cover rail – TUB-LINE BOL V	64
Product specifications – LUX ELEMENTS®-TUB-LINE BOL V	65
Flush with the floor shower bases for the use on wooden sub-constructions – TUB-LINE H	66
Product specifications – LUX ELEMENTS®-TUB-LINE H	67
Flush with the floor extra-slim shower bases with integrated drain technology – TUB-LINE COMBI	68
Product specifications – LUX ELEMENTS®-TUB-LINE COMBI	69
Floor channel drains with integrated drain technology – TUB-LINE COMBI RT	70
Product specifications – LUX ELEMENTS®-TUB-LINE COMBI RT	71
Floor channel drains with integrated drain technology with extended cover rail – TUB-LINE COMBI V RT	72
Product specifications – LUX ELEMENTS®-TUB-LINE COMBI V RT	73
Flush with the floor shower bases including surface element – TUB-LINE FINISH	74
Product specifications – LUX ELEMENTS®-TUB-LINE FINISH	75
Floor drain supports and accessories TUB-LINE	76
Product specifications – Floor drain supports and accessories TUB-LINE	77

Substrate elements and mounting accessories for TUB and TUB-LINE

Substrate elements for TUB and TUB-LINE – TUB-U	78
Product specifications – LUX ELEMENTS®-TUB-U	79
Mounting accessories for TUB and TUB-LINE – TUB-KIT	81
Product specifications – LUX ELEMENTS®-TUB-KIT	81

Further areas of application

Flush with the floor shower bases for alternative watertight stopping – TUB-PL	82
Product specifications – LUX ELEMENTS®-TUB-PL	83
Flush with the floor shower bases with integrated floor drain pump – TUB-PUMP	84
Product specifications – LUX ELEMENTS®-TUB-PUMP	85
Shower drain elements with integrated wall drain – TUB-WALL	86
Product specifications – LUX ELEMENTS®-TUB-WALL	87

■ Individual relaxation and distraction **LUX ELEMENTS®-RELAX**



Individual relaxation and distraction	88
Relaxation loungers – RELAX-RL	90
Product specifications – LUX ELEMENTS®-RELAX-RL	91
Bath tub construction kit – RELAX-BW	92
Product specifications – LUX ELEMENTS®-RELAX-BW	93
Round shower – RELAX-RD	94
Product specifications – LUX ELEMENTS®-RELAX-RD	95
Curved shower – RELAX-SD	96
Product specifications – LUX ELEMENTS®-RELAX-SD	97
Space-saving corner shower – RELAX-RSE	98
Product specifications – LUX ELEMENTS®-RELAX-RSE	99
Niches – RELAX-NI	100
Product specifications – LUX ELEMENTS®-RELAX-NI	101
Benches – RELAX-BA	102
Product specifications – LUX ELEMENTS®-RELAX-BA	103
Curbs – RELAX-CU	104
Product specifications – LUX ELEMENTS®-RELAX-CU	104
Partition walls – RELAX-TW	105
Product specifications – LUX ELEMENTS®-RELAX-TW	105
LUX ELEMENTS®-RELAX-PLUS	106

■ Prefabricated room constructions **LUX ELEMENTS®-MODUL**



Prefabricated room constructions	108
Prefabricated room constructions – MODUL-CAB	110
Product specifications – LUX ELEMENTS®-MODUL-CAB	112

■ Individual room constructions **LUX ELEMENTS®-CONCEPT**



Individual room constructions	114
Individual room constructions – CONCEPT	116
Technical information concerning connections	117
Wall elements – CONCEPT-WA	118
Floor elements and substrate elements – CONCEPT-BO and CONCEPT-UBO	119
Roofs – CONCEPT-DA	119
Seat variants – CONCEPT-BA	120
Seat variants – CONCEPT-BA-FLOAT	121
Accessories / doors – CONCEPT-DOOR / glass and profile construction – CONCEPT-DOOR-GF	122
Accessories / heating – CONCEPT-EH / lighting – CONCEPT-LL / mounting kits – CONCEPT-KIT	123
Product specifications – LUX ELEMENTS®-CONCEPT-BA-... (benches)	124
Product specifications – LUX ELEMENTS®-CONCEPT-DOOR-... (Doors / glass and profile construction)	126
Product specifications – LUX ELEMENTS®-CONCEPT-EH... (heating)	127
Product specifications – LUX ELEMENTS®-CONCEPT-LL... (lighting)	128
Product specifications – LUX ELEMENTS®-CONCEPT-KIT	129

■ The decorative elements **LUX ELEMENTS®-DECO**



The decorative elements	130
Concave trims – DECO-HK	132
Curvature elements – DECO-AE	132
Product specifications – LUX ELEMENTS®-DECO	133
LUX ELEMENTS®-DECO-PLUS	134

■ The foam parts **LUX ELEMENTS®-FOAM**



The foam parts	136
Foam parts – FOAM	138

■ The system components **LUX ELEMENTS®-SYSTEM COMPONENTS**



The system components	140
Fastening sets and dowels – LUX ELEMENTS®-FIX	142
Product and packaging specifications – LUX ELEMENTS®-FIX	143
Technical accessories – LUX ELEMENTS®-FIX (-DE/-IPA)	144
Product and packaging specifications – LUX ELEMENTS®-FIX	145
Technical accessories – LUX ELEMENTS®-FIX (-AF/-AI/-LF/-LI/-UF/-UI)	146
Product and packaging specifications – LUX ELEMENTS®-FIX	147
Adhesives – LUX ELEMENTS®-COL	148
Product and packaging specifications – LUX ELEMENTS®-COL	149
Sealing tapes and sealing filler – LUX ELEMENTS®-DRY	150
Product and packaging specifications – LUX ELEMENTS®-DRY	151
Reinforcement fabric – LUX ELEMENTS®-ARM	152
Product and packaging specifications – LUX ELEMENTS®-ARM	153
Mounting aids – LUX ELEMENTS®-MONT	154
Product and packaging specifications – LUX ELEMENTS®-MONT	155

APPENDIX 156

Packaging specifications	157
Data protection information for business partners	169
General terms and conditions LUX ELEMENTS GmbH & Co. KG	170

The construction panel for walls and floors


LUX ELEMENTS®-ELEMENT

The construction panels from the ELEMENT product group are the perfect 'all-rounders' and can be used for a wide range of everyday applications. With ELEMENT the manufacturing of substrates for tiles, panels and plaster is just as easy as cladding, sealing, construction, designing and insulating.



LUX ELEMENTS®-ELEMENT-PLUS

LUX ELEMENTS manufactures individual customised and special products for the ELEMENT product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.







LUX ELEMENTS®-ELEMENT

LUX ELEMENTS®-ELEMENT-EL/SL/SQ

Standard-compliant substrate without further sealing
for private shower areas according to DIN 18534



Universal construction panel **ELEMENT-EL**

- Moisture-insensitive substrate
- For watertight walls in your private shower
- Reliable on wall and floor
- Creative in design
- Water-resistant and mould-resistant

Application areas

Thin thicknesses up to 30 mm:

- 4 and 6 mm: e.g. wall levelling
- 12 and 20 mm: stud frame planking
- from 30 mm: installation on dots

Thicker thicknesses from 30 to 100 mm:

- cladding
- construction
- insulating

Mixed pallets ELEMENT-EL MIX

- Prefabricated mixed pallets for reduced time and effort in ordering and handling
- Fast availability due to defined standard articles
- Optimised for standard applications, e.g. for wall levelling



Pre-slit construction panel **ELEMENT-SL/SQ**

- Factory pre-slit hard foam support elements, vertically slit (SL) or horizontally slit (SQ)
- Flexible, fast and clean shaping of round forms, e.g. rounded partition walls



LUX ELEMENTS®-ELEMENT-VK

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



Multi-functional construction panel **ELEMENT-VK**

- Factory-sealed construction panel with vapour barrier properties
- Unites the benefits of the ELEMENT-EL universal construction panel with those of a seal
- Matching system components, e.g. sealing tapes, inner and outer corners, see page 150


Application areas

In wet rooms where sealing or a vapour barrier is required:

- on the wall
- to laths
- to framework




ETA-13/0238
LUX ELEMENTS®
WATERTIGHT SOLUTION
COMPONENT 3.1/8
www.luxelements.com
0799-CPD-130 - Nr. LEWS2013



Easy to process on the building site **ELEMENT Baby Panel**

- 'One-man panel' in a half-length of 1250 mm
- Easy transport, even in confined spaces
- Fits into smaller vans and other vehicles without being cut to size
- More comfortable installation in small rooms or in attics due to its handy size
- Well suited for floor applications













LUX ELEMENTS®-ELEMENT

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-ELEMENT



ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------

				
ELEMENT-... Baby ...	ELEMENT-EL ...	ELEMENT-SL ...	ELEMENT-SQ ...	ELEMENT-VK ...

	LELEE1116	ELEMENT-EL Baby 4*, hard foam support element	1250 x 600 x 4 mm	m²	
	LELEE1117	ELEMENT-EL Baby 6*, hard foam support element	1250 x 600 x 6 mm	m²	
	LELEE1118	ELEMENT-EL Baby 10*, hard foam support element	1250 x 600 x 10 mm	m²	
	LELEE1135	ELEMENT-EL Baby 12*, hard foam support element	1250 x 600 x 12 mm	m²	
	LELEE1141	ELEMENT-EL Baby 20*, hard foam support element	1250 x 600 x 20 mm	m²	
	LELEE1142	ELEMENT-EL Baby 30*, hard foam support element	1250 x 600 x 30 mm	m²	
	LELEE1143	ELEMENT-EL Baby 40*, hard foam support element	1250 x 600 x 40 mm	m²	
	LELEE1144	ELEMENT-EL Baby 50*, hard foam support element	1250 x 600 x 50 mm	m²	
	LELEE1145	ELEMENT-EL Baby 80*, hard foam support element	1250 x 600 x 80 mm	m²	
	LELEE1146	ELEMENT-EL Baby 100*, hard foam support element	1250 x 600 x 100 mm	m²	
	LELEE1119	ELEMENT-EL 10*, hard foam support element	2500 x 600 x 10 mm	m²	
	LELEE1131	ELEMENT-EL 12*, hard foam support element	2500 x 600 x 12 mm	m²	
	LELEE1120	ELEMENT-EL 20*, hard foam support element	2500 x 600 x 20 mm	m²	
	LELEE1121	ELEMENT-EL 30*, hard foam support element	2500 x 600 x 30 mm	m²	
	LELEE1123	ELEMENT-EL 40*, hard foam support element	2500 x 600 x 40 mm	m²	
	LELEE1122	ELEMENT-EL 50*, hard foam support element	2500 x 600 x 50 mm	m²	
	LELEE1133	ELEMENT-EL 80*, hard foam support element	2500 x 600 x 80 mm	m²	
	LELEE1137	ELEMENT-EL 100*, hard foam support element	2500 x 600 x 100 mm	m²	
	LELEEMIX1000	ELEMENT-EL BABY MIX 1*, mixed pallet with hard foam support elements, consisting of: 30 m²/40 pieces EL Baby 4, 30 m²/40 pieces EL Baby 6, 15 m²/20 pieces EL Baby 10		set	
	LELEEMIX2000	ELEMENT-EL MIX 1*, mixed pallet with hard foam support elements, consisting of: 33 m²/22 pieces EL 10, 33 m²/22 pieces EL 30, 9 m²/6 pieces EL 40		set	
	LELEEMIX2001	ELEMENT-EL MIX 2*, mixed pallet with hard foam support elements, consisting of: 30 m²/20 pieces EL 10, 30 m²/20 pieces EL 30, 15 m²/10 pieces EL 50		set	
	LELEEMIX2002	ELEMENT-EL MIX 3*, mixed pallet with hard foam support elements, consisting of: 30 m²/20 pieces EL 10, 30 m²/20 pieces EL 20, 15 m²/10 pieces L 30		set	
	LELEEMIX2003	ELEMENT-EL MIX 4*, mixed pallet with hard foam support elements, consisting of: 45 m²/30 pieces EL 20, 24 m²/16 pieces EL 30, 6 m²/4 pieces EL 50		set	

Contd. on page 15

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-ELEMENT

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
	LELEE2001	ELEMENT-SL 30* , hard foam support element, vertically slit	2500 x 600 x 30 mm	m ²	
	LELEE2003	ELEMENT-SL 50* , hard foam support element, vertically slit	2500 x 600 x 50 mm	m ²	
	LELEE2002	ELEMENT-SQ 30* , hard foam support element, horizontally slit	2500 x 600 x 30 mm	m ²	
	LELEE2004	ELEMENT-SQ 50* , hard foam support element, horizontally slit	2500 x 600 x 50 mm	m ²	
	LELEE3009	ELEMENT-VK Baby 6* , hard foam support element, fleece backed on one side	1250 x 600 x 6 mm	m ²	
	LELEE3010	ELEMENT-VK Baby 12* , hard foam support element, fleece backed on one side	1250 x 600 x 12 mm	m ²	
	LELEE3011	ELEMENT-VK Baby 20* , hard foam support element, fleece backed on one side	1250 x 600 x 20 mm	m ²	
	LELEE3012	ELEMENT-VK Baby 30* , hard foam support element, fleece backed on one side	1250 x 600 x 30 mm	m ²	
	LELEE3013	ELEMENT-VK Baby 50* , hard foam support element, fleece backed on one side	1250 x 600 x 50 mm	m ²	
	LELEE3001	ELEMENT-VK 12* , hard foam support element, fleece backed on one side	2500 x 600 x 12 mm	m ²	
	LELEE3002	ELEMENT-VK 20* , hard foam support element, fleece backed on one side	2500 x 600 x 20 mm	m ²	
	LELEE3005	ELEMENT-VK 50* , hard foam support element, fleece backed on one side	2500 x 600 x 50 mm	m ²	

System components ARM, COL, DRY, FIX, MONT · Packaging specifications see p. 157 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on ELEMENT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

The installation cladding


LUX ELEMENTS®-TEC

Pipes and wall-mounted elements can be clad simply, quickly and safely with the prefabricated elements or sets from the TEC product group.



LUX ELEMENTS®-TEC-PLUS

LUX ELEMENTS manufactures individual customised and special products for the TEC product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.







LUX ELEMENTS®-TEC

LUX ELEMENTS®-TEC-KA /-U

Standard-compliant substrate without further sealing
for private shower areas according to DIN 18534



Pipe cladding elements

TEC-KA / TEC-U

- Cladding of conduits, pipes, joists, girders, beams and columns
- Application in corners or on straight surfaces



Cladding of pre-wall installation systems as a set

TEC-VWD

- Prefabricated installation kit for the cladding of pre-wall installation systems, including front panel, side panels, cover panel and mounting accessories









Cladding of pre-wall installation systems as a panel

TEC-VWD-P

- Prefabricated element for cladding of pre-wall installation systems



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TEC

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS a x b x LENGTH x THICKNESS	UNIT	PRICE / UNIT €
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>TEC-KA BS</p> </div> <div style="text-align: center;">  <p>TEC-U BS</p> </div> </div>					
	LTECX1001	TEC-KA 15 BS* , angular pipe cladding element, coated on both sides	150 x 150 x 2500 x 20 mm	piece	
	LTECX1002	TEC-KA 20 BS* , angular pipe cladding element, coated on both sides	200 x 200 x 2500 x 20 mm	piece	
	LTECX1003	TEC-KA 30 BS* , angular pipe cladding element, coated on both sides	300 x 300 x 2500 x 20 mm	piece	
	LTECX1004	TEC-KA 40 BS* , angular pipe cladding element, coated on both sides	200 x 400 x 2500 x 20 mm	piece	
	LTECX1010	TEC-U 20 BS* , U-shaped pipe cladding element, straight, coated both sides	400 x 200 x 2500 x 20 mm	piece	
	LTECX5001	TEC-VWD , prefabricated elements made of hard foam support material for cladding of pre-wall installation systems. Mounting set consisting of: 1 front panel 1250 x 600 x 20 mm with 5 boreholes, 2 side panels 1250 x 300 x 20 mm, 1 cover panel 600 x 300 x 20 mm, adaptable on site, incl. mounting accessories: 20 pieces FIX-SB 45S35, 10 m ARM-100 SK and 1 cartridge COL-MK		set	
	LTECX5002	TEC-VWD-P , prefabricated element 1250 x 1200 x 20 mm made of hard foam support material for cladding of pre-wall installation systems with 4 holes		piece	

System components COL, MONT · Packaging specifications see p. 158 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TEC.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

The bath surrounds


LUX ELEMENTS®-TOP

The TOP product group contains everything needed for the simple, fast and clean cladding of bath tubs and whirlpools: prefabricated bathtub cladding in various sizes and designs, removable whirlpool claddings as made to measure products and matching mounting material.



LUX ELEMENTS®-TOP-PLUS

LUX ELEMENTS manufactures individual customised and special products for the TOP product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.







LUX ELEMENTS®-TOP

Bath tub surrounds for rectangular standard bath tubs


TOP-TR...

- Cladding elements for standard bath tubs
- Three design variants: Cladding elements for ...
 - Surrounds for smooth and flush bath cladding – TOP-TRS
 - Surrounds with footboard – TOP-TRU
 - Surrounds with ledge – TOP-TRV




■ Installation situations

For the three design variants the following installation positions are possible:



Free-standing



Niche installation



Corner installation



3-sided installation



Installation with shelf


Inspection options

TOP-REVR

- Made to measure maintenance openings on the head end and longitudinal side with the TRV design variant
- Arbitrary size, adaptable to the tile grid size
- Fast opening and closing due to magnetic closure


MONT-TOPREV (see page 154)

- Fixing profile for mounting for maintenance openings in an arbitrary size adaptable to the tile grid size
- Simple, fast and flexible



Removable whirlpool surround **TOP-WP...**

- With footboard and ledge
- Mounting by means of metal plug connection
- Additionally held by magnets in case of round shapes
- Easily removable for maintenance and repair
- Optional light strips, see page 128
- Available as a made to measure product



■ Whirlpool shapes

(All whirlpool surrounds are equipped with footboard and ledge)



rectangular – TOP-WP G



quadrant – TOP-WP V



oval – TOP-WP O



hexagonal – TOP-WP S

Mounting aids **TOP-KIT / TOP-KIT-WP**

- Complete mounting accessories for bath tub or whirlpool claddings











LUX ELEMENTS®-TOP

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TOP

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------




					
TOP-TRS		TOP-TRU		TOP-TRV	

		LTOPE1004	TOP-TRS 1785 S , surround for bath tubs up to 1800 mm	1785 x 600 x 30 mm	piece	
		LTOPE1054	TOP-TRS 1860 S , surround for bath tubs up to 1900 mm	1860 x 600 x 30 mm	piece	
		LTOPE1006	TOP-TRS 2100 S , surround for bath tubs up to 2100 mm or tubs with foot-end shelving	2100 x 600 x 30 mm	piece	
		LTOPE1055	TOP-TRS 900 S , surround for bath tub head end	900 x 600 x 30 mm	piece	
		LTOPE1017	TOP-TRU 2100 S , surround with footboard for bath tubs up to 2100 mm or bath tubs with foot-end shelving	2100 x 600 x 30 mm	piece	
		LTOPE1021	TOP-TRU 900 S , surround for bath tub head end	900 x 600 x 30 mm	piece	
		LTOPE1023	TOP-TRV 2100 S , surround with ledge for bath tubs up to 2100 mm	2100 x 580 x 30 mm	piece	
		LTOPE1029	TOP-TRV 900 li S , surround with ledge for left hand bath tub head end	900 x 580 x 30 mm	piece	
		LTOPE1031	TOP-TRV 900 re S , surround with ledge for right hand bath tub head end	900 x 580 x 30 mm	piece	
condt. on page 25						



Please note: Bath tub surrounds for standard rectangular tubs are not available as kits. Depending on the installation situation as many as 4 elements are needed.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TOP

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
	LTOPE1051	TOP-REVR-TR , recessed, removable maintenance opening integrated into the front or side wall, for all TRV model design variants	made to measure	piece	
	LTOPE10001	TOP-WP G , whirlpool surround for straight and rectangular forms with footboard, ledge and removable	made to measure	set	
	LTOPE10002	TOP-WP V , whirlpool surround for quadrant forms with footboard, ledge and removable	made to measure	set	
	LTOPE10003	TOP-WP S , whirlpool surround for hexagonal forms with footboard, ledge and removable	made to measure	set	
	LTOPE10004	TOP-WP O , whirlpool surround for oval forms with footboard, ledge and removable	made to measure	set	
	LTOPE1053	TOP-KIT , mounting set for cladding elements: 2 rabbets made of hard foam support element 350 x 50 x 50 mm, 4 pieces FIX-FID 110, 8 pieces FIX-SD 80, 1 cartridge COL-MK		Kit	
	LTOPE10005	TOP-KIT WP , mounting kit for whirlpool surrounds: 10 pieces FIX-FID 110, 20 pieces FIX-SD 80, 1 cartridge COL-MK		kit	

System components COL, FIX, MONT · Packaging specifications see p. 158 · Online calculator see p. 7



Visit www.luxelements.com for further information on TOP.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

The washstands


LUX ELEMENTS®-LAVADO

LAVADO is the product group for floating washstands with different drainage technology. In addition to various models with a recess, there is a smooth variant for commercially available fitted or top-mounted washbasins. Each product set contains two stainless steel brackets for invisible, stable fastening.



LUX ELEMENTS®-LAVADO-PLUS

LUX ELEMENTS manufactures individual customised and special products for the LAVADO product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.








Washstands

LAVADO-FLOAT


- Stable suspension on two stainless steel brackets
- Can be shortened at the sides
- Installation possible on masonry and stud frames
- Suitable for the design of washing place rows
- With linear drainage: The system offers two design options due to a reversible channel cover rail.
- Barrier-free: drive-under washing place



■ System components – LAVADO-FLOAT G/Z/E/R









■ System components – LAVADO-FLOAT L



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-LAVADO

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x DEPTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



	LLAVE5001	LAVADO-FLOAT G , washstand, even, without recess, as set for single washing facility, incl. 1 cartridge COL-MK and 2 stainless steel brackets 450 mm in length	1170 x 585 x 100 mm	set	
	LLAVE5002	LAVADO-FLOAT Z , washstand, with cylindrical recess, as set for single washing facility, incl. 1 cartridge COL-MK and 2 stainless steel brackets 450 mm in length	1170 x 585 x 100 mm	set	
	LLAVE5003	LAVADO-FLOAT E , washstand, with elliptical recess, as set for single washing facility, incl. 1 cartridge COL-MK and 2 stainless steel brackets 450 mm in length	1170 x 585 x 100 mm	set	
	LLAVE5004	LAVADO-FLOAT R , washstand, with rectangular recess, as set for single washing facility, incl. 1 cartridge COL-MK and 2 stainless steel brackets 450 mm in length	1170 x 585 x 100 mm	set	
	LLAVE5005	LAVADO-FLOAT L , washstand, with sloping recess, with channel drain 70 x 650 mm, hard foam support material, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, height adjustable with height adapter from 5 – 17 mm, including clip-on drainage adapter for drain pipe 1 1/4", as a set for single washing facility, including 1 cartridge COL-MK and 2 stainless steel brackets 450 mm in length	1170 x 585 x 100 mm	set	

System components COL · Packaging specifications see p. 159



Visit www.luxelements.com for further information on LAVADO.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

The shower bases

LUX ELEMENTS®-TUB


The TUB product group contains an extensive assortment of shower bases for point and linear drainage as well as drainage technology and accessories. A huge variety of sizes and designs covers almost all installation situations. Shower base elements including surface elements with gradients are offered for some standard formats.

TUB also offers suitable solutions for special applications such as shower bases for the acceptance of alternative watertight stopping, shower bases with drain pump or showers with wall drain.



LUX ELEMENTS®-TUB-PLUS

LUX ELEMENTS manufactures individual customised and special products for the TUB product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.




ETA-13/0238
LUX ELEMENTS®
WATERTIGHT SOLUTION
COMPONENT 3.2/8
www.luxelements.com
0799-CPD-130 - Nr LEWS2013







Overview TUB

■ Point drainage – **TUB**




Flush with the floor shower bases –
TUB

see page 34





Flush with the floor shower drain element –
TUB-MQ-SET 300

see page 35




Flush with the floor shower bases for the substitution
of bath tubs – **TUB BOL**

see page 40



Flush with the floor shower bases for the use on
wooden sub-constructions – **TUB H**

see page 42





Flush with the floor extra-slim shower bases with
integrated drain technology – **TUB COMBI**

see page 44




Flush with the floor shower bases including
surface element – **TUB FINISH**

see page 46



Floor drain systems and accessories –
TUB

see page 48




■ Further areas of application



Flush with the floor shower
bases for alternative water-
tight stopping – **TUB-PL**

see page 82



Flush with the floor shower
bases with integrated floor
drain pump – **TUB-PUMP**

see page 84



All TUB and TUB-LINE shower base elements are equipped with a second drainage level.

■ Linear drainage – **TUB-LINE**




Flush with the floor shower bases –
TUB-LINE

see page 52




Flush with the floor floor channel drains –
TUB-LINE RT

see page 58




Flush with the floor shower bases for the substitution
of bath tubs – **TUB-LINE BOL**

see page 62




Flush with the floor shower bases for the use on
wooden sub-constructions – **TUB-LINE H**

see page 66




Flush with the floor extra-slim shower bases
and floor channel drains with integrated drain
technology – **TUB-LINE COMBI**

see page 68




Flush with the floor shower bases including
surface element – **TUB-LINE FINISH**

see page 74



Floor drain systems and accessories –
TUB-LINE

see page 76



Shower drain elements with integrated wall drain –
TUB-WALL

see page 86





LUX ELEMENTS®-TUB

Point drainage

LUX ELEMENTS®-TUB shower bases

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6




Flush with the floor shower bases TUB

- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Shower base height: 30/45 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 48–51




■ Flush with the floor shower bases TUB




■ Installation heights


Floor drain support vertical without substrate element



Floor drain support vertical with substrate element



Floor drain support horizontal with substrate element




Please note: Dimensions in mm. Measures without adhesive coating and tiles. For further details, please see technical data sheet TUB.

Hard foam shower drain element **TUB-MQ-SET 300**

- For the installation in screed floors with slope
- Integrated floor drain support frame
- Including loose sealing sleeve
- Including substrate element


... see page 37



Substrate elements **TUB-U**

- Universal substrate elements for standard sizes
- Cut to size for made to measure shower bases


... see page 78



Mounting accessories **TUB-KIT**

- Complete mounting accessories in a kit
- Kit variants adapted to the shower base dimensions

... see page 81






LUX ELEMENTS®-TUB


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-EQ

TUB-EQ, hard foam shower base elements, square, integrated and sealed floor drain support frame 135 x 135 mm in the corner.
For floor drain supports, see floor drain systems (page 48–51).

ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--------------------	---------------------------------------	---	------	-------------------



TUB-EQ



LTUBE10000	TUB-EQ 800* , hard foam shower base element, standard format	800 x 800 x 30/45 mm	piece	
LTUBE10001	TUB-EQ 900* , hard foam shower base element, standard format	900 x 900 x 30/45 mm	piece	
LTUBE10002	TUB-EQ 1000* , hard foam shower base element, standard format	1000 x 1000 x 30/45 mm	piece	
LTUBE10003	TUB-EQ 1200* , hard foam shower base element, standard format	1200 x 1200 x 30/45 mm	piece	
LTUBE10004	TUB-EQ 1500* , hard foam shower base element, standard format	1500 x 1500 x 30/45 mm	piece	
LTUBE10005	TUB-EQ 1–1000* , hard foam shower base element, made to measure	1–1000 x 30/45 mm	piece	
LTUBE10006	TUB-EQ 1001–1200* , hard foam shower base element, made to measure	1001–1200 x 30/45 mm	piece	
LTUBE10007	TUB-EQ 1201–1400* , hard foam shower base element, made to measure	1201–1400 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 159 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-MQ


TUB-MQ, hard foam shower base elements, square, integrated and sealed* floor drain support frame 135 x 135 mm in the centre.
For floor drain supports, see floor drain systems (page 48–51).

*not for TUB-MQ-SET 300

	ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--	--------------------	---------------------------------------	---	------	-------------------



TUB-MQ-SET 300



TUB-MQ

	LTUBE1111	TUB-MQ-SET 300* , hard foam shower drain element with integrated floor drain support frame 135 x 135 mm, loose sealing sleeve 400 x 400 mm and substrate element TUB-UMQ 300 x 300 x 55 mm	300 x 300 x 30 mm	set	
	LTUBE10100	TUB-MQ 800* , hard foam shower base element, standard format	800 x 800 x 30/45 mm	piece	
	LTUBE10101	TUB-MQ 900* , hard foam shower base element, standard format	900 x 900 x 30/45 mm	piece	
	LTUBE10102	TUB-MQ 1000* , hard foam shower base element, standard format	1000 x 1000 x 30/45 mm	piece	
	LTUBE10103	TUB-MQ 1200* , hard foam shower base element, standard format	1200 x 1200 x 30/45 mm	piece	
	LTUBE10104	TUB-MQ 1500* , hard foam shower base element, standard format	1500 x 1500 x 30/45 mm	piece	
	LTUBE10105	TUB-MQ 1–1000* , hard foam shower base element, made to measure	1–1000 x 30/45 mm	piece	
	LTUBE10106	TUB-MQ 1001–1200* , hard foam shower base element, made to measure	1001–1200 x 30/45 mm	piece	
	LTUBE10107	TUB-MQ 1201–1400* , hard foam shower base element, made to measure	1201–1400 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 159 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.




LUX ELEMENTS®-TUB


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-ER

TUB-ER, hard foam shower base elements, rectangular, integrated and sealed floor drain support frame 135 x 135 mm off-centre.
For floor drain supports, see floor drain systems (page 48–51).

ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--------------------	---------------------------------------	---	------	-------------------



TUB-ER



LTUBE10614	TUB-ER 1000/800* , hard foam shower base element, standard format	1000 x 800 x 30/45 mm	piece	
LTUBE10601	TUB-ER 1200/900* , hard foam shower base element, standard format	1200 x 900 x 30/45 mm	piece	
LTUBE10602	TUB-ER 1200/1000* , hard foam shower base element, standard format	1200 x 1000 x 30/45 mm	piece	
LTUBE10603	TUB-ER 1400/900* , hard foam shower base element, standard format	1400 x 900 x 30/45 mm	piece	
LTUBE10604	TUB-ER 1500/900* , hard foam shower base element, standard format	1500 x 900 x 30/45 mm	piece	
LTUBE10605	TUB-ER 1600/900* , hard foam shower base element, standard format	1600 x 900 x 30/45 mm	piece	
LTUBE10606	TUB-ER 1–1000* , hard foam shower base element, made to measure	1–1000 x 30/45 mm	piece	
LTUBE10607	TUB-ER 1001–1200* , hard foam shower base element, made to measure	1001–1200 x 30/45 mm	piece	
LTUBE10608	TUB-ER 1201–1400* , hard foam shower base element, made to measure	1201–1400 x 30/45 mm	piece	
LTUBE10609	TUB-ER 1401–1600* , hard foam shower base element, made to measure	1401–1600 x 30/45 mm	piece	
LTUBE10610	TUB-ER 1601–1800* , hard foam shower base element, made to measure, manufactured in 2 parts, incl. 1 cartridge COL-MK	1601–1800 x 30/45 mm	piece	
LTUBE10611	TUB-ER 1801–2000* , hard foam shower base element, made to measure, manufactured in 2 parts, incl. 1 cartridge COL-MK	1801–2000 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 160 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-MR


TUB-MR, hard foam shower base elements, rectangular, integrated and sealed floor drain support frame 135 x 135 mm in the centre.

For floor drain supports, see floor drain systems (page 48–51).

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-MR



LTUBE10701	TUB-MR 1000/800* , hard foam shower base element, standard format	1000 x 800 x 30/45 mm	piece	
LTUBE10702	TUB-MR 1200/900* , hard foam shower base element, standard format	1200 x 900 x 30/45 mm	piece	
LTUBE10703	TUB-MR 1200/1000* , hard foam shower base element, standard format	1200 x 1000 x 30/45 mm	piece	
LTUBE10704	TUB-MR 1400/900* , hard foam shower base element, standard format	1400 x 900 x 30/45 mm	piece	
LTUBE10705	TUB-MR 1500/900* , hard foam shower base element, standard format	1500 x 900 x 30/45 mm	piece	
LTUBE10706	TUB-MR 1600/900* , hard foam shower base element, standard format	1600 x 900 x 30/45 mm	piece	
LTUBE10707	TUB-MR 1–1000* , hard foam shower base element, made to measure	1–1000 x 30/45 mm	piece	
LTUBE10708	TUB-MR 1001–1200* , hard foam shower base element, made to measure	1001–1200 x 30/45 mm	piece	
LTUBE10709	TUB-MR 1201–1400* , hard foam shower base element, made to measure	1201–1400 x 30/45 mm	piece	
LTUBE10710	TUB-MR 1401–1600* , hard foam shower base element, made to measure	1401–1600 x 30/45 mm	piece	
LTUBE10711	TUB-MR 1601–1800* , hard foam shower base element, made to measure, manufactured in 2 parts, incl. 1 cartridge COL-MK	1601–1800 x 30/45 mm	piece	
LTUBE10712	TUB-MR 1801–2000* , hard foam shower base element, made to measure, manufactured in 2 parts, incl. 1 cartridge COL-MK	1801–2000 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 160 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-BOL

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



Flush with the floor shower bases
for the substitution of bath tubs

TUB-BOL

- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Can be shortened in length through area without gradient
- Shower base height: 30/45 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 48–51

Also available with floor channel drain,
see TUB-LINE BOL, page 62

Accessories (optional)


- Matching seats: e.g. RELAX-BA-SOLO-G,
see page 102



- Shower base, can be cut to size

TUB-BOL 1800/750 – can be cut to size to minimum 750 x 1200 mm

TUB-BOL 1800/900 – can be cut to size to minimum 900 x 1200 mm




*Please note: the fittings are to be located in the shower area


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-BOL

TUB-BOL, hard foam shower base elements for the substitution of bath tubs.

For floor drain supports, see floor drain systems (page 48–51).

	ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--	--------------------	---------------------------------------	---	------	-------------------

 <div style="position: absolute; top: 285px; left: 585px;"> <p>TUB-BOL 1800/750: a = 750</p> <p>TUB-BOL 1800/900: a = 900</p> </div>					
---	--	--	--	--	--

	LTUBE18016	TUB-BOL 1800/750* , hard foam shower base element, with integrated and sealed floor drain support frame 135 x 135 mm, can be cut to length to minimum 750 x 1200 mm, slope area from 750 x 1200 mm, drain in the slope area in the centre	1800 x 750 x 30/45 mm	piece	
	LTUBE18018	TUB-BOL 1800/900* , hard foam shower base element, with integrated and sealed floor drain support frame 135 x 135 mm, can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm, drain in the slope area in the centre	1800 x 900 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 160 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-H

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6






Flush with the floor shower bases for the use on wooden sub-constructs TUB-H


- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Flat shower base height: 15/30 mm
- For barrier-free construction
- Second drainage level
- Also available as shower base for the substitution of bath tubs TUB-H BOL (see TUB-BOL, page 40)
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 48–51

Also available with floor channel drain, see TUB-LINE H, page 66

Please note: A planning expert is to be consulted when intervening in components with load-bearing function. Furthermore, national guidelines and generally recognised codes of practice must be observed.



■ Installation height




Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-H

TUB-H, hard foam shower base elements, square or rectangular, integrated and sealed floor drain support frame 135 x 135 mm, in the corner or in the centre, for the use on wooden sub-constructions. For floor drain supports, see floor drain systems (page 48–51).

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LTUBE17001	TUB-HEQ 900* , hard foam shower base element, drain in the corner	900 x 900 x 15/30 mm	piece	
	LTUBE17002	TUB-HEQ 1200* , hard foam shower base element, drain in the corner	1200 x 1200 x 15/30 mm	piece	
	LTUBE17101	TUB-HMQ 900* , hard foam shower base element, drain in the centre	900 x 900 x 15/30 mm	piece	
	LTUBE17103	TUB-HMQ 1000* , hard foam shower base element, drain in the centre	1000 x 1000 x 15/30 mm	piece	
	LTUBE17102	TUB-HMQ 1200* , hard foam shower base element, drain in the centre	1200 x 1200 x 15/30 mm	piece	
	LTUBE17011	TUB-HER 1200/900* , hard foam shower base element, drain in the corner	1200 x 900 x 15/30 mm	piece	
	LTUBE17013	TUB-HER 1400/900* , hard foam shower base element, drain in the corner	1400 x 900 x 15/30 mm	piece	
	LTUBE17012	TUB-HER 1600/900* , hard foam shower base element, drain in the corner	1600 x 900 x 15/30 mm	piece	
	LTUBE17111	TUB-HMR 1200/900* , hard foam shower base element, drain in the centre	1200 x 900 x 15/30 mm	piece	
	LTUBE17112	TUB-HMR 1600/900* , hard foam shower base element, drain in the centre	1600 x 900 x 15/30 mm	piece	
	LTUBE17018	TUB-H BOL 1800/900* , hard foam shower base element for the substitution of bath tubs, can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm, drain in the slope area in the centre	1800 x 900 x 15/30 mm	piece	

System components COL, DRY · Packaging specifications see p. 161 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-COMBI

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6




Flush with the floor extra-slim shower bases with integrated drain technology

TUB-COMBI


- Combination of shower base or shower drain element and horizontal floor drain support
- Factory sealing and prefabricated gradient (four-sided)
- Extra-flat shower base height: 68/80 mm
- For barrier-free construction
- Second drainage level
- Also available as shower base for the substitution of bath tubs TUB-LINE COMBI BOL (see TUB-BOL, p. 40)
- Drainage capacity 1,0 l/s (higher than required by standard)

Also available with floor channel drain, see TUB-LINE COMBI, page 68




■ Installation heights

TUB-COMBI MQ



TUB-COMBI MQ / TUB-COMBI MR / TUB-COMBI ER / TUB-COMBI BOL 1800/900




Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-COMBI

TUB-COMBI, hard foam shower base elements, with integrated and sealed* floor drain incl. grate fitting frame made of ABS and standard stainless steel grate, with odour trap, universal height adjustment to suit tile thickness and sleeve. Accessories see page 51. *not for TUB-COMBI MQ 300

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LTUBE19003	TUB-COMBI MQ 300* , extra-slim hard foam shower drain element with integrated horizontal floor drain, incl. grate fitting frame, standard grate and loose sealing sleeve 400 x 400 mm, drain in the centre	300 x 300 x 68 mm	piece	
	LTUBE19001	TUB-COMBI MQ 900* , extra-slim hard foam shower base element with integrated and sealed horizontal floor drain, incl. grate fitting frame, standard grate and loose sealing sleeve 200 x 800 mm, drain in the centre	900 x 900 x 68/80 mm	piece	
	LTUBE19012	TUB-COMBI ER 1200/900* , extra-slim hard foam shower base element with integrated and sealed horizontal floor drain, incl. grate fitting frame, standard grate and loose sealing sleeve 200 x 800 mm, drain off-centre	1200 x 900 x 68/80 mm	piece	
	LTUBE19015	TUB-COMBI ER 1400/900* , extra-slim hard foam shower base element with integrated and sealed horizontal floor drain, incl. grate fitting frame, standard grate and loose sealing sleeve 200 x 800 mm, drain off-centre	1400 x 900 x 68/80 mm	piece	
	LTUBE19002	TUB-COMBI MR 1200/900* , extra-slim hard foam shower base element with integrated and sealed horizontal floor drain, incl. grate fitting frame, standard grate and loose sealing sleeve 200 x 800 mm, drain in the centre	1200 x 900 x 68/80 mm	piece	
	LTUBE19101	TUB-COMBI BOL 1800/900* , extra-slim hard foam shower base element for the substitution of bath tubs with integrated and sealed horizontal floor drain, can be cut to a minimum of 900 x 1200 mm, gradient area from 900 x 1200 mm, incl. grate fitting frame, standard grate and sealing sleeve 200 x 800 mm, drain in gradient area in the centre	1800 x 900 x 68/80 mm	piece	

System components COL, DRY · Packaging specifications see p. 161 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-FINISH

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6




Flush with the floor shower bases including surface element **TUB-FINISH**


- Set of shower base and surface element made of white solid surface material including design grate made of solid surface material
- Ready to adhere – without time-consuming cutting to size
- Sealed floor drain fitting frame
- Factory sealing
- Prefabricated gradient (four-sided)
- Excellent hygienic properties of the surface
- Pore-free, heat-resistant surface
- Simple maintenance and care
- Durable and hard-wearing
- Shower base height: 30/45 mm
- Surface element height: 6 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 48–51

Also available with floor channel drain, see TUB-LINE FINISH page 74

Adhesion with mounting adhesive COL-MK, see page 148



■ Installation height (p.ex. floor drain support horizontal with substrate element)




Please note: Dimensions in mm. Measures without adhesive coating and tiles.


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-FINISH

TUB-FINISH, hard foam shower base elements, square or rectangular, with built-in and sealed floor drain fitting frame 135 x 135 mm, in the middle, with surface element FW (d = 6 mm) and design grate FW (d = 6 mm) made of white solid surface material. For floor drain supports, see floor drain systems (page 48–51).

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-FW MQ



TUB-FW ER

	LTUBE10101.FW	TUB-FW MQ 900* , hard foam shower base element, square, with surface element and design grate made of white solid surface material	shower base element: 900 x 900 x 30/45 mm, surface element: 900 x 900 x 6 mm	set	
	LTUBE10601.FW	TUB-FW ER 1200/900* , hard foam shower base element, rectangular, with surface element and design grate made of white solid surface material	shower base element: 1200 x 900 x 30/45 mm, surface element: 1200 x 900 x 6 mm	set	
	LTUBE10605.FW	TUB-FW ER 1600/900* , hard foam shower base element, rectangular, with surface element and design grate made of white solid surface material	shower base element: 1600 x 900 x 30/45 mm, surface element: 1600 x 900 x 6 mm	set	

System components COL, DRY · Packaging specifications see p. 161 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.




TUB floor drain systems

A general differentiation is made in the drain systems for the TUB shower bases between **free combinable systems** and **completely assembled systems** (from page 50).

TUB combinable floor drain systems

- Floor drain supports – TUB-BA-...
vertical or horizontal
- Grate fitting frame with standard grate – TUB-RA-S
- Grate fitting frame with design grate – TUB-RA-D...
Design variants see page 49
- Drainage capacity in accordance with DIN EN 1253 [l/s]:
Standard odour trap DN 50 vertical
– TUB-BA-S with standard grate: 1,7 l/s
– TUB-BA-S 100 with standard grate: 1,2 l/s
Standard odour trap DN 50 horizontal
– TUB-BA-W with standard grate: 1,0 l/s





■ Cutting to length of grate fitting frame and drain



Grate fitting frame – universal height adjustment to the covering thickness








Drain TUB-BA-S 100 – easy cutting to size from DN 40 to DN 50

■ PRODUCT SPECIFICATIONS – TUB COMBINABLE FLOOR DRAIN SYSTEMS

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH	UNIT	PRICE / UNIT €
	LTUBE1102	TUB-BA-S , floor drain support DN 50 vertical, for 160 mm core drill hole, with odour trap		set	
	LTUBE1103	TUB-BA-S 100 , floor drain support DN 40/DN 50 vertical, for 100 mm core drill hole, with odour trap		set	
	LTUBE1101	TUB-BA-W , floor drain support DN 50 horizontal, with odour trap		set	
	LTUBE1100	TUB-RA-S , grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	

contd. on page 49

■ PRODUCT SPECIFICATIONS – TUB COMBINABLE FLOOR DRAIN SYSTEMS

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH	UNIT	PRICE / UNIT €
	LTUBE1104	TUB-RA-DA , grate fitting frame made from ABS, with frame and design grate 'ANGOLO' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	
	LTUBE1105	TUB-RA-DC , grate fitting frame made from ABS, with frame and design grate 'CUBE' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	
	LTUBE1106	TUB-RA-DM , grate fitting frame made from ABS, with frame and design grate 'MARE' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	
	LTUBE1107	TUB-RA-DL , grate fitting frame made from ABS, with frame and design grate 'LUMEN' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	
	LTUBE1108	TUB-RA-DV , grate fitting frame made from ABS, with frame made of stainless steel and tileable cover 'VARI' made of stainless steel, universal height adjustment to suit tile thickness is possible, thickness of surface covering (tile and adhesive) for the shower tray minimum 5 mm, for the tileable covering 8 mm	external frame dimensions: 132 x 132 mm, cover: 110 x 110 mm	set	
	LTUBE1110	TUB-RA-DS , grate fitting frame made from ABS, with frame and design grate 'Slot' made of stainless steel, universal height adjustment to suit tile thickness is possible, with locking system	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	
	LTUBE1109	TUB-RA-DF , grate fitting frame made from ABS, with frame made of stainless steel and tileable plastic cover, universal height adjustment to suit tile thickness is possible, with locking system, thickness of surface covering (tile and adhesive) for the shower tray minimum 14 mm, for the tileable covering 11 mm	external frame dimensions: 132 x 132 mm, cover: 110 x 110 mm	set	

Thickness of surface covering (tile and adhesive): TUB-RA-S/DA/DC/DM/DL/DS: for the shower tray: minimum 5 mm / TUB-RA-DV: for the shower tray: minimum 5 mm / for the tileable covering: 8 mm / TUB-RA-DF: for the shower tray: minimum 14 mm / for the tileable covering: 11 mm

Please note: Flow capacity when using design grates and/or accessories, see data sheet TUB.

To fit all LUX ELEMENTS®-TUB-shower base elements and shower drain element TUB-MQ-SET 300 · System components COL, DRY · Packaging specifications see p. 162 · Online calculator see p. 7



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



TUB complete floor drain systems

- Set consisting of standard grate with grate fitting frame and vertical or horizontal floor drain support
- Simple to mount
- Drainage capacity in accordance with DIN EN 1253 [l/s]:
 Standard odour trap DN 50 vertical
 - TUB-BAS-S with standard grate: 1,7 l /s
 - TUB-BAS-S 100 with standard grate: 1,2 l /s
 Standard odour trap DN 50 horizontal
 - TUB-BAW-S with standard grate: 1,0 l /s

■ Cutting to length of grate fitting frame and drain



Grate fitting frame – universal height adjustment to the covering thickness

Drain TUB-BA-S 100 – easy cutting to size from DN 40 to DN 50

■ PRODUCT SPECIFICATIONS – COMPLETE FLOOR DRAIN SYSTEMS

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH	UNIT	PRICE / UNIT €
	LTUBE1180	TUB-BAS-S , floor drain support DN 50 vertical, for 160 mm core drill hole, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	
	LTUBE1193	TUB-BAS-S 100 , floor drain support DN 40/DN 50 vertical, for 100 mm core drill hole, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	
	LTUBE1184	TUB-BAW-S , floor drain support DN 50 horizontal, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	

Please note: Flow capacity when using design grates and/or accessories, see data sheet TUB.

To fit all LUX ELEMENTS®-TUB-shower base elements and shower drain element TUB-MQ-SET 300 · System components COL, DRY · Packaging specifications see p. 162 · Online calculator see p. 7




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


TUB floor drain systems accessories

- To fit all LUX ELEMENTS®-TUB-floor drain systems (TUB-BAZ HS does not fit TUB-COMBI)
- Impact sound insulating mat for the reduction of noise nuisance caused by running water, e.g. in apartment blocks, nursing homes and hotels: TUB-TSM
- Fire protection set for more safety: TUB-BAS-S FIRE STOP

■ TUB-BAS-S FIRE STOP



■ TUB-TSM



■ PRODUCT SPECIFICATIONS – TUB FLOOR DRAIN SYSTEMS ACCESSORIES

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE1188	TUB-BAZ STOP , odour, foam and vermin barrier; can also be retrofitted to existing installed drains		piece	
	LTUBE1189	TUB-BAZ HS , removable hair trap		piece	
	LTUBE1200	TUB-BAZ DN 50/40 , reducer, DN 50 to DN 40, with lip seal		piece	
	LTUBE1190	TUB-BAZ BST , adapter, DN 50 to British Standard		piece	
	LTUBE1192	TUB-BAZ HTK , HTK elbow, DN 50, swivel joint 0–87° (infinitely variable)		piece	
	LTUBE1197	TUB-BAS-S FIRE STOP , floor drain support DN 50 for 160 mm core drill hole, vertical, with odor trap, incl. grate fitting frame made of ABS and standard stainless steel grate, incl. adapter part TUB-BAZ VER and fire-protection component	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	
	LTUBE1198	TUB-BAZ DGD , conduit seal for core drill hole in diameter 160 mm, with fire protection in conjunction with TUB-BAS-S FIRE STOP		piece	
	LTUBE1191.6	TUB-TSM 6 , impact sound insulating mat 6 mm for LUX ELEMENTS flush with the floor shower base elements	1250 x 1250 x 6 mm	piece	
	LTUBE1191.12	TUB-TSM 12 , impact sound insulating mat 12 mm for LUX ELEMENTS flush with the floor shower base elements, for elevated requirements	1250 x 1250 x 12 mm	piece	

To fit all LUX ELEMENTS®-TUB-floor drain systems (TUB-BAZ HS does not fit TUB-COMBI) · System components COL, DRY · Packaging specifications see p. 162 · Online calculator see p. 7



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

Linear drainage



LUX ELEMENTS®-TUB-LINE shower bases

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6




Hard foam shower base element with sealed floor channel drain **TUB-LINE**

- Shower base element with integrated and sealed floor channel drain 70 x 650 mm, 70 x 750 mm or 70 x 850 mm
- Factory sealing
- Prefabricated gradient (one-sided/four-sided)
- Shower base height: 30/45 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 76–77



■ Flush with the floor shower bases TUB-LINE




e.g. TUB-LINE Q4 + TUB-LINE BA-W + universal substrate element TUB-UQ

■ Design and gradient variants


TUB-LINE Q4 ... – square / 4-sided gradient




TUB-LINE Q1 ... – square / single sided gradient



TUB-LINE R4 ... – rectangular / 4-sided gradient




TUB-LINE R1 ... – rectangular / single sided gradient




■ Installation heights


TUB-LINE Q4... / TUB-LINE R4... – 4-sided gradient
vertical drain without substrate element




TUB-LINE Q1... / TUB-LINE R1... – single sided gradient
vertical drain with substrate element*



TUB-LINE Q4... / TUB-LINE R4... – 4-sided gradient
horizontal drain with substrate element



TUB-LINE Q1... / TUB-LINE R1... – single sided gradient
horizontal drain with substrate element



* The overall height when installing the vertical drain **without** a substrate element is reduced by the height of the substrate element (= 55 mm).
Please note: Dimensions in mm. Measures without adhesive coating and tiles. For further details, please see technical data sheet TUB-LINE.




LUX ELEMENTS®-TUB


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE Q4

TUB-LINE Q4, hard foam shower base elements, square, with 4-sided gradient, with integrated and sealed floor channel drain 70 x 750 mm or 70 x 850 mm, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. Floor drain supports and accessories see page 76–77.


ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE Q4



Floor channel drain

	with floor channel drain 70 x 750 mm			
	LTUBE94001	TUB-LINE Q4 900* , hard foam shower base element, standard format	900 x 900 x 30/45 mm	piece
	LTUBE94009	TUB-LINE Q4 900–1000* , hard foam shower base element, made to measure	900–1000 x 900–1000 x 30/45 mm	piece
	with floor channel drain 70 x 850 mm			
	LTUBE94017	TUB-LINE Q4 1000* , hard foam shower base element, standard format	1000 x 1000 x 30/45 mm	piece
	LTUBE94019	TUB-LINE Q4 1200* , hard foam shower base element, standard format	1200 x 1200 x 30/45 mm	piece
	LTUBE94023	TUB-LINE Q4 1000–1200* , hard foam shower base element, made to measure	1000–1200 x 1000–1200 x 30/45 mm	piece

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE Q1

TUB-LINE Q1, hard foam shower base elements, square, single-sided gradient, with integrated and sealed floor channel drain 70 x 750 mm or 70 x 850 mm, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. Floor drain supports and accessories see page 76–77.


ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-LINE Q1



Floor channel drain

	with floor channel drain 70 x 750 mm			
	LTUBE94002	TUB-LINE Q1 900* , hard foam shower base element, standard format	900 x 900 x 30/45 mm	piece
	LTUBE94010	TUB-LINE Q1 870–1000* , hard foam shower base element, made to measure	870–1000 x 870–1000 x 30/45 mm	piece
	with floor channel drain 70 x 850 mm			
	LTUBE94018	TUB-LINE Q1 1000* , hard foam shower base element, standard format	1000 x 1000 x 30/45 mm	piece
	LTUBE94020	TUB-LINE Q1 1200* , hard foam shower base element, standard format	1200 x 1200 x 30/45 mm	piece
	LTUBE94024	TUB-LINE Q1 970–1200* , hard foam shower base element, made to measure	970–1200 x 970–1200 x 30/45 mm	piece

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.




LUX ELEMENTS®-TUB


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE R4

TUB-LINE R4, hard foam shower base elements, rectangular, with 4-sided gradient, with integrated and sealed floor channel drain 70 x 650 mm or 70 x 750 mm or 70 x 850 mm on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. Floor drain supports and accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE R4



Floor channel drain

	with floor channel drain 70 x 750 mm				
	LTUBE94003	TUB-LINE R4 1200/900* , hard foam shower base element, standard format	1200 x 900 x 30/45 mm	piece	
	LTUBE94005	TUB-LINE R4 1400/900* , hard foam shower base element, standard format	1400 x 900 x 30/45 mm	piece	
	LTUBE94007	TUB-LINE R4 1600/900* , hard foam shower base element, standard format	1600 x 900 x 30/45 mm	piece	
	LTUBE94011	TUB-LINE R4 1000–1200/900–1000* , hard foam shower base element, made to measure	1000–1200 x 900–1000 x 30/45 mm	piece	
	LTUBE94013	TUB-LINE R4 1200–1400/900–1000* , hard foam shower base element, made to measure	1200–1400 x 900–1000 x 30/45 mm	piece	
	LTUBE94015	TUB-LINE R4 1400–1600/900–1000* , hard foam shower base element, made to measure	1400–1600 x 900–1000 x 30/45 mm	piece	
	LTUBE94025	TUB-LINE R4 1000–1200/1000–1100* , hard foam shower base element, made to measure	1000–1200 x 1000–1100 x 30/45 mm	piece	
with floor channel drain 70 x 850 mm					
	LTUBE94021	TUB-LINE R4 1200/1000* , hard foam shower base element, standard format	1200 x 1000 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534




Visit **www.luxelements.com** for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE R1

TUB-LINE R1, hard foam shower base elements, rectangular, with single-sided gradient, with integrated and sealed floor channel drain 70 x 650 mm or 70 x 750 mm or 70 x 850 mm on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. Floor drain supports and accessories see page 76–77.


ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-LINE R1



Floor channel drain

	with floor channel drain 70 x 650 mm				
	LTUBE94029	TUB-LINE R1 1200/900 (650)* , hard foam shower base element, standard format	1200 x 900 x 30/45 mm	piece	
	LTUBE94030	TUB-LINE R1 1400/900 (650)* , hard foam shower base element, standard format	1400 x 900 x 30/45 mm	piece	
	with floor channel drain 70 x 750 mm				
	LTUBE94004	TUB-LINE R1 1200/900* , hard foam shower base element, standard format	1200 x 900 x 30/45 mm	piece	
	LTUBE94006	TUB-LINE R1 1400/900* , hard foam shower base element, standard format	1400 x 900 x 30/45 mm	piece	
	LTUBE94008	TUB-LINE R1 1600/900* , hard foam shower base element, standard format	1600 x 900 x 30/45 mm	piece	
	LTUBE94012	TUB-LINE R1 1000–1200/870–1000* , hard foam shower base element, made to measure	1000–1200 x 870–1000 x 30/45 mm	piece	
	LTUBE94014	TUB-LINE R1 1200–1400/870–1000* , hard foam shower base element, made to measure	1200–1400 x 870–1000 x 30/45 mm	piece	
	LTUBE94016	TUB-LINE R1 1400–1600/870–1000* , hard foam shower base element, made to measure	1400–1600 x 870–1000 x 30/45 mm	piece	
	LTUBE94026	TUB-LINE R1 1000–1200/970–1100* , hard foam shower base element, made to measure	1000–1200 x 970–1100 x 30/45 mm	piece	
with floor channel drain 70 x 850 mm					
	LTUBE94022	TUB-LINE R1 1200/1000* , hard foam shower base element, standard format	1200 x 1000 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE RT / GK

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 5/6



Floor channel drains

TUB-LINE RT

- Floor channel drain 70 x 650 mm, 70 x 750 mm or 70 x 850 mm integrated in hard foam support element, with sealing sleeve
- Height RT: 30 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Including substrate element, Height: 55 mm
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 76–77
- Also available with extended cover rail, see page 60



Gradient elements for TUB-LINE RT

TUB-LINE GK


- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient
- Matching substrate elements with a height of 55 mm, see page 78



■ Combination possibilities



■ Installation height











Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE RT / GK

TUB-LINE RT, floor channel drain 70 x 650 mm or 70 x 750 mm or 70 x 850 mm, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5 – 17 mm, integrated in hard foam support element, including substrate element, including sealing sleeve. Floor drain supports and accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------

Floor channel drain				
				
TUB-LINE RT 900/200 (650)	TUB-LINE RT 900/200 (750)	TUB-LINE RT 1200/200 (850)		

	LTUBE95008	TUB-LINE RT 900/200 (650)* , floor channel drain 70 x 650 mm, integrated in hard foam support element, including substrate element 200 x 900 x 55 mm, including sealing sleeve 1000 x 300 mm	200 x 900 x 30 mm	set	
	LTUBE95001	TUB-LINE RT 900/200 (750)* , floor channel drain 70 x 750 mm, integrated in hard foam support element, including substrate element 200 x 900 x 55 mm, including sealing sleeve 1000 x 300 mm	200 x 900 x 30 mm	set	
	LTUBE95002	TUB-LINE GK R1 1200/900* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 900 x 30/45 mm	piece	
	LTUBE95003	TUB-LINE RT 1200/200 (850)* , floor channel drain 70 x 850 mm, integrated in hard foam support element, including substrate element 200 x 1200 x 55 mm, including sealing sleeve 1300 x 300 mm	200 x 1200 x 30 mm	set	
	LTUBE95004	TUB-LINE GK Q1 1200* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 1200 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE V RT / GK

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 5/6



Floor channel drains with extended cover rail **TUB-LINE V RT**


- Floor channel drain 70 x 650 mm or 70 x 850 mm integrated in hard foam support element, with sealing sleeve
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look in a length of 1000 or 1200 mm
- Can be shortened to fit the shower area
- Height RT: 30 mm
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Including substrate element 55 mm height
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 76–77




Gradient elements for TUB-LINE V RT **TUB-LINE GK**

- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient
- Matching substrate elements with a height of 55 mm, see page 78

■ Combination possibilities



■ Installation height






Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE V RT

TUB-LINE V RT, floor channel drain 650 mm or 850 mm, with extended tiling aid V and extended cover rail V in brushed stainless steel, with odour trap, height adjustable with height adapter from 5 – 17 mm, integrated in hard foam support element, including substrate element, including sealing sleeve. Including accessories for the stepless adaptation of the stainless steel components. Floor drain supports and accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------

<p style="text-align: center;">Floor channel drain</p> <div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  <p>TUB-LINE V RT 1000/200 (650)</p> </div> <div style="text-align: center;">  <p>TUB-LINE V RT 1200/200 (850)</p> </div> </div>				
---	--	--	--	--

	LTUBE98201	TUB-LINE V RT 1000/200 (650)* , floor channel drain 650 mm, with extended tiling aid V and extended cover rail V, 1000 mm long, integrated in hard foam support element, including substrate element 200 x 1000 x 55 mm, including sealing sleeve 1100 x 300 mm	200 x 1000 x 30 mm	set	
	LTUBE95009	TUB-LINE GK Q1 1000* , hard foam descending gradient element, sealed, with single-sided gradient	1000 x 1000 x 30/45 mm	piece	
	LTUBE98202	TUB-LINE V RT 1200/200 (850)* , floor channel drain 850 mm, with extended tiling aid V and extended cover rail V, 1200 mm long, integrated in hard foam support element, including substrate element 200 x 1200 x 55 mm, including sealing sleeve 1300 x 300 mm	200 x 1200 x 30 mm	set	
	LTUBE95004	TUB-LINE GK Q1 1200* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 1200 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE BOL

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



Flush with the floor shower bases
for the substitution of bath tubs

TUB-LINE BOL

- Shower base element with integrated and sealed floor channel drain 70 x 750 mm
- Reversible channel cover rail offers two design options
- Factory sealing
- Prefabricated gradient (four-sided)
- Shower base height: 30/45 mm
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- Can be shortened in length through area without gradient
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 76–77
- Also available with extended cover rail, see page 64

Also available with point drainage,
see TUB-BOL, page 40


Accessories (optional)

- Matching seats: e.g. RELAX-BA-SOLO-G, see page 102



- Shower base, can be cut to size

TUB-LINE BOL 1800/900 – can be cut to length to minimum 900 x 1200 mm





*Please note: the fittings are to be located in the shower area

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE BOL

TUB-LINE BOL, hard foam shower base elements for the substitution of bath tubs, with integrated and sealed floor channel drain 70 x 750 mm on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. Floor drain supports and accessories see page 76–77.

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--	----------------	------------------------------------	---	------	----------------



LTUBE97001

TUB-LINE BOL 1800/900*, hard foam shower base element with floor channel drain 70 x 750 mm, with 4-sided gradient, can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm

1800 x 900 x 30/45 mm

piece

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE BOL V

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6





Flush with the floor shower bases
with extended cover rail

TUB-LINE BOL V


- Shower base element with integrated and sealed floor channel drain 70 x 650 mm or 70 x 850 mm
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look in a length of 1000 or 1200 mm
- Factory sealing
- Prefabricated gradient (one-sided)
- Shower base height: 30/45 mm
- Can be shortened to fit the shower area
- Can be shortened in length through area without gradient
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 76–77

Accessories (optional)

- Matching seats: e.g. RELAX-BA-SOLO-G, see page 102



- Shower base, can be cut to size






*Please note: the fittings are to be located in the shower area

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE BOL V

TUB-LINE BOL V, hard foam shower base elements with integrated and sealed floor channel drain 650 mm or 850 mm on shorter side, with extended tiling aid V and extended cover rail V over the shower base width in brushed stainless steel, with odour trap, height adjustable with height adapter from 5–17 mm. Shower base can be cut to size. Including accessories for the stepless adaptation of the stainless steel components. Floor drain supports and accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------

 <p>TUB-LINE BOL V R1 1800/1000</p>		 <p>TUB-LINE BOL V R1 1800/1200</p>	
---	--	--	--

	LTUBE98001	TUB-LINE BOL V R1 1800/1000* , hard foam shower base element with floor channel drain 650 mm, with single-sided gradient, with extended tiling aid V and extended cover rail V over the shower base width 1000 mm	1800 x 1000 x 30/45 mm	piece	
	LTUBE98002	TUB-LINE BOL V R1 1800/1200* , hard foam shower base element with floor channel drain 850 mm, with single-sided gradient, with extended tiling aid V and extended cover rail V over the shower base width 1200 mm	1800 x 1200 x 30/45 mm	piece	

System components COL, DRY · Packaging specifications see p. 163 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE H

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



Flush with the floor shower bases for the use on wooden sub-constructions TUB-LINE H


- Shower bases for the use on wooden sub-constructions with integrated and sealed floor channel drain 70 x 750 mm or 70 x 800 mm
- Factory sealing
- Prefabricated gradient (four-sided)
- Flat shower base height: 20/30 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Secure click system for fastening the drain connection fitting
- Also available as shower base for the substitution of bath tubs TUB-LINE H BOL (see TUB-LINE BOL, p. 62)
- Suitable drain systems, see page 76–77

Also available with point drainage, see TUB-H, page 42

Please note: A planning expert is to be consulted when intervening in components with load-bearing function. Furthermore, national guidelines and generally recognised codes of practice must be observed.



■ Installation height




Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE H

TUB-LINE H, hard foam shower base elements, square or rectangular, with integrated and sealed floor channel drain 70 x 750 mm or 70 x 850 mm on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm, for the use on wooden floor constructions. Floor drain supports and accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LTUBE96001	TUB-LINE HQ4 900* , hard foam shower base element with floor channel drain 70 x 750 mm, square, with 4-sided gradient	900 x 900 x 20/30 mm	piece	
	LTUBE96003	TUB-LINE HQ4 1000* , hard foam shower base element with floor channel drain 70 x 850 mm, square, with 4-sided gradient	1000 x 1000 x 20/30 mm	piece	
	LTUBE96004	TUB-LINE HQ4 1200* , hard foam shower base element with floor channel drain 70 x 850 mm, square, with 4-sided gradient	1200 x 1200 x 20/30 mm	piece	
	LTUBE96002	TUB-LINE HR4 1200/900* , hard foam shower base element with floor channel drain 70 x 750 mm, rectangular, with 4-sided gradient	1200 x 900 x 20/30 mm	piece	
	LTUBE96005	TUB-LINE HR4 1400/900* , hard foam shower base element with floor channel drain 70 x 750 mm, rectangular, with 4-sided gradient	1400 x 900 x 20/30 mm	piece	
	LTUBE97101	TUB-LINE H BOL 1800/900* , hard foam shower base element for the substitution of bath tubs, with floor channel drain 70 x 750 mm, with 4-sided gradient, can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm	1800 x 900 x 20/30 mm	piece	

System components COL, DRY · Packaging specifications see p. 164 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE COMBI

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



Flush with the floor extra-slim shower bases with integrated drain technology


TUB-LINE COMBI

- Combination of shower base with built-in and sealed floor channel drain 70 x 750 mm and horizontal floor drain support (including odour trap)
- Factory sealing
- Prefabricated gradient (one-sided/four-sided)
- Extra-flat shower base height: 67/80 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- Including sealing sleeve for sealing the pipe
- For barrier-free construction
- Second drainage level
- Drainage capacity 0,52 l/s (higher than required by standard)


Also available with point drainage, see TUB-COMBI, page 44



■ Installation height




Please note: Dimensions in mm. Measures without adhesive coating and tiles.



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE COMBI

TUB-LINE COMBI, extra-slim hard foam shower base element with integrated and sealed floor channel drain 70 x 750 mm, square or rectangular, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. Accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LTUBE9320	TUB-LINE COMBI Q4 900* , extra-slim hard foam shower base element with floor channel drain 70 x 750 mm, square, with 4-sided gradient, with integrated horizontal drain support, including loose sealing sleeve 200 x 800 mm	900 x 900 x 67/80 mm	piece	
	LTUBE9321	TUB-LINE COMBI R4 1200/900* , extra-slim hard foam shower base element with floor channel drain 70 x 750 mm, rectangular, with 4-sided gradient, with integrated horizontal drain support, including loose sealing sleeve 200 x 800 mm	1200 x 900 x 67/80 mm	piece	
	LTUBE9322	TUB-LINE COMBI Q1 900* , extra-slim hard foam shower base element with floor channel drain 70 x 750 mm, square, with gradient on one side, with integrated horizontal drain support, including loose sealing sleeve 200 x 800 mm	900 x 900 x 67/80 mm	piece	
	LTUBE9323	TUB-LINE COMBI R1 1200/900* , extra-slim hard foam shower base element with floor channel drain 70 x 750 mm, rectangular, with gradient on one side, with integrated horizontal drain support, including loose sealing sleeve 200 x 800 mm	1200 x 900 x 67/80 mm	piece	

System components COL, DRY · Packaging specifications see p. 164 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE COMBI RT / GK

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 5/6



Floor channel drain with integrated drain technology

TUB-LINE COMBI RT

- Combination of floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm) integrated in hard foam support element and horizontal drain support, including sealing sleeve
- Extra-flat height RT: 67 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Drainage capacity: 0,52 l/s
- Also available with extended cover rail, see page 72




Gradient elements for TUB-LINE COMBI V RT

TUB-LINE COMBI GK

- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient

■ Installation height











Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE COMBI RT / GK

TUB-LINE COMBI RT, floor channel drain 70 x 650 mm or 70 x 750 mm or 70 x 850 mm, with integrated horizontal drain support, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm, integrated in hard foam support element, including sealing sleeve. Accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------

Floor channel drain				
	650 mm		750 mm	
TUB-LINE COMBI RT 900 (650)		TUB-LINE COMBI RT 900 (750)		TUB-LINE COMBI RT 1200 (850)

	LTUBE9316	TUB-LINE COMBI RT 900 (650)* , floor channel drain 70 x 650 mm, with integrated horizontal drain support, integrated in hard foam support element, including sealing sleeve 1000 x 300 mm	200 x 900 x 67 mm	piece	
	LTUBE9306	TUB-LINE COMBI RT 900 (750)* , floor channel drain 70 x 750 mm, with integrated horizontal drain support, integrated in hard foam support element, including sealing sleeve 1000 x 300 mm	200 x 900 x 67 mm	piece	
	LTUBE9307	TUB-LINE COMBI GK R1 1200/900* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 900 x 70/85 mm	piece	
	LTUBE9308	TUB-LINE COMBI RT 1200 (850)* , floor channel drain 70 x 850 mm, with integrated horizontal drain support, integrated in hard foam support element, including sealing sleeve 1300 x 300 mm	200 x 1200 x 67 mm	piece	
	LTUBE9309	TUB-LINE COMBI GK Q1 1200* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 1200 x 70/85 mm	piece	

System components COL, DRY · Packaging specifications see p. 164 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE COMBI V RT / GK


Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 5/6



Floor channel drain with integrated drain technology with extended cover rail

TUB-LINE COMBI V RT

- Combination of floor channel drain (70 x 650 mm or 70 x 850 mm) integrated in hard foam support element and horizontal drain support, including sealing sleeve
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look in a length of 1000 or 1200 mm
- Can be shortened to fit the shower area
- Extra-flat height RT: 67 mm
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Drainage capacity: 0,52 l/s




Gradient elements for TUB-LINE COMBI RT

TUB-LINE COMBI GK

- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient

■ Installation height

TUB-LINE COMBI V RT ... + gradient element GK






Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE COMBI V RT / GK

TUB-LINE COMBI V RT, floor channel drain 650 mm or 850 mm, with integrated horizontal drain support, with extended tiling aid V and extended cover rail V in brushed stainless steel, with odour trap, height adjustable with height adapter from 5–17 mm, integrated in hard foam support element, including sealing sleeve. Including accessories for the stepless adaptation of the stainless steel components. Accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------

<p style="text-align: center;">Floor channel drain</p> <div style="display: flex; justify-content: space-around; align-items: flex-end;"> <div style="text-align: center;">  <p>TUB-LINE COMBI V RT 1000 (650)</p> </div> <div style="text-align: center;">  <p>TUB-LINE COMBI V RT 1200 (850)</p> </div> </div>				
---	--	--	--	--

	LTUBE98301	TUB-LINE COMBI V RT 1000 (650)* , floor channel drain 650 mm, with integrated horizontal drain support, integrated in hard foam support element, with extended tiling aid V and extended cover rail V, 1000 mm long, including sealing sleeve 1100 x 300 mm	200 x 1000 x 67 mm	piece	
	LTUBE9305	TUB LINE COMBI GK Q1 1000* , hard foam descending gradient element, sealed, with single-sided gradient	1000 x 1000 x 70/85 mm	piece	
	LTUBE98302	TUB-LINE COMBI V RT 1200 (850)* , floor channel drain 850 mm, with integrated horizontal drain support, integrated in hard foam support element, with extended tiling aid V and extended cover rail V, 1200 mm long, including sealing sleeve 1300 x 300 mm	200 x 1200 x 67 mm	piece	
	LTUBE9309	TUB-LINE COMBI GK Q1 1200* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 1200 x 70/85 mm	piece	

System components COL, DRY · Packaging specifications see p. 164 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-LINE FINISH

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6




Flush with the floor shower bases including surface element

TUB-LINE FINISH


- Set of shower base and surface element made of white solid surface material including cover rail made of solid surface material
- Ready to adhere – without time-consuming cutting to size
- Sealed floor drain fitting frame
- Factory sealing
- Prefabricated gradient (four-sided)
- Excellent hygienic properties of the surface
- Pore-free, heat-resistant surface
- Simple maintenance and care
- Durable and hard-wearing
- Shower base height: 30/45 mm
- Surface element height: 6 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 78
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 76–77

Also available with point drainage, see TUB-FINISH page 46

Adhesion with mounting adhesive COL-MK, see page 148



■ Installation height (e.g. floor drain support horizontal with substrate element)




Please note: Dimensions in mm. Measures without adhesive coating and tiles.


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE FINISH

TUB-LINE FINISH, hard foam shower base elements, square or rectangular, with 4-sided gradient, with integrated and sealed floor channel drain 70 x 750 mm on shorter side, with surface element FW (d=6 mm) and cover rail FW (d=12 mm) made of white solid surface material.
Floor drain supports and accessories see page 76–77.

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-LINE FW Q4



TUB-LINE FW R4

	LTUBE94001.FW	TUB-LINE FW Q4 900* , hard foam shower base element, square, with integrated and sealed floor channel drain 70 x 750 mm, with surface element and cover rail made of white solid surface material	shower base element: 900 x 900 x 30/45 mm, surface element: 900 x 900 x 6 mm	set	
	LTUBE94003.FW	TUB-LINE FW R4 1200/900* , hard foam shower base element, rectangular, with integrated and sealed floor channel drain 70 x 750 mm, with surface element and cover rail made of white solid surface material	shower base element: 1200 x 900 x 30/45 mm, surface element: 1200 x 900 x 6 mm	set	
	LTUBE94007.FW	TUB-LINE FW R4 1600/900* , hard foam shower base element, rectangular, with integrated and sealed floor channel drain 70 x 750 mm, with surface element and cover rail made of white solid surface material	shower base element: 1600 x 900 x 30/45 mm, surface element: 1600 x 900 x 6 mm,	set	

System components COL, DRY · Packaging specifications see p. 164 · Substrate elements see p. 78 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.




LUX ELEMENTS®-TUB

Floor drain supports and accessories TUB-LINE


- To fit all LUX ELEMENTS®-TUB-LINE shower bases and floor channel drains
- Drainage capacity in accordance with DIN EN 1253 [l/s]:
 - vertical (TUB-LINE BA-S): 0,8 l/s
 - horizontal (TUB-LINE BA-W 22): 0,8 l/s
- Impact sound insulating mat for the reduction of noise nuisance caused by running water, e.g. in apartment blocks, nursing homes and hotels: TUB-TSM
- Fire protection set for more safety:
TUB-LINE BA-S FIRE STOP



■ TUB-LINE BA-S FIRE STOP



■ TUB-TSM



■ PRODUCT SPECIFICATIONS – TUB-LINE FLOOR DRAIN SUPPORTS AND ACCESSORIES

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE1113	TUB-LINE BA-S , floor drain support DN 50 vertical, for 160 mm core drill hole, without odour trap		piece	
	LTUBE1112.22	TUB-LINE BA-W 22 , floor drain support DN 50 horizontal, without odour trap		piece	
	LTUBE1112.50	TUB-LINE BA-W 50 , floor drain support DN 50 horizontal, without odour trap, to fit TUB-LINE BA-GV 50		piece	
	LTUBE1115.50	TUB-LINE BA-GV 50 , odour trap, sealing water height 50 mm, to fit TUB-LINE BA-W 50		piece	
	LTUBE1288	TUB-LINE BAZ STOP , odour, foam and vermin barrier, can also be retrofitted to existing installed channel drains for the design variants TUB-LINE		piece	
	LTUBE1114	TUB-LINE BAZ HS , removable hair trap for TUB-LINE		piece	
	LTUBE1200	TUB-BAZ DN 50/40 , reducer, DN 50 to DN 40, with lip seal		piece	
	LTUBE1190	TUB-BAZ BST , adapter, DN 50 to British Standard,		piece	
	LTUBE1192	TUB-BAZ HTK , HTK elbow, DN 50, swivel joint 0–87° (infinitely variable)		piece	
	LTUBE1289	TUB-LINE BA-S FIRE STOP , floor drain support DN 50 vertical for 160 mm core drill hole, with odour trap, incl. adapter part TUB-BAZ VER and fire-protection component		set	
	LTUBE1198	TUB-BAZ DGD , conduit seal for core drill hole in diameter 160 mm, with fire protection in conjunction with TUB-LINE BA-S FIRE STOP		piece	
	LTUBE1191.6	TUB-TSM 6 , impact sound insulating mat 6 mm for LUX ELEMENTS flush with the floor shower base elements	1250 x 1250 x 6 mm	piece	
	LTUBE1191.12	TUB-TSM 12 , impact sound insulating mat 12 mm for LUX ELEMENTS flush with the floor shower base elements, for elevated requirements	1250 x 1250 x 12 mm	piece	

System components COL, DRY · Packaging specifications see p. 165 · Online calculator see p. 7



Visit www.luxelements.com for further information on TUB.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB


Substrate elements for TUB and TUB-LINE **TUB-U**

- **Universal substrate elements:**
 - For standard formats with shower bases
 - Simple shortening or cutting to size to other formats
- **Made to measure substrate elements:**
 - For made to measure shower bases




■ Substrate elements TUB-U

Universal substrate element – for standard formats, including fillers for closing the unused openings



Made to measure substrate element – for made to measure products, including drain position cut to size



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-U... (SUBSTRATE ELEMENTS)





	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
Universal substrate elements – for standard sizes TUB and TUB-LINE					
	LTUBE11110	TUB-UQ 800 , square, for TUB-EQ/-MQ 800	800 x 800 x 55 mm	piece	
	LTUBE11111	TUB-UQ 900 , square, for TUB-EQ/-MQ 900 and TUB-LINE Q 900 and TUB-FW MQ 900 and TUB-LINE FW Q4 900	900 x 900 x 55 mm	piece	
	LTUBE11112	TUB-UQ 1000 , square, for TUB-EQ/-MQ 1000 and TUB-LINE Q 1000 and TUB-LINE GK Q1 1000	1000 x 1000 x 55 mm	piece	
	LTUBE11113	TUB-UQ 1200 , square, for TUB-EQ/-MQ 1200 and TUB-LINE Q 1200 and TUB-LINE GK Q1 1200	1200 x 1200 x 55 mm	piece	
	LTUBE11114	TUB-UQ 1500 , square, for TUB-EQ/-MQ 1500	1500 x 1500 x 55 mm	piece	
	LTUBE11811	TUB-UR 1000/800 , rectangular, for TUB-ER/-MR 1000/800	1000 x 800 x 55 mm	piece	
	LTUBE11812	TUB-UR 1200/900 , rectangular, for TUB-ER/-MR 1200/900 and TUB-LINE R 1200/900 and TUB-LINE GK R1 and TUB-FW ER 1200/900 and TUB-LINE FW R4 1200/900	1200 x 900 x 55 mm	piece	
	LTUBE11813	TUB-UR 1200/1000 , rectangular, for TUB-ER/-MR 1200/1000 and TUB-LINE R 1200/1000	1200 x 1000 x 55 mm	piece	
	LTUBE11815	TUB-UR 1400/900 , rectangular, for TUB-ER/-MR 1400/900 and TUB-LINE R 1400/900	1400 x 900 x 55 mm	piece	
	LTUBE11816	TUB-UR 1500/900 , rectangular, for TUB-ER/-MR 1500/900	1500 x 900 x 55 mm	piece	
	LTUBE11817	TUB-UR 1600/900 , rectangular, for TUB-ER/-MR 1600/900 and TUB-LINE R 1600/900 and TUB-FW ER 1600/900 and TUB-LINE FW R4 1600/900	1600 x 900 x 55 mm	piece	
Substrate elements for TUB-BOL and TUB-LINE BOL					
	LTUBE18017	TUB-UBOL 1800/750 , for TUB-BOL 1800/750	1800 x 750 x 55 mm	piece	
	LTUBE18019	TUB-UBOL 1800/900 , for TUB-BOL 1800/900 and TUB-LINE BOL 1800/900	1800 x 900 x 55 mm	piece	
	LTUBE98101	TUB-UBOL 1800/1000 , for TUB-LINE BOL V R1 1800/1000	1800 x 1000 x 55 mm	piece	
	LTUBE98102	TUB-UBOL 1800/1200 , for TUB-LINE BOL V R1 1800/1200	1800 x 1200 x 55 mm	piece	
Substrate elements for TUB (point drainage) – made to measure					
	LTUBE11005	TUB-UEQ 1–1000 , for TUB-EQ 1–1000, made to measure	1–1000 x 55 mm	piece	
	LTUBE11006	TUB-UEQ 1001–1200 , for TUB-EQ 1001–1200, made to measure	1001–1200 x 55 mm	piece	
	LTUBE11007	TUB-UEQ 1201–1400 , for TUB-EQ 1201–1400, made to measure	1201–1400 x 55 mm	piece	
	LTUBE11105	TUB-UMQ 1–1000 , for TUB-MQ 1–1000, made to measure	1–1000 x 55 mm	piece	
	LTUBE11106	TUB-UMQ 1001–1200 , for TUB-MQ 1001–1200, made to measure	1001–1200 x 55 mm	piece	
	LTUBE11107	TUB-UMQ 1201–1400 , for TUB-MQ 1201–1400, made to measure	1201–1400 x 55 mm	piece	

contd. on page 80



LUX ELEMENTS®-TUB

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-U... (SUBSTRATE ELEMENTS)

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE11606	TUB-UER 1–1000 , for TUB-ER 1–1000, made to measure	1–1000 x 55 mm	piece	
	LTUBE11607	TUB-UER 1001–1200 , for TUB-ER 1001–1200, made to measure	1001–1200 x 55 mm	piece	
	LTUBE11608	TUB-UER 1201–1400 , for TUB-ER 1201–1400, made to measure	1201–1400 x 55 mm	piece	
	LTUBE11609	TUB-UER 1401–1600 , for TUB-ER 1401–1600, made to measure	1401–1600 x 55 mm	piece	
	LTUBE11610	TUB-UER 1601–1800 , for TUB-ER 1601–1800, made to measure, manufactured in 2 parts	1601–1800 x 55 mm	piece	
	LTUBE11611	TUB-UER 1801–2000 , for TUB-ER 1801–2000, made to measure, manufactured in 2 parts	1801–2000 x 55 mm	piece	
	LTUBE11707	TUB-UMR 1–1000 , for TUB-MR 1–1000, made to measure	1–1000 x 55 mm	piece	
	LTUBE11708	TUB-UMR 1001–1200 , for TUB-MR 1001–1200, made to measure	1001–1200 x 55 mm	piece	
	LTUBE11709	TUB-UMR 1201–1400 , for TUB-MR 1201–1400, made to measure	1201–1400 x 55 mm	piece	
	LTUBE11710	TUB-UMR 1401–1600 , for TUB-MR 1401–1600, made to measure	1401–1600 x 55 mm	piece	
	LTUBE11711	TUB-UMR 1601–1800 , for TUB-MR 1601–1800, made to measure, manufactured in 2 parts	1601–1800 x 55 mm	piece	
	LTUBE11712	TUB-UMR 1801–2000 , for TUB-MR 1801–2000, made to measure, manufactured in 2 parts	1801–2000 x 55 mm	piece	
Substrate elements for TUB-LINE (linear drainage) – made to measure					
	LTUBE94105	TUB-LINE UQ 900–1000 , for TUB-LINE Q 900–1000, made to measure	900–1000 x 900–1000 x 55 mm	piece	
	LTUBE94112	TUB-LINE UQ 1000–1200 , for TUB-LINE Q 1000–1200, made to measure	1000–1200 x 1000–1200 x 55 mm	piece	
	LTUBE94106	TUB-LINE UR 1000–1200/900–1000 , for TUB-LINE R 1000–1200/900–1000, made to measure	1000–1200 x 900–1000 x 55 mm	piece	
	LTUBE94113	TUB-LINE UR 1000–1200/1000–1100 , for TUB-LINE R 1000–1200/1000–1100, made to measure	1000–1200 x 1000–1100 x 55 mm	piece	
	LTUBE94107	TUB-LINE UR 1200–1400/900–1000 , for TUB-LINE R 1200–1400/900–1000, made to measure	1200–1400 x 900–1000 x 55 mm	piece	
	LTUBE94108	TUB-LINE UR 1400–1600/900–1000 , for TUB-LINE R 1400–1600/900–1000, made to measure	1400–1600 x 900–1000 x 55 mm	piece	

System components COL, DRY · Packaging specifications see p. 165 · Online calculator see p. 7



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Mounting accessories for TUB and TUB-LINE TUB-KIT




- All system components necessary for installation in one kit
- Three variants, tailored to the shower base size
- Cut protection tape DRY-SB see page 150, further system components beginning page 140



■ Range of application

Length TUB a in mm	Length TUB b in mm	without substrate element, full coverage	without substrate element, on 15 mm dots	with substrate element, full coverage	with substrate element, on 15 mm dots
900	900	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI	TUB-KIT UNI GK
1000	800	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI	TUB-KIT UNI GK
1000	1000	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI	TUB-KIT UNI GK
1200	1200	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI GK	TUB-KIT UNI GG
1400	1400	TUB-KIT UNI GK	TUB-KIT UNI GG	TUB-KIT UNI GK	TUB-KIT UNI GG
1500	1500	TUB-KIT UNI GK	TUB-KIT UNI GG	TUB-KIT UNI GK	TUB-KIT UNI GG
2000	1000	TUB-KIT UNI GK	TUB-KIT UNI GG	TUB-KIT UNI GK	TUB-KIT UNI GG

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-KIT

	ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
	LTUBE1090	TUB-KIT UNI , mounting kit for shower bases: 5 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 2 pieces DRY-DBIE (inner corners)	Kit	
	LTUBE1098	TUB-KIT UNI GK , mounting kit for shower bases: 3 x 5 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 2 pieces DRY-DBIE (inner corners)	Kit	
	LTUBE1099	TUB-KIT UNI GG , mounting kit for shower bases: 5 x 5 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 2 pieces DRY-DBIE (inner corners)	Kit	

Packaging specifications see p. 166 · Online calculator see p. 7



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

Further areas of application


Flush with the floor shower bases for alternative watertight stopping

TUB-PL

- Shower base with a higher compressive strength
- Prefabricated gradient (four-sided)
- Shower base height: 35/50 mm
- Four standard formats or made to measure
- Matching grate fitting frame made of ABS including standard stainless steel grate
- Matching drainage technology see page 48–51



■ TUB-PL-S





Grate fitting frame –
made of ABS plastic, including
standard stainless steel grate

Shower base element –
with a higher compressive strength

Drainage technology according to
point drainage, see page 48–51

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-PL

TUB-PL, hard foam shower base elements with a higher compressive strength for alternative watertight stopping, square or rectangular.
Drainage technology according to point drainage, see page 48–51.

	ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE9340	TUB-PL-S , hard foam shower base element with a higher compressive strength, for alternative watertight stopping	made to measure	piece	
	LTUBE9341	TUB-PL-S 900 , hard foam shower base element with a higher compressive strength, for alternative watertight stopping, square	900 x 900 x 35/50 mm	piece	
	LTUBE9342	TUB-PL-S 1200/900 , hard foam shower base element with a higher compressive strength, for alternative watertight stopping, rectangular	1200 x 900 x 35/50 mm	piece	
	LTUBE9343	TUB-PL-S 1400/900 , hard foam shower base element with a higher compressive strength, for alternative watertight stopping, rectangular	1400 x 900 x 35/50 mm	piece	
	LTUBE9344	TUB-PL-S 1800/900 , hard foam shower base element with a higher compressive strength, for alternative watertight stopping, rectangular	1800 x 900 x 35/50 mm	piece	
	LTUBE1001	TUB-RA-A , grate fitting frame made of ABS plastic, including standard stainless steel grate 120 x 120 mm, overall height 85 mm, universal height adjustment to coatings from 2–3 mm possible, to fit TUB-PL-S and all LUX ELEMENTS®-TUB-shower base elements	external frame dimensions: 130 x 130 mm; frame height: 9 mm	set	

System components COL, DRY · Packaging specifications see p. 166



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-PUMP


Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



Flush with the floor shower bases with integrated floor drain pump **TUB-PUMP**

TUB-PUMP-S

- Shower base element with integrated and sealed-in floor drain pump
- Prefabricated gradient (four-sided)
- 95 mm installation height (without glue layers)
- Pumps water upwards if it cannot reach the drainpipe by gravity flow
- Suitable for the installation of a flush with the floor shower in case of renovations where the connection point to the soil stack is a few centimetres too high
- Float-controlled – switches on independent of the water inlet through the pipe
- Two-part, brushed stainless steel, reversible grate, tileable on rear side, allows different design variants
- Height-adjustable reversible grate
- Drainage capacity: 25 l/min with a height difference of 0,6 m




TUB-PUMP

Also available as product variant TUB-PUMP with powerful floor drain pump with an installation height of 125 mm excluding glue layers.

For further information and technical data, see the LUX ELEMENTS®-TUB-PUMP data sheet. Price on request.




■ Performances



Pumping height H [m]	0,1	0,75	1,0	1,5	2,0
Output volume Q [l/s] TUB-PUMP-S ...	0,43	0,38	0,27		
Output volume Q [l/s] TUB-PUMP ...		0,77	0,67	0,52	0,33

■ Installation height TUB-PUMP-S

* substrate element used depending on the installation situation









Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-PUMP

TUB-PUMP-S, hard foam shower base element with integrated and sealed-in floor drain pump, incl. 2 substrate elements, square or rectangular, cover made of stainless steel, cover tileable on the rear side.

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--	----------------	------------------------------------	---	------	----------------

	<p>TUB-PUMP-S MQ 900: a = 900 mm TUB-PUMP-S MQ 1200: a = 1200 mm</p>		<p>TUB-PUMP-S MR 1200/900: a = 1200 mm; b = 900 mm TUB-PUMP-S MR 1400/900: a = 1400 mm; b = 900 mm</p>
TUB-PUMP-S MQ		TUB-PUMP-S MR	

	LTUBE19205	TUB-PUMP-S MQ 900* , hard foam shower base element with integrated and sealed-in floor drain pump, square, installation height 95 mm (45+50 mm) without glue layers, incl. 2 substrate elements (height 50 and 30 mm, used depending on the installation situation)	900 x 900 x 30/45 mm	set	
	LTUBE19206	TUB-PUMP-S MQ 1200* , hard foam shower base element with integrated and sealed-in floor drain pump, square, installation height 95 mm (45+50 mm) without glue layers, incl. 2 substrate elements (height 50 and 30 mm, used depending on the installation situation)	1200 x 1200 x 30/45 mm	set	
	LTUBE19207	TUB-PUMP-S MR 1200/900* , hard foam shower base element with integrated and sealed-in floor drain pump, rectangular, installation height 95 mm (45+50 mm) without glue layers, incl. 2 substrate elements (height 50 and 30 mm, used depending on the installation situation)	1200 x 900 x 30/45 mm	set	
	LTUBE19208	TUB-PUMP-S MR 1400/900* , hard foam shower base element with integrated and sealed-in floor drain pump, rectangular, installation height 95 mm (45+50 mm) without glue layers, incl. 2 substrate elements (height 50 and 30 mm, used depending on the installation situation)	1400 x 900 x 30/45 mm	set	

System components COL, DRY · Packaging specifications see p. 166 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-TUB

LUX ELEMENTS®-TUB-WALL

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 5/6



Shower drain elements with integrated wall drain

TUB-WALL

- Shower drain elements with integrated wall drain, including loose sealing sleeve
- With tileable stainless steel cover for a restrained design
- Prefabricated gradient (single-sided or 3-sided)
- Drainage capacity: 0,52 l/s
- Also available as a flat variant with a single-sided gradient for use in wooden constructions

Gradient elements for TUB-WALL

TUB-LINE COMBI GK

- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient (single-sided or 3-sided)


Accessories (optional)

- Matching bench: RELAX-BA-SOLO-G-W 900, see page 102



■ Design and gradient variants

single-sided gradient – TUB-WALL RT 1 ...



Shower drain element

TUB-WALL RT 1 900/200
200 x 900 x 70 mm



Matching gradient element

TUB-LINE COMBI GK R1 1200/900
1200 x 900 x 70/85 mm


TUB-WALL RT 1 1200/200
200 x 1200 x 70 mm



TUB-LINE COMBI GK Q1 1200
1200 x 1200 x 70/85 mm

TUB-WALL RT 1 H 1200/200
200 x 1200 x 20 mm

3-sided gradient – TUB-WALL RT 3 ...



Shower drain element

TUB-WALL RT 3 900/200
200 x 900 x 70/85 mm



Matching gradient element

TUB-LINE COMBI GK R3 1200/900
1200 x 900 x 70/85 mm

TUB-WALL RT 3 1200/200
200 x 1200 x 70/85 mm



TUB-LINE COMBI GK Q3 1200
1200 x 1200 x 70/85 mm

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-WALL

TUB-WALL, hard foam shower drain element with integrated wall drain, with tileable cover from stainless steel, with odour trap.

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE9314	TUB-WALL RT 1 900/200* , hard foam shower drain element with integrated wall drain and loose sealing sleeve 370 x 1300 mm, with single-sided gradient	200 x 900 x 70 mm	piece	
	LTUBE9315	TUB-WALL RT 1 1200/200* , hard foam shower drain element with integrated wall drain and loose sealing sleeve 370 x 1300 mm, with single-sided gradient	200 x 1200 x 70 mm	piece	
	LTUBE9307	TUB-LINE COMBI GK R1 1200/900* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 900 x 70/85 mm	piece	
	LTUBE9309	TUB-LINE COMBI GK Q1 1200* , hard foam descending gradient element, sealed, with single-sided gradient	1200 x 1200 x 70/85 mm	piece	
	LTUBE9310	TUB-WALL RT 3 900/200* , hard foam shower drain element with integrated wall drain and loose sealing sleeve 370 x 1300 mm, with 3-sided gradient	200 x 900 x 70/85 mm	piece	
	LTUBE9311	TUB-WALL RT 3 1200/200* , hard foam shower drain element with integrated wall drain and loose sealing sleeve 370 x 1300 mm, with 3-sided gradient	200 x 1200 x 70/85 mm	piece	
	LTUBE9312	TUB-LINE COMBI GK R3 1200/900* , hard foam descending gradient element, sealed, with 3-sided gradient	1200 x 900 x 70/85 mm	piece	
	LTUBE9313	TUB-LINE COMBI GK Q3 1200* , hard foam descending gradient element, sealed, with 3-sided gradient	1200 x 1200 x 70/85 mm	piece	
	LTUBE9319	TUB-WALL RT 1 H 1200/200* , hard foam shower drain element with integrated wall drain and loose sealing sleeve 370 x 1300 mm, single-sided gradient, for use on wooden floor constructions	200 x 1200 x 20 mm	piece	

System components COL, DRY · Packaging specifications see p. 166 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit **www.luxelements.com** for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Individual relaxation and distraction

LUX ELEMENTS®-RELAX


A bathroom or spa area can be equipped and extended with the RELAX products:

From prefabricated relaxation loungers in different shapes, a bath tub building kit and design showers to practical extensions with niches, bench seats and thresholds for shower bases with a step.



LUX ELEMENTS®-RELAX-PLUS

LUX ELEMENTS manufactures individual customised and special products for the RELAX product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.








Relaxation loungers

RELAX-RL


- Different design variants
- Optionally with or without electrical heating system
- Separate thermostatic controllers in different versions
- Optionally also with water heating





RELAX-RL-DREAM




RELAX-RL-COMFORT




RELAX-RL-ENJOY



RELAX-RL-FUN




RELAX-RL-SURF



■ Surface to be tiled

	RELAX-RL-DREAM	RELAX-RL-COMFORT	RELAX-RL-ENJOY	RELAX-RL-FUN	RELAX-RL-SURF
Upper element	2,0 m ²	2,3 m ²	1,9 m ²	—	—
Base element	1,9 m ²	1,6 m ²	1,6 m ²	—	—
Total	3,9 m ²	3,9 m ²	3,5 m ²	4,17 m ²	4,5 m ²

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-RL

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LREL2001	RELAX-RL-DREAM O , relaxation lounger, construction made of hard foam support elements, without heating	1853 x 700 x 944 mm	piece	
	LREL2002	RELAX-RL-DREAM M , relaxation lounger, construction made of hard foam support elements, with electrical heating	1853 x 700 x 944 mm	piece	
	LREL2003	RELAX-RL-COMFORT O , relaxation lounger, construction made of hard foam support elements, without heating	1927 x 700 x 873 mm	piece	
	LREL2004	RELAX-RL-COMFORT M , relaxation lounger, construction made of hard foam support elements, with electrical heating	1927 x 700 x 873 mm	piece	
	LREL2005	RELAX-RL-ENJOY O , relaxation lounger, construction made of hard foam support elements, without heating	1776 x 700 x 931 mm	piece	
	LREL2006	RELAX-RL-ENJOY M , relaxation lounger, construction made of hard foam support elements, with electrical heating	1776 x 700 x 931 mm	piece	
	LREL2013	RELAX-RL-FUN O , relaxation lounger, construction made of hard foam support elements, without heating	1941 x 700 x 849 mm	piece	
	LREL2014	RELAX-RL-FUN M , relaxation lounger, construction made of hard foam support elements, with electrical heating	1941 x 700 x 849 mm	piece	
	LREL2015	RELAX-RL-SURF O , relaxation lounger, construction made of hard foam support elements, without heating	1909 x 700 x 900 mm	piece	
	LREL2016	RELAX-RL-SURF M , relaxation lounger, construction made of hard foam support elements, with electrical heating	1909 x 700 x 900 mm	piece	

For thermostatic controllers in different versions and water heating see page 127 · Packaging specifications on request



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX

Bath tub construction kit


RELAX-BW

- Construction kit for tileable bath tub
- Including drain and overflow fitting
- Two size graduations
- Optional built-in elements, e.g. head rest



■ Inlay elements





The inlay elements, with the variants 'Headrest' and 'Triangle' can be installed on one or both sides:



or



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-BW

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LREL3001	RELAX-BW 1800–2000 , bath tub construction kit, tileable, incl. drain and overflow fitting and base element	1800–2000 x 800 x 600 mm	piece	
	LREL3002	RELAX-BW 2001–2200 , bath tub construction kit, tileable, incl. drain and overflow fitting and base element	2001–2200 x 800 x 600 mm	piece	
	LREL3101	RELAX-BW EK , bath tub mounting part suitable for both tub sides, 'head rest' design	357 x 630 x 455 mm	piece	
	LREL3102	RELAX-BW ED , bath tub mounting part suitable for both tub sides, 'triangle' design	300 x 630 x 455 mm	piece	
	LREL3901	RELAX-KIT BW , mounting kit for RELAX-BW: 23,5 kg DRY-ASK (1 x 20 kg + 1 x 3,5 kg), 10 m DRY-DB, 4 pieces DRY-DBIE, 2 cartridges COL-MK, 10 m ARM-100 SK, 25 kg COL-AK		Kit	

System components ARM, COL, DRY · Packaging specifications on request



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX

LUX ELEMENTS®-RELAX-BORD 50

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



LUX ELEMENTS®-RELAX-RDW /-PA

Standard-compliant substrate without further sealing for private shower areas according to DIN 18534



Round shower

RELAX-RD

- Building kit for a round shower (floor, walls, ceiling)
- Shower base element, factory sealed with prefabricated gradient and floor drain fitting frame
- Shower partition wall elements in 3 segments with stable connection
- Panel rounded on rear side for acceptance of the fittings
- Mounting kits for building kit with or without shower base

Accessories (optional)


- Finishing element for edges see DECO-AE, page 132



	Dimensions	Ø
RELAX-DRD – Hard foam cover element FLAT for RELAX-RDW		
Thickness	40 mm	1240 mm
RELAX-RDW – Hard foam shower partition wall elements as kit in 3 segments		
Overall height	2500 mm	
Material thickness	80 mm	
Outer diameter	1240 mm	
Inner diameter	1080 mm	
Entrance width (without AE)	ca. 560 mm	
Entrance width (with AE)	ca. 405 mm	
Inner surface measurement	7,41 m²	
Outer surface measurement	8,05 m²	
DECO-AE – Hard foam finishing element, see product group DECO (beginning page 130)		
Length	2500 mm	120 mm
RELAX-BORD 50 – Hard foam shower base element to fit RELAX-RDW		
Thickness	30/45 mm	1240 mm
Square measure floor	0,92 m²	
RELAX-UBORD 50 – Substrate element for RELAX-BORD 50		
Thickness	55 mm	1240 mm







Instruction for installing the shower doors: When planning to install a shower door, a FIX-PRO-MAK (see page 142) hard plastic insert can be pre-assembled at the factory for fitting the door fastening on a custom-made basis.

■ Building kit round shower RELAX-RD



Floor drain systems see page 48–51

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-RD

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
					
RELAX-DRD					
	LREL4001	RELAX-BORD 50* , hard foam shower base element, with integrated and sealed floor drain support 135 x 135 mm in the centre; for round shower RELAX-RDW; for floor drain supports, see floor drain systems (page 48–51)	Ø 1240 x 30/45 mm	piece	
	LREL4002	RELAX-UBORD 50 , substrate element for RELAX-BORD 50, round	Ø 1240 x 55 mm	piece	
	LREL4000	RELAX-RDW* , hard foam shower partition wall elements to fit RELAX-BORD 50, round, wall thickness 80 mm as kit in 3 segments	inner diameter: 1080 mm; height: 2500 mm	set	
	LREL4005	RELAX-PA* , panel, rounded back, with integrated FIX-PRO-MAK strips for the installation of shower rod and accessories	2500 x 350 x 34/5 mm	piece	
	LREL4003	RELAX-DRD , hard foam cover element FLAT to fit RELAX-RD	Ø 1240 mm x 40 mm	piece	
	LREL4006	RELAX-KIT RDM , mounting kit for RELAX-RD with RELAX-BORD 50: 10 m ARM-100 SK, 4 cartridges COL-MK, 5 x 5 kg COL-AK		Kit	
	LREL4007	RELAX-KIT RDO , mounting kit for RELAX-RD without base: 10 m ARM-100 SK, 3 cartridges COL-MK, 3 x 5 kg COL-AK		Kit	

System components ARM, COL, DRY · Accessories see DECO beginning page 130 · Packaging specifications see p. 167 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX

LUX ELEMENTS®-RELAX-BOSD 50 L/R

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



LUX ELEMENTS®-RELAX-SDW /-PA

Standard-compliant substrate without further sealing for private shower areas according to DIN 18534



Curved shower RELAX-SD

- Building kit for a curved shower (floor, walls, ceiling)
- Shower base element, factory sealed with prefabricated gradient and floor drain fitting frame
- Shower partition wall elements in 6 segments with stable connection
- Panel rounded on rear side for acceptance of the fittings
- Mounting kits for building kit with or without shower base


Accessories (optional)

- Finishing element for edges see DECO-AE, page 132



	Dimensions	Ø
RELAX-SDS – Hard foam cover element FLAT for RELAX-SDW		
Thickness	40 mm	
RELAX-SDW – Hard foam shower partition wall elements as kit in 6 segments		
Overall height	2500 mm	
Overall width	1965 mm	
Overall depth	1440 mm	
Inner width	1805 mm	
Inner depth	1280 mm	
Entrance width	ca. 636 mm	
Material thickness	80 mm	
Inner surface measurement	11,79 m ²	
Outer surface measurement	12,64 m ²	
DECO-AE – Hard foam finishing element, see product group DECO (beginning page 130)		
Length	2500 mm	120 mm
RELAX-BOSD 50 L/R – Hard foam shower base element to fit RELAX-SDW		
Thickness	30/45 mm	
Square measure floor	1,71 m ²	
RELAX-UBOSD 50 L/R – Substrate element for RELAX-BOSD 50 L/R		
Thickness	55 mm	

■ Building kit curved shower RELAX-SD



*Please note: the fittings are to be located in the shower area

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-SD

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
					
	LREL5001	RELAX-BOSD 50 L* , hard foam shower base element, square measure floor 1,71 m ² , with integrated and sealed floor drain support frame 135 x 135 mm, left-curving, for curved shower RELAX-SDW; for floor drain supports, see floor drain systems (page 48–51)	1965 x 1440 x 30/45 mm	piece	
	LREL5002	RELAX-UBOSD 50 L , substrate element for RELAX-BOSD 50 L, left-curving	1965 x 1440 x 55 mm	piece	
	LREL5003	RELAX-BOSD 50 R* , hard foam shower base element, square measure floor 1,71 m ² , with integrated and sealed floor drain support frame 135 x 135 mm, right-curving, for curved shower RELAX-SDW; for floor drain supports, see floor drain systems (page 48–51)	1965 x 1440 x 30/45 mm	piece	
	LREL5004	RELAX-UBOSD 50 R , substrate element for RELAX-BOSD 50 R, right-curving	1965 x 1440 x 55 mm	piece	
	LREL5000	RELAX-SDW* , hard foam shower partition wall element to fit RELAX-BOSD 50 L and R, curved, wall thickness 80 mm, as kit in 6 segments	height: 2500 mm	set	
	LREL4005	RELAX-PA* , panel, rounded back, with integrated FIX-PRO-MAK strips for the installation of shower rod and accessories	2500 x 350 x 34/5 mm	piece	
	LREL5005	RELAX-DSD , hard foam cover element FLAT to fit RELAX-SD	40 mm thickness	piece	
	LREL5008	RELAX-KIT SDM , mounting kit for RELAX-SD with BOSD 50: 30 m ARM-100 SK, 8 cartridges COL-MK, 2 x 25 kg COL-AK		Kit	
	LREL5009	RELAX-KIT SDO , mounting kit for RELAX-SD without base: 30 m ARM-100 SK, 5 cartridges COL-MK, 4 x 5 kg COL-AK		Kit	

System components ARM, COL, DRY · Accessories see DECO beginning page 130 · Packaging specifications see p. 167 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX

LUX ELEMENTS®-RELAX-BORSE 50 L/R

Standard-compliant sealing for highly stressed areas according to DIN 18534, Part 6



LUX ELEMENTS®-RELAX-RSE-H/-A

Standard-compliant substrate without further sealing for private shower areas according to DIN 18534



Space-saving corner shower

RELAX-RSE

- Building kit for corner shower with 2 offset walls (floor, wall)
- Shower base element, factory sealed with prefabricated gradient and floor drain fitting frame
- Shower partition wall elements high/high or high/half-height + shelf
- Mounting kits for building kit with or without shower base


Accessories (optional)

- Finishing element for edges see DECO-AE, page 132



	Dimensions RSE H	Dimensions RSE A
RELAX-RSE — 2 hard foam shower partition wall elements as kit		
RSE H: 2 hard foam shower partition wall elements (each 2500 mm height) /		
RSE A: 2 hard foam shower partition wall elements (2500 mm, 1200 mm + shelf)		
Overall height	2500 mm	2500 mm
Overall width	1850 mm	
Overall width walls		1850 mm
Overall width incl. shelf		1950 mm
Overall depth	1130 mm	1130 mm
Inner width	1770 mm	1770 mm
Inner depth	1050 mm	1050 mm
Entrance width	640 mm	640 mm
Material thickness	80 mm	80 mm
Inner surface measurement	6,12 m ²	4,54 m ²
Outer surface measurement	6,02 m ²	4,60 m ²
	Dimensions	Ø
DECO-AE — see product group DECO (beginning page 130).		
The application of DECO-AE is not possible on the half side when using the shelf.		
Length	2500 mm	120 mm
RELAX-BORSE 50 L/R — Hard foam shower base element to fit RELAX-RSE H and RELAX-RSE A		
Thickness	30/45 mm	
Square measure floor	1,83 m ²	
RELAX-UBORSE 50 L/R — Substrate element for RELAX-BORSE 50 L/R		
Thickness	55 mm	


■ Building kit space-saving corner shower RELAX-RSE



*Please note: the fittings are to be located in the shower area

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-RSE

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--	----------------	------------------------------------	---	------	----------------



	LREL6002	RELAX-BORSE 50 L* , hard foam shower base element, with integrated and sealed floor drain support frame 135 x 135 mm; left-curving, for space-saving corner showers RELAX-RSE-H and RELAX-RSE-A; for floor drain supports, see floor drain systems (page 48–51)	1850 x 1130 x 30/45 mm	piece	
	LREL6003	RELAX-UBORSE 50 L , substrate element for RELAX-BORSE 50 L, left-curving	1850 x 1130 x 55 mm	piece	
	LREL6004	RELAX-BORSE 50 R* , hard foam shower base element, with integrated and sealed floor drain support frame 135 x 135 mm; right-curving, for space-saving corner showers RELAX-RSE-H and RELAX-RSE-A; for floor drain supports, see floor drain systems (page 48–51)	1850 x 1130 x 30/45 mm	piece	
	LREL6005	RELAX-UBORSE 50 R , substrate element for RELAX-BORSE 50 R, right-curving	1850 x 1130 x 55 mm	piece	
	LREL6000	RELAX-RSE-H* , 2 hard foam shower partition wall elements, each 2500 mm in height, matches RELAX-BORSE 50 L and R, wall thickness 80 mm, as a kit	2500/2500 mm height, 80 mm thickness	set	
	LREL6001	RELAX-RSE-A* , 2 hard foam shower partition wall elements, 1 x 2500 mm in height, 1 x 1200 mm in height plus shelf, matches RELAX-BORSE 50 L and R, wall thickness 80 mm, as a kit	2500/1200 mm height,	set	
	LREL6006	RELAX-KIT RSEM , mounting kit for RELAX-RSE with RELAX-BORSE 50: 10 m ARM-100 SK, 4 cartridges COL-MK, 30 kg COL-AK, 10 m DRY-DB, 1 piece DRY-DBIE, 3,5 kg DRY-ASK		Kit	
	LREL6007	RELAX-KIT RSEO , mounting kit for RELAX-RSE without base: 10 m ARM-100 SK, 2 cartridges COL-MK, 3 x 5 kg COL-AK		Kit	

System components ARM, COL, DRY · Accessories see DECO beginning page 130 · Packaging specifications see p. 167 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX

LUX ELEMENTS®-NI-M/-L/-XL

Standard-compliant substrate without further sealing
for private shower areas according to DIN 18534










Niches

RELAX-NI

- Prefabricated niches with or without shelf
- Space-saving place to keep things in the shower and bathroom
- Design and function in a single product
- Various sizes
- Optimally combinable with ELEMENT construction panel
- Matching, optional light strips with accessories



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-NI

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
<div>    </div> <div> RELAX-NI-M RELAX-NI-L RELAX-NI-XL </div>					
	LREL8201	RELAX-NI-M* , prefabricated niches made of hard foam support material	406 x 406 x 89 mm	piece	
	LREL8202	RELAX-NI-L* , prefabricated niches made of hard foam support material, including 1 loose shelf	559 x 406 x 89 mm	piece	
	LREL8203	RELAX-NI-XL* , prefabricated niches made of hard foam support material, including 2 loose shelves	1070 x 406 x 89 mm	piece	
	LREL8207	RELAX-NI-LI , light strip (warm white) for RELAX-NI-M/L/XL, loose, including hard foam support element (d = 10 mm) with milling for on-site installation		set	
	LREL8206	RELAX-NI-LZ , accessories for the RELAX-NI-LI at extra cost: LED power supply unit, 30 Watt 12 Volt IP 66, up to eight LREL8207 can be connected		set	

System components ARM, COL, DRY · Packaging specifications see p. 167 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX



Benches

RELAX-BA







- Prefabricated bench seats for bathroom and shower areas
- For use in front of the wall:
 - For showers for the substitution of bath tubs BOL, see page 40/62
 - For shower with TUB-WALL wall drain, see page 86
- For use in corners

Accessories (optional)

- Factory-fitted CONCEPT electrical heating system, see page 127



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-BA

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LREL8004	RELAX-BA-SOLO-G 750 , bench form SOLO, straight, 750 mm long	750 x 500 x 450 mm	piece	
	LREL8003	RELAX-BA-SOLO-G 900 , bench form SOLO, straight, 900 mm long	900 x 500 x 450 mm	piece	
	LREL8005	RELAX-BA-SOLO-G-W 900 , bench form SOLO, straight, 900 mm long, for the installation of a TUB-WALL RT 1 900/200 or RT 3 900/200	900 x 500 x 520 mm	piece	
	LREL8000	RELAX-BA-CO , bench form CORNER, triangular	816 x 577 x 508 mm	piece	
	LREL8001	RELAX-BA-CO FLOAT S , bench form CORNER FLOAT S, floating, including mounting kit consisting of 6 pieces FIX-SB 80S35, 4 pieces FIX-SD 80 and 1 cartridge COL-MK	610 x 430 x 100 mm	piece	
	LREL8002	RELAX-BA-CO FLOAT L , bench form CORNER FLOAT L, floating, including mounting kit consisting of 6 pieces FIX-SB 80S35, 4 pieces FIX-SD 80 and 1 cartridge COL-MK	849 x 600 x 100 mm	piece	

System components COL, DRY · Packaging specifications see p. 168



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX

LUX ELEMENTS®-RELAX-CU-F


Standard-compliant substrate without further sealing for private shower areas according to DIN 18534





Curbs

RELAX-CU

- Prefabricated curbs in different lengths
- As water barrier for showers with step-up
- Protection against splash water on the floor
- Can be cut to length at the sides to suit the shower tray dimensions



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-CU

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LREL8100	RELAX-CU-F-5* , curb F 5, prefabricated from hard foam support material	1524 x 114 x 130/127 mm	piece	
	LREL8101	RELAX-CU-F-8* , curb F 8, prefabricated from hard foam support material	2438 x 114 x 130/127 mm	piece	

System components COL, DRY · Packaging specifications see p. 168 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

LUX ELEMENTS®-RELAX-TW

Standard-compliant substrate without further sealing
for private shower areas according to DIN 18534





Partition walls

RELAX-TW

- Prefabricated shower partition wall elements
- Individual niche milling possible



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-TW

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS HEIGHT x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
	LREL9000	RELAX-TW 900* , shower partition wall element, prefabricated from hard foam support material	2500 x 900 x 100 mm	piece	
	LREL9001	RELAX-TW 1200* , shower partition wall element, prefabricated from hard foam support material	2500 x 1200 x 100 mm	piece	
	LREL9002	RELAX-TW NI , individual niche milling (90 mm deep) in RELAX-TW 900 or 1200 (max. dimensions: 1200 x 540 mm)	made to measure	piece	

System components COL, DRY · Packaging specifications see p. 168 · * standard-compliant according to DIN 18534



Visit **www.luxelements.com** for further information on RELAX and enquiry form for niche milling.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-RELAX




LUX ELEMENTS®-RELAX-PLUS

LUX ELEMENTS manufactures individual customised and special products for the RELAX product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.




Photographer: Jeroen Kuppens



Prefabricated room constructions

LUX ELEMENTS®-MODUL

The MODUL product group encompasses firmly defined room constructions with straight walls as a building kit, consisting of floor element, walls including door, seat and ceiling element. Usable as a steam shower, steam bath, hammam, snow room or cold room.







LUX ELEMENTS®-MODUL

Prefabricated room constructions

MODUL-CAB

- Fixed building kit for cabins, consisting of floor element, walls, roof, seat, door frame and glass door
- Various shapes and sizes
- Complete mounting accessories as a kit, tailored to the cabin dimensions

Accessories (optional)

- Technical accessories, e.g. steam inlet, installation panel or flush-mounted box, see FIX beginning page 144



■ MODUL-CAB – the construction

A building kit for cabins from the MODUL product group is comprised of the following components:

Roof (roof form FLAT)

Wall construction as kit

Flat frame (DOOR-TZ F-S)

Glass door (DOOR-GT-F-TK)


Door knob (DOOR-TK)

Seat (Bench form SOLO)

Floor element with floor drain support frame, factory sealed

Technical information concerning the connection see page 117,
Floor drain systems see page 48–51



e.g. MODUL-CAB-Q 1180



■ Design variants


MODUL-CAB-Q – quadratic cabin with one bench seat

Article	Nominal formats/dimensions
MODUL-CAB-Q 1180	1180 x 1180 x 2390 mm
MODUL-CAB-Q 1450	1450 x 1450 x 2390 mm





MODUL-CAB-F – pentagonal cabin with two seats

Article	Nominal formats/dimensions
MODUL-CAB-F 1180	1180 x 1180 x 2390 mm
MODUL-CAB-F 1450	1450 x 1450 x 2390 mm





MODUL-CAB-R – rectangular cabin with one bench seat

Article	Nominal formats/dimensions
MODUL-CAB-R 1800/900	1800 x 900 x 2390 mm
MODUL-CAB-R 1800/1180	1800 x 1180 x 2390 mm



MODUL-CAB-R – rectangular cabin with two bench seats

Article	Nominal formats/dimensions
MODUL-CAB-R 2065/1180	2065 x 1180 x 2390 mm
MODUL-CAB-R 2370/1450	2370 x 1450 x 2390 mm



■ Accessories

MODUL-KIT-CAB 1

Mounting kit for walls, floors, roofs and benches for:

MODUL-CAB-Q 1180
MODUL-CAB-F 1180
MODUL-CAB-Q 1450
MODUL-CAB-F 1450
MODUL-CAB-R 1800/900
MODUL-CAB-R 1800/1180
MODUL-CAB-R 2065/1180



MODUL-KIT-CAB 2

Mounting kit for walls, floors, roofs and benches for:

MODUL-CAB-R 2370/1450






LUX ELEMENTS®-MODUL

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-MODUL-CAB


MODUL-CAB, steam room construction as building kit.
Floor drain supports, see floor drain systems (page 48–51).

ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
--------------------	---------------------------------------	---	------	-------------------




MODUL-CAB-Q – quadractic cabin

MODUL-CAB-Q 1180
MODUL-CAB-Q 1450




MODUL-CAB-F – pentagonal cabin

MODUL-CAB-F 1180
MODUL-CAB-F 1450



MODUL-CAB-R – rectangular cabin

MODUL-CAB-R 1800/900
MODUL-CAB-R 1800/1180







MODUL-CAB-R – rectangular cabin

MODUL-CAB-R 2065/1180
MODUL-CAB-R 2370/1450

	LMODE202001	MODUL-CAB-Q 1180 , quadractic cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, bench shape SOLO	1180 x 1180 x 2390 mm	set	
	LMODE203001	MODUL-CAB-F 1180 , pentagonal cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, bench shape SOLO quadrant	1180 x 1180 x 2390 mm	set	
	LMODE202002	MODUL-CAB-Q 1450 , quadractic cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, bench shape SOLO	1450 x 1450 x 2390 mm	set	
	LMODE203002	MODUL-CAB-F 1450 , pentagonal cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, bench shape SOLO quadrant	1450 x 1450 x 2390 mm	set	
	LMODE201001	MODUL-CAB-R 1800/900 , rectangular cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, bench form SOLO	1800 x 900 x 2390 mm	set	
	LMODE201002	MODUL-CAB-R 1800/1180 , rectangular cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, bench form SOLO	1800 x 1180 x 2390 mm	set	

contd. on page 113

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-MODUL-CAB

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LMODE201003	MODUL-CAB-R 2065/1180 rectangular cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, 2x bench form SOLO	2065 x 1180 x 2390 mm	set	
	LMODE201004	MODUL-CAB-R 2370/1450 , rectangular cabin as building kit, wall thickness 50 mm, wall height 2390 mm, roof shape FLAT, DOOR-TZ F-S (flat frame) with DOOR-GT-F-TK (glass door hinge left/right) and DOOR-TK (door knob), with integrated and sealed floor drain support frame 135 x 135 mm, 2x bench form SOLO	2370 x 1450 x 2390 mm	set	
	LMODE204001	MODUL-KIT-CAB 1 , mounting kit for walls, floors, roofs and benches for MODUL-CAB-Q 1180, -F 1180, -Q 1450, -F 1450, -R 1800/900, -R 1800/1180, -R 2065/1180: 10 pieces FIX-SD 80, 30 kg COL-AK, 6 cartridges COL-MK, 60 m ARM-100 SK, 3,5 kg DRY-ASK, 4 pieces DRY-DBIE, 5 m DRY-DB, 10 hardwood wedges, 10 mounting brackets		Kit	
	LMODE204002	MODUL-KIT-CAB 2 , mounting kit for walls, floors, roofs and benches for MODUL-CAB-R 2370/1450: 10 pieces FIX-SD 80, 30 kg COL-AK, 12 cartridges COL-MK, 90 m ARM-100 SK, 3,5 kg DRY-ASK, 4 pieces DRY-DBIE, 10 m DRY-DB, 10 hardwood wedges, 10 mounting brackets		Kit	

System components FIX, COL, ARM, DRY · Packaging specifications on request · Online calculator see p. 7




Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Individual room constructions

LUX ELEMENTS®-CONCEPT

The CONCEPT product group encompasses individually planned room constructions with straight or rounded walls according to customer specification. Usable as a steam shower, steam bath, hammam, snow room or cold room.







Individual room constructions

CONCEPT

- Freely combinable building kit for cabins consisting for example of floor element, substrate element, walls, roof, seat, door frame, glass door and drainage technology
- Matching heating equipment and lighting
- Complete mounting accessories as a kit, tailored to the cabin dimensions

Accessories (optional)

- Technical accessories, e.g. steam inlet, installation panel or flush-mounted box, see FIX beginning page 144



■ CONCEPT – construction

A building kit from the CONCEPT product group may be comprised of the following components, for example:

Roof – CONCEPT-DA,
five standard design variants
to select, e.g. „BARREL”

Wall construction
as kit – CONCEPT-WA

Optional accessories e.g. steam inlet,
installation panel or flush-mounted box,
see FIX beginning page 144

Frame – CONCEPT-DOOR-TZ,
block profile or flat profile


Glass door – CONCEPT-DOOR-GT,
with door knob or handle bar

Seat – CONCEPT-BA,
e.g. „STEP”

Floor element – CONCEPT-BO,
factory sealed

Substrate element – CONCEPT-UBO


Technical information concerning the connection see page 117,
floor drain systems see TUB page 48–51/TUB-LINE page 76–77




Technical information concerning connections

The method of construction for the connection of the individual components ensures particularly high stability:

- Particularly stable panel connection thanks to tongue and groove principle
- Self-levelling panel connection thanks to V-groove
- Fast and simple assembly thanks to optimised fitting accuracy of the elements
- High production accuracy thanks to the use of state-of-the-art cutting technologies
- Stable fastening option for the door profile thanks to FIX-PRO-MAK over the entire panel width
- Flexible wall height: panel length up to 2500 mm, higher walls possible by using wall extension




Flexible wall height: higher walls possible by using wall extension




Wall extension and roof support with step seam




Panel connection consisting of tongue and V-groove



FIX-PRO-MAK 80 mm, circumferential on 3 sides of the door opening



Corners glued in the factory




Panel connection consisting of tongue and V-groove




Wall elements – **CONCEPT-WA**

- Wall construction as building kit
- Also combinable with glass and metal constructions (on request)




■ Optional accessories (integrated in a steam bath construction)



Steam inlet – **FIX-DE**

see page 144


- Supporting panel for a steam inlet
- Safe feed-through of a steam pipe
- Three sizes with different holes (28, 45, 110 mm)
- Factory-integrated or single



Installation panel – **FIX-IPA-I/V**

see page 144

- Prefabricated element for the fastening of fittings
- Factory-integrated or single
- Also with pre-installed flush-mounted iBox from Hansgrohe as well as the associated piping with connections



Acceptance of an LED spot mounting sleeve (WDT) – **FIX-AF/AI**

see page 146


- As a milling for the on-site acceptance of a sealing flange
- Also as a factory-integrated sealing flange
- For subsequent acceptance of a WDT spot integrated sleeve



Acceptance of an empty conduit – **FIX-LF/LI**

see page 146

- Two different standard pipe diameters (25 or 32 mm)
- As a milling in the hard foam support element with loose cover
- Also as a factory-integrated and covered empty conduit
- For the feed-through of electrical cables, e.g. for switch plates



Acceptance of a flush-mounted socket (WDT) – **FIX-UF/UI**


see page 146

- Four different versions: 1, 2, 3 and 4-fold
- As a milling in the hard foam support element for on-site acceptance
- Also as a factory-integrated WDT flush-mounted box


Floor elements and substrate elements – **CONCEPT-BO** and **CONCEPT-UBO**

- Floor elements with gradient (30/45 mm) and factory-fitted seal
- Substrate elements, 55 mm thick.
- For point or linear drainage
- For drain technology see TUB page 48–51 / TUB-LINE page 76–77

Floor element – **CONCEPT-BO**





Substrate element – **CONCEPT-UBO**





Roofs – **CONCEPT-DA**

- Five standard design variants:


Barrel roof design – **CONCEPT-DA-BARREL***





Cross-vault roof shape – **CONCEPT-DA-CROSS***





Simple flat roof shape – **CONCEPT-DA-FLAT**



Combination of flat roof and dome – **CONCEPT-DA-DOM + FLAT***



Monopitch roof with panel – **CONCEPT-DA-MONO***




* Standard roof height up to 600 mm.
Made to measure available on request.




Seat variants – **CONCEPT-BA**


- Various design versions as standard
- Corner solution as mitre or rounding
- Seat end as rounded element, closed seat end or armrest
- Optional heating and lighting, see page 123



- Corner design / bench end
(on the example of CONCEPT-BA-STEP)



- Possible design options



Seat variants – **CONCEPT-BA-FLOAT**


- Bench seat in 'floating' design
- Straight or with corners
- Stable stainless steel construction
- Optional heating and lighting, see page 123

CONCEPT-BA-FLOAT-G...


Bench form FLOAT, straight, between two walls,
incl. stainless steel sub-structure.

CONCEPT-BA-FLOAT-GK – from 1500 to 2100 mm


CONCEPT-BA-FLOAT-GL – from 2100 to 3000 mm



CONCEPT-BA-FLOAT-GK



CONCEPT-BA-FLOAT-GL




CONCEPT-BA-FLOAT-E...

Complementary to FLOAT-G... : Bench form FLOAT, straight,
incl. stainless steel sub-structure for corner elements

CONCEPT-BA-FLOAT-EK – from 1500 to 2100 mm



CONCEPT-BA-FLOAT-EL – from 2100 to 3000 mm




■ Assembly

The assembly of the stainless steel sub-structure for CONCEPT-BA-FLOAT into the CONCEPT-WA... wall construction (see page 118) takes place via factory-made notches in the corner elements. For this, a seat height of 45 cm is predefined (other heights possible upon request).

Loose hard foam filler elements are enclosed for the later covering of the cutouts.





Accessories


Doors – **CONCEPT-DOOR**

- Glass door – **CONCEPT-DOOR-GT**, ESG 8 mm, made to measure or standard size, incl. drilling for door knob or handle bar
- Aluminium door knob – **CONCEPT-DOOR-TK**, similar to stainless steel, polished
- Stainless steel handle bar – **CONCEPT-DOOR-GS**, brushed
- Aluminium door frames, made to measure, surface polished similar to stainless steel, anodised, with locking mechanism and hinges for glass doors:
 - Block profile **DOOR-TZ B**
 - Flat profile **DOOR-TZ F** (also available in standard size)



Glass and profile construction – **CONCEPT-DOOR-GF**

- Offers individual room constructions the greatest transparency
- Combination of profile frames with block frames including glass door hinges as well as 8 mm tempered safety glass elements (ESG panes)
 - Profile construction, aluminium, surface polished to resemble stainless steel, anodised: **CONCEPT-DOOR-GFZ**
 - Frame construction, aluminium, surface polished to resemble stainless steel, anodised, frame profile for window opening: **CONCEPT-DOOR-GFR**
 - Glass elements ESG 8 mm to fit GFZ/GFR combination, if necessary including holes for handle/door knob/door hinges: **CONCEPT-DOOR-GFG**



Accessories

Heating – **CONCEPT-EH/-WH**

Optional for all seats:

- Factory-fitted electrical heating mat: **CONCEPT-BA-EH**
- Separate thermostatic controllers in different versions with and without timer
- Water heating (**CONCEPT-WH**) or milling for the on-site installation of water heating (**CONCEPT-WH F**)



Lighting – **CONCEPT-LL**

- Restrained light for feel-good atmosphere
- Light strips straight or rounded
- Lighting variants RGB or warm white
- Matching accessories: e.g. power supply unit, controller or radio remote control



Mounting kits – **CONCEPT-KIT**

- Mounting kits for CONCEPT room constructions, dependent on the size
 - For walls, roofs and benches: **CONCEPT-KIT-WA**
 - For floor structures: **CONCEPT-KIT-BO**

e.g. **CONCEPT-KIT-WA 3**





LUX ELEMENTS®-CONCEPT


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-CONCEPT-BA-... (BENCHES)

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
----------------	---------------------------------------	------	-------------------

Corner design / bench end (on the example of CONCEPT-BA-STEP)



Bench form straight –
CONCEPT-BA-...-G




Corner straight –
CONCEPT-BA-...-EG




Corner round –
CONCEPT-BA-...-ER



Bench end round –
CONCEPT-BA-...-AR



Bench end straight –
CONCEPT-BA-...-BG






Bench end arm rest –
CONCEPT-BA-...-AL

	Bench form STEP			
	LCONBASTEP4001	CONCEPT-BA-STEP-G, straight	running meter	
	LCONBASTEP4002	CONCEPT-BA-STEP-EG, corner element with mitre cut, ext. dimensions 573 x 573 mm	piece	
	LCONBASTEP4003	CONCEPT-BA-STEP-ER, corner element, rounded, ext. dimensions 673 x 673 mm	piece	
	LCONBASTEP4004	CONCEPT-BA-STEP-AR, bench end, rounded, ext. dimensions 523 x 523 mm	piece	
	LCONBASTEP4005	CONCEPT-BA-STEP-BG, bench end closed	piece	
	LCONBASTEP4006	CONCEPT-BA-STEP-AL, arm rest	piece	
	Bench form SIT			
	LCONBASIT4101	CONCEPT-BA-SIT-G, straight	running meter	
	LCONBASIT4102	CONCEPT-BA-SIT-EG, corner element with mitre cut, ext. dimensions 645 x 645 mm	piece	
	LCONBASIT4103	CONCEPT-BA-SIT-ER, corner element, rounded, ext. dimensions 745 x 745 mm	piece	
	LCONBASIT4104	CONCEPT-BA-SIT-AR, bench end, rounded, ext. dimensions 595 x 595 mm	piece	
	LCONBASIT4105	CONCEPT-BA-SIT-BG, bench end closed	piece	
	LCONBASIT4106	CONCEPT-BA-SIT-AL, arm rest	piece	
	Bench form SLEEP			
	LCONBASLEEP4201	CONCEPT-BA-SLEEP-G, straight	running meter	
	LCONBASLEEP4202	CONCEPT-BA-SLEEP-EG, corner element with mitre cut, ext. dimensions 1090 x 1090 mm	piece	
	LCONBASLEEP4203	CONCEPT-BA-SLEEP-ER, corner element, rounded, ext. dimensions 1240 x 1240 mm	piece	
	LCONBASLEEP4204	CONCEPT-BA-SLEEP-AR, bench end, rounded, ext. dimensions 1040 x 1040 mm	piece	
	LCONBASLEEP4205	CONCEPT-BA-SLEEP-BG, bench end closed	piece	
	LCONBASLEEP4206	CONCEPT-BA-SLEEP-AL, arm rest	piece	
	Bench form SOFT			
	LCONBASOFT4301	CONCEPT-BA-SOFT-G, straight	running meter	
	LCONBASOFT4302	CONCEPT-BA-SOFT-EG, corner element with mitre cut, ext. dimensions 850 x 850 mm	piece	
	LCONBASOFT4303	CONCEPT-BA-SOFT-ER, corner element, rounded, ext. dimensions 950 x 950 mm	piece	
	LCONBASOFT4304	CONCEPT-BA-SOFT-AR, bench end, rounded, ext. dimensions 800 x 800 mm	piece	
	LCONBASOFT4305	CONCEPT-BA-SOFT-BG, bench end closed	piece	
	LCONBASOFT4306	CONCEPT-BA-SOFT-AL, arm rest	piece	
	Bench form SLIM			
	LCONBASLIM4401	CONCEPT-BA-SLIM-G, straight	running meter	
	LCONBASLIM4402	CONCEPT-BA-SLIM-EG, corner element with mitre cut, ext. dimensions 630 x 630 mm	piece	
	LCONBASLIM4403	CONCEPT-BA-SLIM-ER, corner element, rounded, ext. dimensions 730 x 730 mm	piece	
	LCONBASLIM4404	CONCEPT-BA-SLIM-AR, bench end, rounded, ext. dimensions 580 x 580 mm	piece	
	LCONBASLIM4405	CONCEPT-BA-SLIM-BG, bench end closed	piece	
	LCONBASLIM4406	CONCEPT-BA-SLIM-AL, arm rest	piece	

contd. on page 125

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-CONCEPT-BA-... (BENCHES)

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
	Bench form SOLO			
	LCONBASOLO4501	CONCEPT-BA-SOLO-G, straight	running meter	
	LCONBASOLO4502	CONCEPT-BA-SOLO-EG, corner element with mitre cut, ext. dimensions 550 x 550 mm	piece	
	LCONBASOLO4503	CONCEPT-BA-SOLO-ER, corner element, rounded, ext. dimensions 600 x 600 mm	piece	
	LCONBASOLO4504	CONCEPT-BA-SOLO-AR, bench end, rounded, ext. dimensions 500 x 500 mm	piece	
	LCONBASOLO4508	CONCEPT-BA-SOLO-BG, bench end closed	piece	
	LCONBASOLO4506	CONCEPT-BA-SOLO-AL, arm rest	piece	
	Bench form STAR			
	LCONBASTAR4901	CONCEPT-BA-STAR-G, straight	running meter	
	LCONBASTAR4904	CONCEPT-BA-STAR-L, back rest	running meter	
	LCONBASTAR4902	CONCEPT-BA-STAR-EG, corner element with mitre cut, ext. dimensions 650 x 650 mm	piece	
	LCONBASTAR4903	CONCEPT-BA-STAR-AE, bench end with mitre cut, ext. dimensions 585 x 585 mm	piece	
	LCONBASTAR4905	CONCEPT-BA-STAR-BG, bench end closed	piece	
	LCONBASTAR4906	CONCEPT-BA-STAR-AL, arm rest	piece	
	Bench form SPACE			
	LCONBASPACE4211	CONCEPT-BA-SPACE-G, straight	running meter	
	LCONBASPACE4212	CONCEPT-BA-SPACE-EG, corner element with mitre cut, ext. dimensions 831 x 831 mm	piece	
	LCONBASPACE4213	CONCEPT-BA-SPACE-ER, corner element, rounded, ext. dimensions 931 x 931 mm	piece	
	LCONBASPACE4214	CONCEPT-BA-SPACE-AR, bench end, rounded, ext. dimensions 781 x 781 mm	piece	
	LCONBASPACE4215	CONCEPT-BA-SPACE-BG, bench end closed	piece	
	LCONBASPACE4216	CONCEPT-BA-SPACE-AL, arm rest	piece	
	Bench form FLOAT floating			
	LCONBAFLOAT4801	CONCEPT-BA-FLOAT-GK, straight, incl. stainless steel framework, from 1500 to 2100 mm	set	
	LCONBAFLOAT4802	CONCEPT-BA-FLOAT-EK, straight, incl. stainless steel framework from for corner element only in combination with CONCEPT-BA-FLOAT-GK, from 1500 to 2100 mm	set	
	LCONBAFLOAT4804	CONCEPT-BA-FLOAT-GL, straight, incl. stainless steel framework, from 2100 to 3000 mm	set	
	LCONBAFLOAT4805	CONCEPT-BA-FLOAT-EL, straight, incl. stainless steel framework from for corner element only in combination with CONCEPT-BA-FLOAT-GL, from 2100 to 3000 mm	set	

System components ARM, COL, DRY · Packaging specifications on request

Visit www.luxelements.com for further information on CONCEPT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-CONCEPT-DOOR-... (DOORS/GLASS AND PROFILE CONSTRUCTION)**

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH, HEIGHT	UNIT	PRICE / UNIT €
	LCONDOOR5001	CONCEPT-DOOR-TZ B , aluminium door frame three-section with lintel, block profile, surface simulated abraded stainless steel, anodised, with locking mechanism and hinges for glass doors	max. 1000 mm width, max. 2000 mm in height	piece	
	LCONDOOR5002	CONCEPT-DOOR-TZ F , aluminium door frame three-section with lintel, flat profile, surface simulated abraded stainless steel, anodised, with locking mechanism and hinges for glass doors	max. 1000 mm width, max. 2000 mm in height	piece	
	LCONDOOR5004	CONCEPT-DOOR-TZ F-S/R , aluminium door frame with lintel, flat section, surface polished similar to stainless steel, anodised, with locking mechanism and glass doors hinges, model DIN right, standard size	800 mm wide, 2000 mm high	piece	
	LCONDOOR5005	CONCEPT-DOOR-TZ F-S/L , aluminium door frame with lintel, flat section, surface polished similar to stainless steel, anodised, with locking mechanism and glass doors hinges, model DIN left, standard size	800 mm wide, 2000 mm high	piece	
	LCONDOOR5101	CONCEPT-DOOR-GT 800 , glass door ESG 8 mm, made to measure, incl. drilling for door knob or handle bar	max. 800 mm width, max. 2000 mm in height	piece	
	LCONDOOR5102	CONCEPT-DOOR-GT 1000 , glass door ESG 8 mm, made to measure, incl. drilling for door knob or handle bar	max. 1000 mm width, max. 2000 mm in height	piece	
	LCONDOOR5105	CONCEPT-DOOR-GT-F - TK , glass door ESG 8 mm, standard size , suitable for CONCEPT-DOOR-TZ F-S, incl. drilling for door knob	774 mm wide, 1980 mm high	piece	
	LCONDOOR5106	CONCEPT-DOOR-GT-F - GS , glass door ESG 8 mm, standard size , suitable for CONCEPT-DOOR-TZ F-S, incl. drilling for handle bar	774 mm wide, 1980 mm high	piece	
	LCONDOOR5010	CONCEPT-DOOR-TK , aluminium door knob similar to stainless steel, polished	Ø 45 mm	set	
	LCONDOOR5011	CONCEPT-DOOR-GS , stainless steel handle bar brushed	300 mm long, Ø 20 mm	set	
	LCONDOOR6001	CONCEPT-DOOR-GFZ , profile construction, aluminium, surface polished to resemble stainless steel, anodised, consisting of: door frame (1000 x 2000 mm) made of block frame profile (visible width 50 mm), fixed side part(s) made of frame profile (visible width 36 mm), door hinges, with/without handle/door knob, optional: fixed side part(s), corner profile 90° or 135°	made to measure	set	
	LCONDOOR6002	CONCEPT-DOOR-GFR , frame construction, aluminium, surface polished to resemble stainless steel, anodised, frame profile (visible width 36 mm) for window opening	made to measure	set	
	LCONDOOR6003	CONCEPT-DOOR-GFG , glass elements ESG 8 mm to fit GFZ/GFR combination, if necessary including holes for handle/door knob/door hinges	made to measure	set	





System components ARM, COL, DRY · Packaging specifications on request



Visit www.luxelements.com for further information on CONCEPT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-CONCEPT-EH... (HEATING)

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
	LCONEH4601	CONCEPT-EH , electrical heating mat (280 W/m ² , 230 V), incl. temperature sensor, individually made to measure as surcharge	set	
	LCONEH4602	CONCEPT-EH ZA , electronic temperature controller without time control (12A, 230 V AC), for electrical heating kit	set	
	LCONEH4603	CONCEPT-EH ZB , electronic temperature controller with time control (16A, 230 V AC), for electrical heating kit	set	
	LCONEH4605	CONCEPT-EH ZD , electronic temperature controller with time control (16A, 230 V AC), for electrical heating kit, LCD display	set	
	LCONEH4604	CONCEPT-EH ZC , electronic temperature controller for mounting in distribution cabinet (6 A, 230 V AC, can be snapped onto 35 mm DIN rail), with illuminated digital display (space requirement 2HP), for electrical heating kit	set	
	LCONWH4701	CONCEPT-WH , water heating, individually made to measure as surcharge	set	
	LCONWH4702	CONCEPT-WH F , millings for the on-site installation of water heating, for bench forms STEP, SIT, SLEEP, SOFT, SLIM, SOLO, SPACE, individually made to measure as surcharge	piece	




Packaging specifications on request

Visit www.luxelements.com for further information on CONCEPT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-CONCEPT-LL... (LIGHTING)

	ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
Light strips				
	LCONLL4802.RGB	CONCEPT-LL-R-RGB, indirect lighting, rounded, RGB	piece	
	LCONLL4802.WW	CONCEPT-LL-R-WW, indirect lighting, rounded, warm white	piece	
	LCONLL4803.RGB	CONCEPT-LL-GFK-RGB, indirect lighting, straight for GFK profile, RGB	piece	
	LCONLL4803.WW	CONCEPT-LL-GFK-WW, indirect lighting, straight for GFK profile, warm white	piece	
	LCONLL4804.RGB	CONCEPT-LL-G-RGB, indirect lighting, straight, RGB	piece	
	LCONLL4804.WW	CONCEPT-LL-G-WW, indirect lighting, straight, warm white	piece	
Power supply unit and accessories				
	LCONLL4801.N30	CONCEPT-LL-N30, power supply unit 30 Watt, Input 230 V, with plug and connecting cable	piece	
	LCONLL4801.N60	CONCEPT-LL-N60, power supply unit 60 Watt, Input 230 V, with plug and connecting cable	piece	
	LCONLL4801.N120	CONCEPT-LL-N120, power supply unit 120 Watt, Input 230 V, with plug and connecting cable	piece	
	LCONLL4801.S	CONCEPT-LL-S, controller for LED-RGB, 110 Watt, inkl. connecting cable, for radio remote control LCONLL4801.F	piece	
	LCONLL4801.F	CONCEPT-LL-F, radio remote control for controller LCONLL4801.S	piece	
	LCONLL4801.W	CONCEPT-LL-W, Wall bracket for radio remote control LCONLL4801.F	piece	
Cabling				
	LCONLL4805.Y2.RGB	CONCEPT-LL-Y2-RGB, Y-cable with 2 outputs, for RGB, length 250 mm	piece	
	LCONLL4805.Y2.WW	CONCEPT-LL-Y2-WW, Y-cable with 2 outputs, for warm white, length 250 mm	piece	
	LCONLL4805.Y3.WW	CONCEPT-LL-Y3-WW, Y-cable with 3 outputs, for warm white, length 250 mm	piece	
	LCONLL4806.RGB.1	CONCEPT-LL-V1-RGB, extension cable for RGB, length 1,0 m	piece	
	LCONLL4806.RGB.7	CONCEPT-LL-V7-RGB, extension cable for RGB, length 7,0 m	piece	
	LCONLL4806.RGB.10	CONCEPT-LL-V10-RGB, extension cable for RGB, length 10,0 m	piece	
	LCONLL4806.WW.1	CONCEPT-LL-V1-WW, extension cable for warm white, length 1,0 m	piece	
	LCONLL4806.WW.7	CONCEPT-LL-V7-WW, extension cable for warm white, length 7,0 m	piece	

Packaging specifications on request









Visit www.luxelements.com for further information on CONCEPT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-CONCEPT-KIT

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
--	----------------	---------------------------------------	------	-------------------

CONCEPT-KIT – RANGE OF APPLICATION	Mounting kit for walls, roofs and benches	Mounting kit for floor structures
up to a surface of approx. 4 m ²	CONCEPT-KIT-WA 1	CONCEPT-KIT-BO 1
from approx. 4 m ² up to a surface of approx. 9 m ²	CONCEPT-KIT-WA 2	CONCEPT-KIT-BO 2
from approx. 9 m ² up to a surface of approx. 14 m ²	CONCEPT-KIT-WA 3	CONCEPT-KIT-BO 3

	LCONKIT6001	CONCEPT-KIT-WA 1 , mounting kit for walls, roofs and benches up to a surface of approx. 4 m ² : 20 pieces FIX-SD 80, 40 kg COL-AK, 12 cartridges COL-MK, 90 m ARM-100 SK, 15 timber wedges, 15 mounting brackets	Kit	
	LCONKIT6002	CONCEPT-KIT-WA 2 , mounting kit for walls, roofs and benches from approx. 4 m ² up to a surface of approx. 9 m ² : 40 pieces FIX-SD 80, 75 kg COL-AK, 18 cartridges COL-MK, 120 m ARM-100 SK, 15 timber wedges, 15 mounting brackets	Kit	
	LCONKIT6201	CONCEPT-KIT-WA 3 , mounting kit for walls, roofs and benches from approx. 9 m ² up to a surface of approx. 14 m ² : 50 pieces FIX-SD 80, 95 kg COL-AK, 24 cartridges COL-MK, 180 m ARM-100 SK, 15 timber wedges, 15 mounting brackets	Kit	
	LCONKIT6101	CONCEPT-KIT-BO 1 , mounting kit for floor structures up to a surface of approx. 4 m ² : 1 cartridge COL-MK, 50 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 4 pieces DRY-DBIE	Kit	
	LCONKIT6102	CONCEPT-KIT-BO 2 , mounting kit for floor structures from approx. 4 m ² up to a surface of approx. 9 m ² : 1 cartridge COL-MK, 100 kg COL-AK, 7 kg DRY-ASK, 20 m DRY-DB, 4 pieces DRY-DBIE	Kit	
	LCONKIT6202	CONCEPT-KIT-BO 3 , mounting kit for floor structures from approx. 9 m ² up to a surface of approx. 14 m ² : 3 cartridges COL-MK, 100 kg COL-AK, 20 kg DRY-ASK, 40 m DRY-DB, 4 pieces DRY-DBIE	Kit	

Packaging specifications on request



Visit www.luxelements.com for further information on CONCEPT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

The decorative elements


LUX ELEMENTS®-DECO

DECO products, for example, offer the rounding of room corners and wall or ceiling transitions or the forming of round edges. Furthermore, all decorative parts for equipping rooms are assigned to this product group. From the column to the spring.



LUX ELEMENTS®-DECO-PLUS

LUX ELEMENTS manufactures individual customised and special products for the DECO product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.








LUX ELEMENTS®-DECO


Concave trims

DECO-HK

- For negative rounding of corners
- Decorative and functional
- Avoids the accumulation of water in corners
- Greater hygiene through easy cleaning



DECO-HK 100




DECO-HK 200

Curvature elements



DECO-AE

- For the rounding of sharp finishing edges
- Decorative and functional
- Combinable with design showers RELAX-RD, RELAX-SD and RELAX-RSE, see page 94–99



DECO-AE

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-DECO


	ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS	UNIT	PRICE / UNIT €
	LDECE1001	DECO-HK 100 , concave trims	radius 100 mm, length 2500 mm	piece	
	LDECE1002	DECO-HK 200 , concave trims	radius 200 mm, length 2500 mm	piece	
	LDECE3003	DECO-AE , finishing element for edges	Ø 120 mm, length 2500 mm	piece	

System components ARM, COL, DRY · Packaging specifications on request



Visit www.luxelements.com for further information on DECO.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-DECO



LUX ELEMENTS®-DECO-PLUS

LUX ELEMENTS manufactures individual customised and special products for the DECO product group. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 6.








The foam parts

LUX ELEMENTS®-FOAM

FOAM is the product group for made to measure products from our environmentally friendly polystyrene hard foam without additional mortar coating.













LUX ELEMENTS®-FOAM

Foam parts

FOAM

- Hard foam without mortar coating
- Lightweight, water-resistant and mold-resistant
- Also for individual and complex shapes
- Available on request, as
 - Block (in different dimensions)
 - Panel blank
 - Shaped part





The system components

LUX ELEMENTS®-SYSTEM COMPONENTS

Everything for the quick and reliable processing of the LUX ELEMENTS® hard foam support elements:

Fastening sets and dowels / technical accessories – LUX ELEMENTS®-FIX





Adhesives – LUX ELEMENTS®-COL

Sealing tapes and sealing filler – LUX ELEMENTS®-DRY

Reinforcement fabric – LUX ELEMENTS®-ARM

Mounting aids – LUX ELEMENTS®-MONT







LUX ELEMENTS®-FIX

Fastening sets and dowels

FIX

Fastening sets/aids and dowels in a system for LUX-ELEMENTS® hard foam support elements:

Plastic hammer fix plug – FIX-KSD

- For fixing LUX ELEMENTS® hard foam support elements to an interior wall
- Drill with 8 mm drill
- Anchoring depth: 30–50 mm

Hammer fix plugs – FIX-FID

- Drill with 8 mm drill
- Anchoring depth: min. 50 mm
- Note: guaranteed fastening only with firm substrate for the 50 mm-long spreading part

Special screw plug – FIX-SD


- For connecting LUX ELEMENTS® hard foam support elements to one another
- Bit type PH3/PH2/PR2
- Note: select low speed, medium torque

Screw and washer fastening set – FIX-HS/-SB


- For the installation on supports

Hard plastic inlay – FIX-PRO-MAK

- For adhering to hard foam
- For the stable fastening, for example, of hose holders or fittings



FIX-KSD




FIX-FID



FIX-SD



FIX-SB



FIX-PRO-MAK

■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-FIX

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMAT/ DIMENSIONS	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	UNIT	PRICE / UNIT €
	LFIXZ1034	FIX-KSD 50, plastic hammer fix plug	50 mm length	bag	0,25 kg	50 pieces	piece	
	LFIXZ1035	FIX-KSD 70, plastic hammer fix plug	70 mm length	bag	0,30 kg	50 pieces	piece	
	LFIXZ1036	FIX-KSD 90, plastic hammer fix plug	90 mm length	bag	0,40 kg	50 pieces	piece	
	LFIXZ2032	FIX-FID 80, hammer fix plug	80 mm length	bag	0,15 kg	10 pieces	piece	
	LFIXZ2101	FIX-FID 80, hammer fix plug	80 mm length	bag	0,70 kg	50 pieces	piece	
	LFIXZ1103	FIX-FID 110, hammer fix plug	110 mm length	bag	0,21 kg	10 pieces	piece	
	LFIXZ1102	FIX-FID 110, hammer fix plug	110 mm length	bag	1,10 kg	50 pieces	piece	
	LFIXZ1104	FIX-FID 140, hammer fix plug	140 mm length	bag	1,70 kg	50 pieces	piece	
	LFIXZ1110	FIX-SD 80, screw plug	80 mm length	bag	0,06 kg	10 pieces	piece	
	LFIXZ1010	FIX-SD 80, screw plug	80 mm length	bag	0,34 kg	50 pieces	piece	
	LFIXZ1130	FIX-SD 130, screw plug	130 mm length	bag	0,12 kg	10 pieces	piece	
	LFIXZ1030	FIX-SD 130, screw plug	130 mm length	bag	0,70 kg	50 pieces	piece	
	LFIXZ1111	FIX-HS 80S70, screw with washer for wooden substrate	screw: 80 mm length, washer: Ø 70 mm	bag	1,36 kg	50 sets	set	
	LFIXZ1112	FIX-SB 45S35, fastening sets with screw and washer	screw: 45 mm length, washer: Ø 35 mm	bag	0,34 kg	50 sets	set	
	LFIXZ1113	FIX-SB 80S35, fastening sets with screw and washer	screw: 80 mm length, washer: Ø 35 mm	bag	0,70 kg	50 sets	set	
	LFIXZ1033	FIX-S 35, washer, galvanised	Ø 35 mm	bag	0,05 kg	10 pieces	piece	
	LFIXZ1114	FIX-S 35, washer, galvanised	Ø 35 mm	bag	0,15 kg	50 pieces	piece	
	LFIXZ1115	FIX-S 70, washer, galvanised	Ø 70 mm	bag	0,95 kg	50 pieces	piece	
	LFIXZ1025	FIX-S 60, washer, stainless steel	Ø 60 mm	bag	0,50 kg	50 pieces	piece	
	LFIXZ1031	FIX-PRO-MAK, hard plastic insert for stabilising fastenings	8 mm high, 50 mm wide				running meter	
	LFIXZ1032	FIX-PRO-MAK, hard plastic insert for stabilising fastenings	8 mm high, 80 mm wide				running meter	

Online calculator see p. 7



Visit www.luxelements.com for further information on FIX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-FIX

LUX ELEMENTS®-FIX-IPA-I/-E/-V
Standard-compliant substrate without further sealing
for private shower areas according to DIN 18534



Technical accessories

FIX


Technical accessories for equipping a room construction
(see p. 110/116) or shower:

Steam inlet – FIX-DE

- Supporting panel for a steam inlet
- Safe feed-through of a steam pipe
- Three sizes with different holes (28, 45, 110 mm),
depending on the manufacturer's type
- Factory-integrated or single

Installation panel – FIX-IPA

- Prefabricated element for the fastening of fittings
- Factory-integrated or single
- Also with pre-installed flush-mounted iBox from Hansgrohe
as well as the associated piping with connections



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-FIX

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x LENGTH x HEIGHT	UNIT	PRICE / UNIT €
	LFIXZ3010	FIX-DE-TI 28 , support panel 150 x 150 x 25 mm with 28 mm hole for a steam inlet, integrated in a steam bath construction, including sealing sleeve 400 x 400 mm		surcharge	
	LFIXZ3011	FIX-DE-TE 28 , support panel 150 x 150 x 25 mm with 28 mm hole for a steam inlet, in a hard foam support element 300 x 300 mm, including sealing sleeve 400 x 400 mm, single	300 x 300 x 50 mm	piece	
	LFIXZ3020	FIX-DE TI 45 , support panel 250 x 250 x 25 mm with 45 mm hole for a steam inlet, integrated in a steam bath construction, including sealing sleeve 400 x 400 mm		surcharge	
	LFIXZ3021	FIX-DE-TE 45 , support panel 250 x 250 x 25 mm with 45 mm hole for a steam inlet, in a hard foam support element 300 x 300 mm, including sealing sleeve 400 x 400 mm, single	300 x 300 x 50 mm	piece	
	LFIXZ3000	FIX-DE-TI 110 , support panel 260 x 260 x 8 mm (on front and rear side) with 110 mm hole for a steam inlet, including high-temperature insulating material, integrated in a steam bath construction		surcharge	
	LFIXZ3001	FIX-DE-TE 110 , support panel 260 x 260 x 8 mm (on front and rear side) with 110 mm hole for a steam inlet, including high-temperature insulating material, in a hard foam support element 300 x 300 mm, single	300 x 300 x 50 mm	piece	
	LFIXZ4000	FIX-IPA-I* , installation panel for the mounting of fittings, integrated		surcharge	
	LFIXZ4001	FIX-IPA-E* , installation panel for the mounting of fittings, single	2500 x 590 x 100 mm	piece	
	LFIXZ4002	FIX-IPA-V* , factory-fitted pipework for FIX-IPA-I / FIX-IPA-E with flush-mounted iBox from Hansgrohe plus the associated fittings; all connections are pressed and tested		surcharge	

Packaging specifications see p. 168 · Online calculator see p. 7 · * standard-compliant according to DIN 18534



Visit www.luxelements.com for further information on FIX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-FIX


Technical accessories

FIX

Technical accessories for equipping a room construction (see p. 110/116) or shower:


Acceptance of an LED spot mounting sleeve (WDT) – FIX-AF/AI

- As a milling for the on-site acceptance of a sealing flange
- Also as a factory-integrated sealing flange
- For subsequent acceptance of a WDT spot integrated sleeve




Acceptance of an empty conduit – FIX-LF/LI

- Two different standard pipe diameters (25 or 32 mm)
- As a milling in the hard foam support element with loose cover
- Also as a factory-integrated and covered empty conduit
- For the feed-through of electrical cables, e.g. for switch plates














Acceptance of a flush-mounted socket (WDT) – FIX-UF/UI

- Four different versions: 1, 2, 3 and 4-fold
- As a milling in the hard foam support element for on-site acceptance
- Also as a factory-integrated WDT flush-mounted box



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-FIX

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
	LFIXZ3050	FIX-AF , milling in hard foam support element for on-site mounting of the sealing flange for spot integrated sleeve (manufacturer: WDT)	surcharge	
	LFIXZ3051	FIX-AI , sealing flange in hard foam support element, factory-integrated, for the mounting of a spot integrated sleeve (manufacturer: WDT)	surcharge	
	LFIXZ3068	FIX-LF , milling in the hard foam support element for the on-site mounting of an empty conduit (diameter 25 or 32 mm) with loose ELEMENT-EL 4 cover	surcharge	
	LFIXZ3069	FIX-LI , empty conduit (diameter 25 or 32 mm), factory-integrated in hard foam support element and sealed with ELEMENT-EL 4	surcharge	
	LFIXZ3060	FIX-UF-S , milling in hard foam support element for on-site mounting of the WDT single flush-mounting box	surcharge	
	LFIXZ3061	FIX-UI-S , single flush-mounting box (manufacturer: WDT), factory-integrated in hard foam support element	surcharge	
	LFIXZ3062	FIX-UF-M , milling in hard foam support element for on-site mounting of the WDT double flush-mounting box	surcharge	
	LFIXZ3063	FIX-UI-M , double flush-mounting box (manufacturer: WDT), factory-integrated in hard foam support element	surcharge	
	LFIXZ3064	FIX-UF-L , milling in hard foam support element for on-site mounting of the WDT triple flush-mounting box	surcharge	
	LFIXZ3065	FIX-UI-L , triple flush-mounting box (manufacturer: WDT), factory-integrated in hard foam support element	surcharge	
	LFIXZ3066	FIX-UF-XL , milling in hard foam support element for on-site mounting of the WDT four-part flush-mounting box	surcharge	
	LFIXZ3067	FIX-UI-XL , four-part flush-mounting box (manufacturer: WDT), factory-integrated in hard foam support element	surcharge	



Visit www.luxelements.com for further information on FIX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-COL

Adhesives COL

Adhesives and primers in a system with LUX ELEMENTS® hard foam support elements:

Primer – COL-HSV

- Solvent-free dispersion primer
- E.g. for wooden substrates
- For priming absorbing substrates
- As a preliminary wash primer for smooth and sealed substrates
- As moisture protection for calcium-sulphate bonded substrates

Tile adhesive – COL-FLEX

- For thin-bed adhesion according to DIN 18157 Part 1 on LUX ELEMENTS® hard foam support elements or substrates in which stresses cannot be ruled out
- Suitable for ceramic tiles, panels and mosaics, fine stoneware, discolouration-insensitive natural stone panels and ceramic coverings in swimming pools
- Complies with the C2 TE requirement in accordance with DIN EN 12004
- Low on chromate in accordance with EC directive 2003/53/EC

Fixing adhesive – COL-AK





- Ready-mixed dry mortar
- For the attachment, levelling and adhesion of LUX ELEMENTS® hard foam support elements
- Stable, fast bonding, waterproof
- Low on chromate in accordance with EC directive 2003/53/EC

Mounting adhesive – COL-MK

- Moisture-curing, 1-component adhesive based on silane-terminated polymers
- For gluing of LUX ELEMENTS® hard foam support elements both to one another and to wood, wood materials, various metals, stone and ceramics
- Elastic when set, i.e. it is very well suited for stress-compensating bonding
- Also adheres in the presence of water (not underwater areas) with a sealing function
- Adheres to numerous substrates



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-COL

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	CONTENTS COLLEC. PACKAGING	UNIT	PRICE / UNIT €
	LCOLZ1012	COL-HSV, dispersion-free primer	bottle	1 kg	1 kg		piece	
	LCOLZ1011	COL-FLEX, flexible cement powder adhesive	bag	25 kg	25 kg		kg	
	LCOLZ1111	COL-FLEX, flexible cement powder adhesive	euro pallet	1050 kg		42 x 25 kg	kg	
	LCOLZ1014	COL-AK, fixing adhesive	bag	5 kg	5 kg	4 x 5 kg	kg	
	LCOLZ1001	COL-AK, fixing adhesive	bag	25 kg	25 kg		kg	
	LCOLZ1101	COL-AK, fixing adhesive	euro pallet	1050 kg		42 x 25 kg	kg	
	LCOLZ1030	COL-MK, mounting adhesive	cartridge	0,5 kg	290 ml		piece	
	LCOLZ1130	COL-MK, mounting adhesive	cardboard box	6 kg		12 x 290 ml	piece	

Online calculator see p. 7



Visit www.luxelements.com for further information on COL.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-DRY-DB... / -DF / -DRY-ASK

Standard-compliant sealing component for highly stressed areas according to DIN 18534, Parts 3, 5 and 6 (-DB...) / Part 5 (-DF) / Part 3 (-ASK)



Sealing tapes and sealing filler **DRY**

Sealing tapes, films and tape sealers for the manufacture of watertight substrates in a system with LUX ELEMENTS® hard foam support elements:

Sealing tape – DRY-DB

- Extremely thin, tear-resistant, elastic and vapour-permeable special tissue
- For connection sealing in conjunction with DRY-ASK sealing filler, DRY-DF sealing film or shower bases
- For wall/floor connections, inner corners, outer corners

Sealing film – DRY-DF

- Extremely thin, tear-resistant special tissue
- For flat, alternative seals on the floor or on the wall
- Use in conjunction with DRY-DB sealing tape and DRY-ASK sealing filler for completion of the sealing at transitions and corners

Expansion zone sleeve – LUX ELEMENTS®-DRY-DBDZM

- Expansion zone in the middle for various external pipe diameters
- Installation with DRY-ASK

Sealing tape for ELEMENT-VK – DRY-DBV

- with sealing vapour-barrier properties
- For use on the fleece-backed ELEMENTVK (see page 13), e.g. for sealing plate joints
- Also in the shape of inner corners DRY-DBVIE and outer corners DRY-DBVAE

Cut protection tape – DRY-SB

- Self-adhesive, fixed-edge double-fabric tape with cut-resistant effect
- For the protection of the seal when renewing the permanently elastic service joint (e.g. silicone)

Sealing filler – DRY-ASK

- Single-component, water-impermeable, crack-bridging and flexible sealing compound
- For large seals on LUX ELEMENTS® hard foam support elements



DRY-DB



DRY-DBV



DRY-DF



DRY-DB(V)IE



DRY-DB(V)AE



DRY-DBIE LINE



DRY-DBWM



DRY-DBDZM



DRY-SB



DRY-ASK


■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-DRY

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMAT/ DIMENSIONS	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	UNIT	PRICE / UNIT €
	LDRYZ1151	DRY-DB* , sealing tape	100 mm	roll	0,15 kg	5 m	m	
	LDRYZ2001	DRY-DB* , sealing tape	100 mm	roll	0,4 kg	10 m	m	
	LDRYZ2002	DRY-DB* , sealing tape	100 mm	roll	2,0 kg	50 m	m	
	LDRYZ2014	DRY-DF* , sealing film	1000 mm	roll	4,2 kg	10 m	m	
	LDRYZ2013	DRY-DF* , sealing film	1000 mm	roll	10,7 kg	30 m	m	
	LDRYZ2103	DRY-DBIE* , sealing tape for inner corners		bag	0,045 kg	1 piece	piece	
	LDRYZ2104	DRY-DBAE* , sealing tape for outer corners		bag	0,045 kg	1 piece	piece	
	LDRYZ2105.L	DRY-DBIE LINE L* , sealing tape for inner corners, left, for TUB-LINE with single-sided gradient		bag	0,03 kg	1 piece	piece	
	LDRYZ2105.R	DRY-DBIE LINE R* , sealing tape for inner corners, right, for TUB-LINE with single-sided gradient		bag	0,03 kg	1 piece	piece	
	LDRYZ2206	DRY-DBWM* , Sealing sleeve for pipe openings	120/120 mm	bag	0,1 kg	4 pieces	piece	
	LDRYZ2215	DRY-DBDZM 120* , expansion zone sleeve	120/120/ 25/8 mm	bag	0,12 kg	1 piece	piece	
	LDRYZ2216	DRY-DBDZM 150* , expansion zone sleeve	150/150/ 60/20 mm	bag	0,14 kg	1 piece	piece	
	LDRYZ3002	DRY-DBV* , sealing tape for ELEMENT-VK	120 mm	roll	0,5 kg	10 m	m	
	LDRYZ3001	DRY-DBV* , sealing tape for ELEMENT-VK	120 mm	roll	1,5 kg	30 m	m	
	LDRYZ3101	DRY-DBVIE* , sealing tape for ELEMENT-VK, inner corners		bag	0,043 kg	1 piece	piece	
	LDRYZ3102	DRY-DBVAE* , sealing tape for ELEMENT-VK, outer corners		bag	0,043 kg	1 piece	piece	
	LDRYZ4001	DRY-SB , cut protection tape	10 m	roll	0,4 kg	1 piece	m	
	LDRYZ1016	DRY-ASK* , sealing filler		bag	3,5 kg		kg	
	LDRYZ1012	DRY-ASK* , sealing filler		bag	20 kg		kg	

Online calculator see p. 7 · * standard-compliant according to DIN 18534

Visit www.luxelements.com for further information on DRY.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.





LUX ELEMENTS®-ARM

Reinforcement fabric **ARM**





Reinforcement fabric in a system with LUX ELEMENTS® hard foam support elements:

Application areas:

- Board joints
- Transitions
- Surfaces
- Corners



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-ARM


	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMAT/ DIMENSIONS	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	UNIT	PRICE / UNIT €
	LARMZ1006	ARM-100 SK , reinforcement for transitions *	100 mm	roll	0,1 kg	10 m	m	
	LARMZ1007	ARM-100 SK , reinforcement for transitions *	100 mm	roll	0,2 kg	20 m	m	
	LARMZ1001	ARM-100 SK , reinforcement for transitions *	100 mm	roll	0,5 kg	90 m	m	
	LARMZ1002	ARM-150 SK , reinforcement for corners *	150 mm	roll	1,0 kg	50 m	m	
	LARMZ1003	ARM-250 SK , reinforcement for corners *	250 mm	roll	1,5 kg	50 m	m	
	LARMZ1012	ARM-600 , reinforcement for surfaces	600 mm	roll	0,2 kg	2,5 m	m	
	LARMZ1004	ARM-600 , reinforcement for surfaces	600 mm	roll	1,5 kg	20 m	m	

* self-adhesive design · Online calculator see p. 7



Visit www.luxelements.com for further information on ARM.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



LUX ELEMENTS®-MONT

Mounting aids **MONT**

Mounting aids in a system with LUX ELEMENTS® hard foam support elements:

MONT-UNI and -H


- For connecting LUX ELEMENTS® hard foam support elements to one another
- For mounting on the wall or floor
- For the extension of walls

MONT-TOPFIX





- For using adjustable feet to adjust bath tub claddings TOP (see page 22)

MONT-TOPREV

- For insertion of inspection openings TOP (see page 22)



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-MONT

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV, PACKAGING	UNIT	PRICE / UNIT €
	LMONZ1117	MONT-UNI 50 , U-shape mounting aid	bag	0,35 kg	4 pieces	piece	
	LMONZ1110	MONT-UNI 80 , U-shape mounting aid	bag	0,42 kg	4 pieces	piece	
	LMONZ1108	MONT-H 50 , mounting aid for connecting two elements	bag	0,68 kg	4 pieces	piece	
	LMONZ1113	MONT-H 80 , mounting aid for connecting two elements	bag	0,92 kg	4 pieces	piece	
	LMONZ1015	MONT-TOPFIX , adjustable foot for bath surrounds	bag	0,28 kg	6 pieces	piece	
	LMONZ1009	MONT-TOPREV , mounting aid for maintenance openings for bath tubs consisting of 2 parts for top and bottom	bag	0,25 kg	1 set	set	

Online calculator see p. 7

Visit www.luxelements.com for further information on MONT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Appendix

■ Packaging specifications

page

ELEMENT	157
TEC	158
TOP	158
LAVADO	159
TUB-EQ	159
TUB-MQ	159
TUB-ER	160
TUB-MR	160
TUB-BOL	160
TUB-H	161
TUB-COMBI	161
TUB-FINISH	161
TUB combinable floor drain systems	162
TUB complete floor drain systems	162
TUB floor drain systems accessories	162
TUB-LINE	163
TUB-LINE (V) RT / GK	163
TUB-LINE (V) BOL	163
TUB-LINE H	164
TUB-LINE COMBI	164
TUB-LINE COMBI (V) RT / AE / GK	164
TUB-LINE FINISH	164
TUB-LINE floor drain systems/accessories	165
TUB-U...	165
TUB-KIT	166
TUB-PL	166
TUB-PUMP	166
TUB-WALL	166
RELAX-RD	167
RELAX-SD	167
RELAX-RSE	167
RELAX-NI	167
RELAX-BA	168
RELAX-CU	168
RELAX-TW	168
FIX	168

■ Data protection information for business partners	169
---	-----

■ General terms and conditions LUX ELEMENTS GmbH & Co. KG	170
---	-----

LUX ELEMENTS®-ELEMENT

see page 14–15

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER		DIMENSIONS – LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/UNIT	WEIGHT/PALLET
LELEEMIX1000	ELEMENT-EL BABY MIX 1	pallet		1250 x 1200 x 750 mm	set	228,00 kg	238,00 kg
LELEEMIX2000	ELEMENT-EL MIX 1			2500 x 1200 x 710 mm		267,90 kg	287,90 kg
LELEEMIX2001	ELEMENT-EL MIX 2			2500 x 1200 x 800 mm		271,50 kg	291,50 kg
LELEEMIX2002	ELEMENT-EL MIX 3			2500 x 1200 x 600 mm		258,00 kg	278,00 kg
LELEEMIX2003	ELEMENT-EL MIX 4			2500 x 1200 x 820 mm		275,10 kg	295,10 kg
COLLECTIVE PACKAGING – PALLET PER PRODUCT							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	m²/PALLET	PALLET DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PALLET
LELEE1116	ELEMENT-EL Baby 4	160	120	1250 x 1200 x 440 mm	m²	~ 3,00 kg	370 kg
LELEE1117	ELEMENT-EL Baby 6	160	120	1250 x 1200 x 600 mm		~ 3,00 kg	370 kg
LELEE1118	ELEMENT-EL Baby 10	100	75	1250 x 1200 x 630 mm		~ 3,20 kg	250 kg
LELEE1135	ELEMENT-EL Baby 12	80	60	1250 x 1200 x 620 mm		~ 3,30 kg	200 kg
LELEE1141	ELEMENT-EL Baby 20	80	60	1250 x 1200 x 920 mm		~ 3,50 kg	200 kg
LELEE1142	ELEMENT-EL Baby 30	52	39	1250 x 1200 x 900 mm		~ 3,80 kg	160 kg
LELEE1143	ELEMENT-EL Baby 40	40	30	1250 x 1200 x 920 mm		~ 4,10 kg	130 kg
LELEE1144	ELEMENT-EL Baby 50	32	24	1250 x 1200 x 920 mm		~ 4,40 kg	115 kg
LELEE1145	ELEMENT-EL Baby 80	24	18	1250 x 1200 x 1080 mm		~ 5,30 kg	105 kg
LELEE1146	ELEMENT-EL Baby 100	20	15	1250 x 1200 x 1150 mm		~ 6,00 kg	100 kg
LELEE1119	ELEMENT-EL 10	80	120	2500 x 1200 x 540 mm		~ 3,20 kg	400 kg
LELEE1131	ELEMENT-EL 12	80	120	2500 x 1200 x 620 mm		~ 3,30 kg	400 kg
LELEE1120	ELEMENT-EL 20	80	120	2500 x 1200 x 920 mm		~ 3,50 kg	435 kg
LELEE1121	ELEMENT-EL 30	52	78	2500 x 1200 x 900 mm		~ 3,80 kg	310 kg
LELEE1123	ELEMENT-EL 40	40	60	2500 x 1200 x 920 mm		~ 4,10 kg	260 kg
LELEE1122	ELEMENT-EL 50	32	48	2500 x 1200 x 920 mm		~ 4,40 kg	225 kg
LELEE1133	ELEMENT-EL 80	24	36	2500 x 1200 x 1080 mm		~ 5,30 kg	205 kg
LELEE1137	ELEMENT-EL 100	20	30	2500 x 1200 x 1150 mm		~ 6,00 kg	190 kg
LELEE2001	ELEMENT-SL 30	52	78	2500 x 600 x 900 mm		~ 3,80 kg	300 kg
LELEE2003	ELEMENT-SL 50	32	48	2500 x 600 x 920 mm		~ 4,40 kg	215 kg
LELEE2002	ELEMENT-SQ 30	52	78	2500 x 600 x 900 mm		~ 3,80 kg	300 kg
LELEE2004	ELEMENT-SQ 50	32	48	2500 x 600 x 920 mm		~ 4,40 kg	215 kg
LELEE3009	ELEMENT-VK Baby 6	160	120	1250 x 600 x 600 mm		~ 3,30 kg	410 kg
LELEE3010	ELEMENT-VK Baby 12	80	60	1250 x 600 x 630 mm		~ 3,90 kg	248 kg
LELEE3011	ELEMENT-VK Baby 20	80	60	1250 x 600 x 950 mm		~ 4,10 kg	260 kg
LELEE3012	ELEMENT-VK Baby 30	52	39	1250 x 600 x 930 mm		~ 4,30 kg	180 kg
LELEE3013	ELEMENT-VK Baby 50	32	24	1250 x 600 x 950 mm		~ 4,75 kg	124 kg
LELEE3001	ELEMENT-VK 12	80	120	2500 x 600 x 620 mm		~ 3,50 kg	450 kg
LELEE3002	ELEMENT-VK 20	80	120	2500 x 600 x 920 mm		~ 4,10 kg	510 kg
LELEE3005	ELEMENT-VK 50	32	48	2500 x 600 x 950 mm		~ 4,40 kg	230 kg



LUX ELEMENTS Programme 2019 – Appendix

Packaging specifications

LUX ELEMENTS®-TEC

see page 19

INDIVIDUAL PACKAGING							
ARTICLE		CONTAINER	PACKAGING	UNIT	CONTENTS		
all		loose	carton or pallet	piece	singly by choice		
INDIVIDUAL PACKAGING TEC-VWD							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS – LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/UNIT	WEIGHT/CARTON
LTECX5001	TEC-VWD	1 set	carton	1275 x 620 x 110 mm	set	7,6 kg	7,6 kg
COLLECTIVE PACKAGING – MIXED PALLET							
ARTICLE		CONTAINER	PACKAGING	UNIT	CONTENTS		
all		pallet	pallet	piece	at least 40-off, mixed by choice		
COLLECTIVE PACKAGING – PALLET PER PRODUCT							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET (P) PIECE/CARTON (K)	PALLET DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT		WEIGHT/ UNIT	WEIGHT/ PALLET/CARTON
LTECX1001	TEC-KA 15 BS	60 (P)	2500 x 1200 x 630 mm	piece		2,65 kg	~ 180 kg
LTECX1002	TEC-KA 20 BS	40 (P)	2500 x 1200 x 520 mm			3,50 kg	~ 160 kg
LTECX1003	TEC-KA 30 BS	40 (P)	2500 x 1200 x 950 mm			5,00 kg	~ 220 kg
LTECX1004	TEC-KA 40 BS	40 (P)	2500 x 1200 x 900 mm			5,00 kg	~ 220 kg
LTECX1010	TEC-U 20 BS	5 (K)	2500 x 600 x 400 mm			6,00 kg	34 kg
COLLECTIVE PACKAGING TEC-VWD / TEC-VWD-P							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT			WEIGHT/CARTON	WEIGHT/PALLET
LTECX5001	TEC-VWD	20 sets	2500 x 1200 x 1750 mm			7,6 kg	172 kg
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT			WEIGHT/UNIT	WEIGHT/PALLET
LTECX5002	TEC-VWD-P	40 pieces	1250 x 1200 x 920 mm			5,8 kg	247 kg

LUX ELEMENTS®-TOP

see page 24/25

INDIVIDUAL PACKAGING							
ARTICLE		CONTAINER	PACKAGING	UNIT	CONTENTS		
all		loose	carton or pallet	piece	singly by choice		
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET PIECE/CARTON	PALLET DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PALLET/CARTON	
LTOPE1004	TOP-TRS 1785 S	20	1800 x 600 x 750 mm	piece	4,15 kg	90 kg	
LTOPE1054	TOP-TRS 1860 S	20	2100 x 600 x 750 mm		4,60 kg	90 kg	
LTOPE1006	TOP-TRS 2100 S	20	2100 x 600 x 750 mm		5,20 kg	100 kg	
LTOPE1055	TOP-TRS 900 S	20	910 x 600 x 750 mm		1,95 kg	42 kg	
LTOPE1017	TOP-TRU 2100 S	6	2100 x 600 x 480 mm		5,25 kg	40 kg	
LTOPE1021	TOP-TRU 900 S	6	910 x 600 x 200 mm		2,20 kg	15 kg	
LTOPE1023	TOP-TRV 2100 S	6	2100 x 600 x 750 mm		5,40 kg	40 kg	
LTOPE1029	TOP-TRV 900 li S	6	1250 x 600 x 750 mm		1,95 kg	20 kg	
LTOPE1031	TOP-TRV 900 re S	6	1250 x 600 x 750 mm		1,95 kg	20 kg	
INDIVIDUAL PACKAGING TOP-KIT							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PACKAGING
LTOPE1053	TOP-KIT	1 set	bag	485 x 275 x 160 mm	set	0,8 kg	0,8 kg

LUX ELEMENTS®-LAVADO

see page 29

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LLAVE5001	LAVADO-FLOAT G	1 set	carton	1210 x 605 x 120 mm	set	7,97 kg	9,74 kg
LLAVE5002	LAVADO-FLOAT Z			1210 x 605 x 120 mm		8,21 kg	9,98 kg
LLAVE5003	LAVADO-FLOAT E			1210 x 605 x 120 mm		8,09 kg	9,86 kg
LLAVE5004	LAVADO-FLOAT R			1210 x 605 x 120 mm		8,52 kg	10,30 kg
LLAVE5005	LAVADO-FLOAT L			1210 x 605 x 120 mm		10,00 kg	11,50 kg

LUX ELEMENTS®-TUB-EQ

see page 36

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10000	TUB-EQ 800	1 piece	carton	845 x 820 x 60 mm	piece	5,00 kg	6,00 kg
LTUBE10001	TUB-EQ 900			945 x 920 x 60 mm		5,50 kg	6,48 kg
LTUBE10002	TUB-EQ 1000			1045 x 1020 x 60 mm		6,79 kg	8,69 kg
LTUBE10003	TUB-EQ 1200			1235 x 1215 x 60 mm		9,78 kg	11,52 kg
LTUBE10004	TUB-EQ 1500			1535 x 1515 x 60 mm		15,28 kg	18,93 kg
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT			WEIGHT/UNIT	WEIGHT/PALLET
LTUBE10001	TUB-EQ 900	10	1250 x 1200 x 750 mm			5,50 kg	84,80 kg
LTUBE10002	TUB-EQ 1000	10	1250 x 1200 x 750 mm			6,79 kg	106,90 kg
LTUBE10003	TUB-EQ 1200	10	1250 x 1200 x 750 mm			9,78 kg	135,20 kg
OTHER ARTICLES ON REQUEST							

LUX ELEMENTS®-TUB-MQ

see page 37

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE1111	TUB-MQ-SET 300	1 piece	carton	340 x 310 x 120 mm	piece	0,55 kg	0,90 kg
LTUBE10100	TUB-MQ 800			845 x 820 x 60 mm		5,00 kg	6,00 kg
LTUBE10101	TUB-MQ 900			945 x 920 x 60 mm		5,50 kg	6,48 kg
LTUBE10102	TUB-MQ 1000			1045 x 1020 x 60 mm		6,79 kg	8,69 kg
LTUBE10103	TUB-MQ 1200			1235 x 1215 x 60 mm		9,78 kg	11,52 kg
LTUBE10104	TUB-MQ 1500			1535 x 1515 x 60 mm		15,28 kg	18,93 kg
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS — LENGTH x WIDTH x HEIGHT			WEIGHT/UNIT	WEIGHT/PALLET
LTUBE1111	TUB-MQ-SET 300	on request					
LTUBE10101	TUB-MQ 900	10	1250 x 1200 x 750 mm			5,50 kg	84,80 kg
LTUBE10102	TUB-MQ 1000	10	1250 x 1200 x 750 mm			6,79 kg	106,90 kg
LTUBE10103	TUB-MQ 1200	10	1250 x 1200 x 750 mm			9,78 kg	135,20 kg
OTHER ARTICLES ON REQUEST							



LUX ELEMENTS Programme 2019 – Appendix

Packaging specifications

LUX ELEMENTS®-TUB-ER

see page 38

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10614	TUB-ER 1000/800	1 piece	carton	1050 x 810 x 60 mm	piece	5,43 kg	6,73 kg
LTUBE10601	TUB-ER 1200/900			1250 x 910 x 60 mm		7,33 kg	8,80 kg
LTUBE10602	TUB-ER 1200/1000			1250 x 1010 x 60 mm		8,15 kg	10,30 kg
LTUBE10603	TUB-ER 1400/900			1450 x 910 x 60 mm		8,55 kg	10,70 kg
LTUBE10604	TUB-ER 1500/900			1550 x 910 x 60 mm		9,17 kg	12,30 kg
LTUBE10605	TUB-ER 1600/900			1650 x 910 x 60 mm		9,78 kg	12,30 kg
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT			WEIGHT/UNIT	WEIGHT/PALLET
LTUBE10614	TUB-ER 1000/800	10	1250 x 1200 x 700 mm			5,43 kg	87,30 kg
OTHER ARTICLES ON REQUEST							

LUX ELEMENTS®-TUB-MR

see page 39

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10701	TUB-MR 1000/800	1 piece	carton	1050 x 810 x 60 mm	piece	5,43 kg	6,73 kg
LTUBE10702	TUB-MR 1200/900			1250 x 910 x 60 mm		7,33 kg	8,80 kg
LTUBE10703	TUB-MR 1200/1000			1250 x 1010 x 60 mm		8,15 kg	10,30 kg
LTUBE10704	TUB-MR 1400/900			1450 x 910 x 60 mm		8,55 kg	10,70 kg
LTUBE10705	TUB-MR 1500/900			1550 x 910 x 60 mm		9,17 kg	12,30 kg
LTUBE10706	TUB-MR 1600/900			1650 x 910 x 60 mm		9,78 kg	12,30 kg
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT			WEIGHT/UNIT	WEIGHT/PALLET
LTUBE10701	TUB-MR 1000/800	10	1250 x 1200 x 700 mm			5,43 kg	87,30 kg
OTHER ARTICLES ON REQUEST							

LUX ELEMENTS®-TUB-BOL

see page 41

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE18016	TUB-BOL 1800/750	1 piece	carton	1850 x 910 x 60 mm	piece	8,70 kg	11,70 kg
LTUBE18018	TUB-BOL 1800/900			1850 x 910 x 60 mm		10,75 kg	13,90 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-H

see page 43

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE17001	TUB-HEQ 900	1 piece	carton	945 x 915 x 60 mm	piece	6,15 kg	7,15 kg
LTUBE17002	TUB-HEQ 1200			1235 x 1215 x 60 mm		10,45 kg	12,05 kg
LTUBE17101	TUB-HMQ 900			945 x 920 x 60 mm		6,15 kg	7,15 kg
LTUBE17103	TUB-HMQ 1000			1045 x 1020 x 60 mm		9,50 kg	10,65 kg
LTUBE17102	TUB-HMQ 1200			1235 x 1215 x 60 mm		10,45 kg	12,05 kg
LTUBE17011	TUB-HER 1200/900			1250 x 910 x 60 mm		8,50 kg	9,85 kg
LTUBE17013	TUB-HER 1400/900			1450 x 910 x 60 mm		9,70 kg	10,92 kg
LTUBE17012	TUB-HER 1600/900			1650 x 910 x 60 mm		10,95 kg	13,90 kg
LTUBE17111	TUB-HMR 1200/900			1250 x 910 x 60 mm		8,55 kg	9,85 kg
LTUBE17112	TUB-HMR 1600/900			1650 x 910 x 60 mm		11,60 kg	12,90 kg
LTUBE17018	TUB-H BOL 1800/900			1850 x 910 x 60 mm		10,95 kg	13,90 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-COMBI

see page 45

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE19003	TUB-COMBI MQ 300	1 piece	carton	310 x 305 x 100 mm	piece	1,15 kg	1,50 kg
LTUBE19001	TUB-COMBI MQ 900			945 x 920 x 100 mm		5,55 kg	7,10 kg
LTUBE19012	TUB-COMBI ER 1200/900			1235 x 920 x 100 mm		7,35 kg	9,50 kg
LTUBE19015	TUB-COMBI ER 1400/900			1435 x 920 x 100 mm		8,58 kg	11,09 kg
LTUBE19002	TUB-COMBI MR 1200/900			945 x 920 x 100 mm		7,35 kg	9,50 kg
LTUBE19101	TUB-COMBI BOL 1800/900			1850 x 910 x 100 mm		11,60 kg	14,40 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-FINISH

see page 47

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10101.FW	TUB-FW MQ 900	1 piece	carton	945 x 920 x 100 mm	piece	16,00 kg	18,00 kg
LTUBE10601.FW	TUB-FW ER 1200/900			1250 x 920 x 100 mm		22,80 kg	24,80 kg
LTUBE10605.FW	TUB-FW ER 1600/900			1650 x 920 x 100 mm		29,30 kg	31,30 kg
COLLECTIVE PACKAGING ON REQUEST							



LUX ELEMENTS Programme 2019 – Appendix

Packaging specifications

LUX ELEMENTS®-TUB combinable floor drain systems

see page 48–49

INDIVIDUAL PACKAGING						
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT
LTUBE1102	TUB-BA-S	1 set	bag	305 x 205 x 160 mm	set	0,55 kg
LTUBE1103	TUB-BA-S 100			305 x 205 x 160 mm		0,30 kg
LTUBE1101	TUB-BA-W			305 x 205 x 160 mm		0,35 kg
LTUBE1100	TUB-RA-S			305 x 205 x 160 mm		0,25 kg
LTUBE1104	TUB-RA-DA			305 x 205 x 160 mm		0,60 kg
LTUBE1105	TUB-RA-DC			305 x 205 x 160 mm		0,60 kg
LTUBE1106	TUB-RA-DM			305 x 205 x 160 mm		0,45 kg
LTUBE1107	TUB-RA-DL			305 x 205 x 160 mm		0,55 kg
LTUBE1108	TUB-RA-DV			305 x 205 x 160 mm		0,35 kg
LTUBE1110	TUB-RA-DS			305 x 205 x 160 mm		0,50 kg
LTUBE1109	TUB-RA-DF			305 x 205 x 160 mm		0,25 kg

LUX ELEMENTS®-TUB complete floor drain systems

see page 50

INDIVIDUAL PACKAGING						
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT
LTUBE1180	TUB-BAS-S	1 set	bag	485 x 275 x 160 mm	set	0,85 kg
LTUBE1193	TUB-BAS-S 100			485 x 275 x 160 mm		0,55 kg
LTUBE1184	TUB-BAW-S			485 x 275 x 160 mm		0,65 kg

LUX ELEMENTS®-TUB floor drain systems accessories

see page 51

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PACKAGING
LTUBE1188	TUB-BAZ STOP	1 piece	bag	245 x 190 x 75 mm	piece	0,05 kg	0,05 kg
LTUBE1189	TUB-BAZ HS			245 x 190 x 75 mm		0,02 kg	0,02 kg
LTUBE1200	TUB-BAZ DN 50/40			245 x 190 x 75 mm		0,05 kg	0,05 kg
LTUBE1190	TUB-BAZ BST			245 x 190 x 75 mm		0,06 kg	0,06 kg
LTUBE1192	TUB-BAZ HTK			245 x 190 x 75 mm		0,05 kg	0,05 kg
LTUBE1197	TUB-BAS-S FIRE STOP	1 set	carton	485 x 275 x 160 mm	set	1,20 kg	1,20 kg
LTUBE1198	TUB-BAZ DGD			305 x 205 x 160 mm		0,40 kg	0,40 kg
LTUBE1191.6	TUB-TSM 6	1 piece	—	—	piece	3,20 kg	3,20 kg
LTUBE1191.12	TUB-TSM 12		—	—		4,70 kg	4,70 kg

LUX ELEMENTS®-TUB-LINE

see page 54–57

INDIVIDUAL PACKAGING							
ARTICLE- NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE94001	TUB-LINE Q4 900	1 piece	carton	945 x 920 x 60 mm	piece	6,72 kg	7,70 kg
LTUBE94017	TUB-LINE Q4 1000			1045 x 1020 x 60 mm		8,3 kg	9,51 kg
LTUBE94019	TUB-LINE Q4 1200			1235 x 1215 x 60 mm		11,11 kg	12,85 kg
LTUBE94002	TUB-LINE Q1 900			945 x 920 x 60 mm		6,72 kg	7,70 kg
LTUBE94018	TUB-LINE Q1 1000			1045 x 1020 x 60 mm		8,3 kg	9,51 kg
LTUBE94020	TUB-LINE Q1 1200			1235 x 1215 x 60 mm		11,11 kg	12,85 kg
LTUBE94003	TUB-LINE R4 1200/900			1250 x 910 x 60 mm		8,33 kg	9,85 kg
LTUBE94005	TUB-LINE R4 1400/900			1450 x 910 x 60 mm		10,45 kg	12,60 kg
LTUBE94007	TUB-LINE R4 1600/900			1650 x 910 x 60 mm		11,95 kg	14,47 kg
LTUBE94021	TUB-LINE R4 1200/1000			1250 x 1010 x 60 mm		9,96 kg	11,86 kg
LTUBE94029	TUB-LINE R1 1200/900 (650)			1250 x 910 x 60 mm		8,33 kg	9,85 kg
LTUBE94030	TUB-LINE R1 1400/900 (650)			1450 x 910 x 60 mm		10,45 kg	12,60 kg
LTUBE94004	TUB-LINE R1 1200/900			1250 x 910 x 60 mm		8,33 kg	9,85 kg
LTUBE94006	TUB-LINE R1 1400/900			1450 x 910 x 60 mm		10,45 kg	12,60 kg
LTUBE94008	TUB-LINE R1 1600/900			1650 x 910 x 60 mm		11,95 kg	14,47 kg
LTUBE94022	TUB-LINE R1 1200/1000			1250 x 1010 x 60 mm		9,96 kg	11,86 kg
OTHER ARTICLES ON REQUEST / COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE (V) RT / GK

see page 59 / 61

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE95008	TUB-LINE RT 900/200 (650)	1 set	carton	1255 x 218 x 121 mm	set	2,70 kg	3,50 kg
LTUBE95001	TUB-LINE RT 900/200 (750)	1 set		1255 x 218 x 121 mm		2,70 kg	3,50 kg
LTUBE95002	TUB-LINE GK R1 1200/900	1 piece		1250 x 910 x 60 mm	piece	9,50 kg	11,40 kg
LTUBE98201	TUB-LINE V RT 1000/200 (650)	1 set		1055 x 218 x 121 mm	set	4,60 kg	5,40 kg
LTUBE95009	TUB-LINE GK Q1 1000	1 piece		1035 x 1015 x 60 mm	piece	10,50 kg	13,75 kg
LTUBE95003	TUB-LINE RT 1200/200 (850)	1 set		1255 x 218 x 121 mm	set	3,30 kg	4,10 kg
LTUBE98202	TUB-LINE V RT 1200/200 (850)	1 set		1255 x 218 x 121 mm	set	5,30 kg	6,10 kg
LTUBE95004	TUB-LINE GK Q1 1200	1 piece		1235 x 1215 x 115 mm	piece	11,50 kg	14,75 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE (V) BOL

see page 63 / 65

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE97001	TUB-LINE BOL 1800/900	1 piece	carton	1850 x 910 x 60 mm	piece	11,30 kg	14,10 kg
LTUBE98001	TUB-LINE BOL V R1 1800/1000	1 piece	carton	1850 x 1010 x 60 mm	piece	14,90 kg	16,80 kg
LTUBE98002	TUB-LINE BOL V R1 1800/1200	1 piece	carton	1850 x 1210 x 60 mm	piece	15,90 kg	17,80 kg
COLLECTIVE PACKAGING ON REQUEST							



LUX ELEMENTS Programme 2019 – Appendix

Packaging specifications

LUX ELEMENTS®-TUB-LINE H

see page 67

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE96001	TUB-LINE HQ4 900	1 piece	carton	945 x 920 x 60 mm	piece	7,42 kg	8,40 kg
LTUBE96003	TUB-LINE HQ4 1000			1235 x 1020 x 60 mm		8,40 kg	9,40 kg
LTUBE96004	TUB-LINE HQ4 1200			1235 x 1220 x 60 mm		10,70 kg	12,20 kg
LTUBE96002	TUB-LINE HR4 1200/900			1235 x 920 x 60 mm		8,62 kg	9,72 kg
LTUBE96005	TUB-LINE HR4 1400/900			1435 x 920 x 60 mm		10,50 kg	12,10 kg
LTUBE97101	TUB-LINE H BOL 1800/900			1850 x 910 x 60 mm		12,30 kg	14,20 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE COMBI

see page 69

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE9320	TUB-LINE COMBI Q4 900	1 Set	carton	945 x 920 x 100 mm	Set	7,72 kg	8,70 kg
LTUBE9321	TUB-LINE COMBI R4 1200			1200 x 920 x 100 mm		9,33 kg	10,85 kg
LTUBE9322	TUB-LINE COMBI Q1 900			945 x 920 x 100 mm		7,72 kg	8,70 kg
LTUBE9323	TUB-LINE COMBI R1 1200			1200 x 920 x 100 mm		9,33 kg	10,85 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE COMBI (V) RT / GK

see page 71 / 73

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE9316	TUB-LINE COMBI RT 900 (650)	1 piece	carton	1255 x 218 x 121 mm	piece	2,60 kg	3,40 kg
LTUBE9306	TUB-LINE COMBI RT 900 (750)			1255 x 218 x 121 mm		2,70 kg	3,50 kg
LTUBE9307	TUB-LINE COMBI GK R1 1200/900			1250 x 910 x 115 mm		9,70 kg	11,60 kg
LTUBE98301	TUB-LINE COMBI V RT 1000 (650)			1055 x 218 x 121 mm		4,60 kg	5,40 kg
LTUBE9305	TUB LINE COMBI GK Q1 1000			1035 x 1015 x 115 mm		11,00 kg	14,50 kg
LTUBE9308	TUB-LINE COMBI RT 1200 (850)			1255 x 218 x 121 mm		3,30 kg	4,10 kg
LTUBE98302	TUB-LINE COMBI V RT 1200 (850)			1255 x 218 x 121 mm		5,30 kg	6,10 kg
LTUBE9309	TUB-LINE COMBI GK Q1 1200			1235 x 1215 x 115 mm		11,80 kg	15,05 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE FINISH

see page 75

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE94001.FW	TUB-LINE FW Q4 900	1 piece	carton	945 x 920 x 100 mm	piece	16,00 kg	18,00 kg
LTUBE94003.FW	TUB-LINE FW R4 1200/900			1250 x 920 x 100 mm		22,80 kg	24,80 kg
LTUBE94007.FW	TUB-LINE FW R4 1600/900			1650 x 920 x 100 mm		29,30 kg	31,30 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE floor drain systems/accessories

see page 77

INDIVIDUAL PACKAGING						
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT
LTUBE1113	TUB-LINE BA-S	1 piece	bag	305 x 205 x 160 mm	piece	0,40 kg
LTUBE1112.22	TUB-LINE BA-W 22			305 x 205 x 160 mm		0,25 kg
LTUBE1112.50	TUB LINE BA-W 50			305 x 205 x 160 mm		0,25 kg
LTUBE1115.50	TUB LINE BA-GV 50			245 x 190 x 75 mm		0,05 kg
LTUBE1288	TUB-LINE BAZ STOP			245 x 190 x 75 mm		0,05 kg
LTUBE1114	TUB-LINE BAZ HS			20 x 255 x 160 mm		0,02 kg
LTUBE1200	TUB-BAZ DN 50/40			245 x 190 x 75 mm		0,05 kg
LTUBE1190	TUB-BAZ BST			245 x 190 x 75 mm		0,06 kg
LTUBE1192	TUB-BAZ HTK			245 x 190 x 75 mm		0,05 kg
LTUBE1289	TUB-LINE BA-S FIRE STOP	1 set		305 x 205 x 160 mm	set	1,20 kg
LTUBE1198	TUB-BAZ DGD	1 piece	carton	305 x 205 x 160 mm	piece	0,40 kg
LTUBE1191.6	TUB-TSM 6		—	—		3,20 kg
LTUBE1191.12	TUB-TSM 12		—	—		4,70 kg

LUX ELEMENTS®-TUB-U

see page 79–80

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE11110	TUB-UQ 800	1 piece	carton	845 x 820 x 60 mm	piece	1,00 kg	2,00 kg
LTUBE11111	TUB-UQ 900			945 x 920 x 60 mm		1,10 kg	2,08 kg
LTUBE11112	TUB-UQ 1000			1045 x 1020 x 60 mm		1,36 kg	3,25 kg
LTUBE11113	TUB-UQ 1200			1235 x 1215 x 60 mm		1,96 kg	3,70 kg
LTUBE11114	TUB-UQ 1500			1535 x 1515 x 60 mm		3,06 kg	6,71 kg
LTUBE11811	TUB-UR 1000/800			1050 x 810 x 60 mm		1,09 kg	2,39 kg
LTUBE11812	TUB-UR 1200/900			1250 x 910 x 60 mm		1,47 kg	2,99 kg
LTUBE11813	TUB-UR 1200/1000			1250 x 1010 x 60 mm		1,63 kg	3,79 kg
LTUBE11815	TUB-UR 1400/900			1450 x 910 x 60 mm		1,71 kg	3,86 kg
LTUBE11816	TUB-UR 1500/900			1550 x 910 x 60 mm		1,84 kg	4,97 kg
LTUBE11817	TUB-UR 1600/900			1650 x 910 x 60 mm		1,96 kg	4,49 kg
LTUBE18017	TUB-UBOL 1800/750			1850 x 910 x 60 mm		1,84 kg	4,79 kg
LTUBE18019	TUB-UBOL 1800/900			1850 x 910 x 60 mm		2,20 kg	5,15 kg
LTUBE98101	TUB-UBOL 1800/1000			1850 x 1010 x 60 mm		2,50 kg	5,50 kg
LTUBE98102	TUB-UBOL 1800/1200			1850 x 1210 x 60 mm		3,00 kg	6,00 kg
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT		WEIGHT/UNIT		WEIGHT/PALLET
LTUBE11111	TUB-UQ 900	10	1250 x 1200 x 750 mm		1,10 kg		40,80 kg
LTUBE11112	TUB-UQ 1000	10	1250 x 1200 x 750 mm		1,36 kg		52,50 kg
LTUBE11113	TUB-UQ 1200	10	1250 x 1200 x 750 mm		1,96 kg		57,00 kg
LTUBE11114	TUB-UQ 1500	10	2500 x 1200 x 1650 mm		3,06 kg		87,10 kg
LTUBE11811	TUB-UR 1000/800	10	1200 x 800 x 700 mm		1,09 kg		43,90 kg
LTUBE11812	TUB-UR 1200/900	10	1250 x 1200 x 700 mm		1,47 kg		49,90 kg
LTUBE11813	TUB-UR 1200/1000	10	1250 x 1200 x 700 mm		1,63 kg		57,90 kg
LTUBE11815	TUB-UR 1400/900	10	2500 x 1200 x 700 mm		1,71 kg		58,60 kg
LTUBE11816	TUB-UR 1500/900	10	2500 x 1200 x 700 mm		1,84 kg		69,70 kg
LTUBE11817	TUB-UR 1600/900	10	2500 x 1200 x 700 mm		1,96 kg		64,90 kg
OTHER ARTICLES ON REQUEST							



LUX ELEMENTS Programme 2019 – Appendix

Packaging specifications

LUX ELEMENTS®-TUB-KIT

see page 81

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PACKAGING
LTUBE1090	TUB-KIT UNI	1 Kit	pail	height 240 mm; Ø 280 mm	Kit	10,00 kg	10,00 kg
LTUBE1098	TUB-KIT UNI GK			400 x 310 x 350 mm		19,60 kg	19,60 kg
LTUBE1099	TUB-KIT UNI GG			400 x 310 x 350 mm		29,62 kg	29,62 kg

LUX ELEMENTS®-TUB-PL

see page 83

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE9341	TUB-PL-S 900	1 piece	carton	903 x 903 x 103 mm	piece	6,48 kg	7,48 kg
LTUBE9342	TUB-PL-S 1200/900			1203 x 903 x 103 mm		8,64 kg	9,64 kg
LTUBE9343	TUB-PL-S 1400/900			1403 x 903 x 103 mm		10,10 kg	11,10 kg
LTUBE9344	TUB-PL-S 1800/900			1803 x 903 x 103 mm		12,96 kg	13,96 kg
LTUBE1001	TUB-RA-A	1 set	bag	305 x 205 x 160 mm	set	0,35 kg	0,35 kg
OTHER ARTICLES ON REQUEST / COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-PUMP

see page 85

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE19205	TUB-PUMP-S MQ 900	1 set	carton	1203 x 1203 x 125 mm	set	8,60 kg	10,41 kg
LTUBE19206	TUB-PUMP-S MQ 1200			1203 x 1203 x 125 mm		15,30 kg	18,50 kg
LTUBE19207	TUB-PUMP-S MR 1200/900			1203 x 1203 x 125 mm		11,46 kg	13,88 kg
LTUBE19208	TUB-PUMP-S MR 1400/900			1403 x 1203 x 125 mm		13,37 kg	16,13 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-WALL

see page 87

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE9314	TUB-WALL RT 1 900/200	1 set	carton	1205 x 270 x 200 mm	set	4,00 kg	5,00 kg
LTUBE9315	TUB-WALL RT 1 1200/200			1205 x 270 x 200 mm		4,50 kg	5,50 kg
LTUBE9307	TUB-LINE COMBI GK R1 1200/900	1 piece		1250 x 910 x 115 mm	piece	9,70 kg	11,60 kg
LTUBE9309	TUB-LINE COMBI GK Q1 1200			1235 x 1215 x 115 mm		11,80 kg	15,05 kg
LTUBE9310	TUB-WALL RT 3 900/200	1 set		1205 x 270 x 200 mm	set	4,10 kg	5,10 kg
LTUBE9311	TUB-WALL RT 3 1200/200			1205 x 270 x 200 mm		4,70 kg	5,70 kg
LTUBE9312	TUB-LINE COMBI GK R3 1200/900	1 piece		1250 x 910 x 115 mm	piece	9,70 kg	11,60 kg
LTUBE9313	TUB-LINE COMBI GK Q3 1200			1235 x 1215 x 115 mm		11,80 kg	15,05 kg
LTUBE9319	TUB-WALL RT 1 H 1200/900	1 set		1250 x 270 x 200 mm	set	9,70 kg	11,60 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-RELAX-RD

see page 95

INDIVIDUAL PACKAGING (EXAMPLE AS KIT)					
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	WEIGHT/ PALLET
LREL4001	RELAX-BORD 50	1 piece	} 1 kit/pallet	2500 x 1200 x 900 mm	255 kg
LREL4002	RELAX-UBORD 50	1 piece			
LREL4000	RELAX-RDW	1 set			
LREL4003	RELAX-DRD	1 piece			
LDECE3003	DECO-AE	2 pieces			
LREL4006	RELAX-KIT RDM	1 Kit			

LUX ELEMENTS®-RELAX-SD

see page 97

INDIVIDUAL PACKAGING (EXAMPLE AS KIT)					
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	WEIGHT/ PALLET
LREL5001 / LREL5003	RELAX-BOSD 50 L / RELAX-BOSD 50 R	1 piece	} 1 kit/pallet	2500 x 1200 x 900 mm	260 kg
LREL5002 / LREL5004	RELAX-UBOSD 50 L / RELAX-UBOSD 50 R	1 piece			
LREL5000	RELAX-SDW	1 set			
LREL5005	RELAX-DSD	1 piece			
LDECE3003	DECO-AE	2 pieces			
LREL5008	RELAX-KIT SDM	1 Kit			

LUX ELEMENTS®-RELAX-RSE

see page 99

INDIVIDUAL PACKAGING (EXAMPLE AS KIT)					
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	WEIGHT/ PALLET
LREL6002 / LREL6004	RELAX-BORSE 50 L / RELAX-BORSE 50 R	1 piece	} 1 kit/pallet	2500 x 1200 x 900 mm	250 kg
LREL6003 / LREL6005	RELAX-UBORSE 50 L / RELAX-UBORSE 50 R	1 piece			
LREL6000	RELAX-RSE-H	1 set			
LDECE3003	DECO-AE	2 pieces			
LREL6006	RELAX-KIT RSEM	1 Kit			

LUX ELEMENTS®-RELAX-NI

see page 101

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL8201	RELAX-NI-M	1 piece	carton	415 x 415 x 102 mm	piece	0,94 kg	2,50 kg
LREL8202	RELAX-NI-L			562 x 415 x 102 mm		1,35 kg	2,58 kg
LREL8203	RELAX-NI-XL			1075 x 415 x 102 mm		2,36 kg	3,50 kg
OTHER ARTICLES ON REQUEST / COLLECTIVE PACKAGING ON REQUEST							



LUX ELEMENTS Programme 2019 – Appendix

Packaging specifications

LUX ELEMENTS®-RELAX-BA

see page 103

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL8004	RELAX-BA-SOLO-G 750	1 piece	carton	760 x 520 x 480 mm	piece	5,70 kg	7,15 kg
LREL8003	RELAX-BA-SOLO-G 900			965 x 520 x 480 mm		5,80 kg	7,70 kg
LREL8005	RELAX-BA-SOLO-G-W 900			965 x 520 x 525 mm		5,00 kg	6,90 kg
LREL8000	RELAX-BA-CO			820 x 415 x 514 mm		2,00 kg	2,45 kg
LREL8001	RELAX-BA-CO FLOAT S			615 x 105 x 305 mm		1,00 kg	1,16 kg
LREL8002	RELAX-BA-CO FLOAT L			860 x 105 x 435 mm		0,50 kg	0,68 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-RELAX-CU

see page 104

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL8100	RELAX-CU-F-5	1 piece	carton	1575 x 114 x 127 mm	piece	1,30 kg	1,80 kg
LREL8101	RELAX-CU-F-8			2444 x 114 x 127 mm		2,00 kg	2,52 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-RELAX-TW

see page 105

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL9000	RELAX-TW 900	1 piece	carton	2520 x 920 x 120 mm	piece	13,50 kg	15,50 kg
LREL9001	RELAX-TW 1200			2520 x 1220 x 120 mm		18,00 kg	20,00 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-FIX

see page 145

INDIVIDUAL PACKAGING							
ARTICLE- NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LFIXZ3011	FIX-DE-TE 28	1 piece	carton	340 x 310 x 120 mm	piece	1,30 kg	2,00 kg
LFIXZ3001	FIX-DE-TE 110			340 x 310 x 120 mm		1,30 kg	2,00 kg
LFIXZ3021	FIX-DE-TE 45			340 x 310 x 120 mm		1,30 kg	2,00 kg
LFIXZ4001	FIX-IPA-E			2503 x 603 x 460 mm		14,00 kg	16,00 kg
LFIXZ4002	FIX-IPA-V	surcharge				10,00 kg	—
COLLECTIVE PACKAGING ON REQUEST							

DATA PROTECTION INFORMATION FOR BUSINESS PARTNERS

Revised August 2018

Our handling of your data and your rights

Information according to articles 13, 14 and 21 of the General Data Protection Regulation (GDPR)

In accordance with the EU General Data Protection Regulation (GDPR) valid from 25 May 2018, we wish to take the opportunity with this data protection information to inform you, our business partners, about how we process your personal data and about your rights. This information will be updated whenever necessary and published on www.luxelements.com, where you will also find our data protection information for visitors to our website.

1. Who is responsible for the data processing and who is the Data Protection Officer?

Responsible is: LUX ELEMENTS GmbH & Co. KG
An der Schusterinsel 7
D - 51379 Leverkusen
Tel.: +49 (0) 21 71/72 12-0
Fax: +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de

Our Data Protection Officer Julia Lux can be contacted at the above address or by e-mail to datenschutz@luxelements.de. The contact data are also available online at:

<https://www.luxelements.com/lux/impressum.htm#datenschutz>

2. What sources and data are used?

LUX ELEMENTS GmbH & Co. KG processes data that it obtains from the business relationship with you, for example in the context of the handling of customer contracts, personnel and supplier administration, and attendance to commercial agents and prospective customers.

Specifically, the following data in particular are processed:

- identifying data (e.g. name, address and contact data of the business partner, bank account details)
- information on the risk profile of the business partner, including creditworthiness and financial solvency as well as information in accordance with the suitability declaration
- data connected with the execution of the specific order
- tax-relevant data
- contract data for other correspondence (e.g. correspondence with you)
- advertising and sales data (e.g. products and services that are potentially of interest to you)

3. What is the purpose of the processing of my data and what is the legal basis for this?

LUX ELEMENTS GmbH & Co. KG processes your data on the following legal basis and for the purposes listed below:

3.1 For the fulfilment of contractual obligations (Article 6, section 1 b) GDPR)

Your data are processed in order to execute our contracts with you, i.e. for example for the carrying out of the service ordered. The purposes of the data processing depend in detail on the specific service and the contract documents.

3.2 In the context of the weighing of interests (Article 6, section 1 f) GDPR)

In addition, your data may be used on the basis of a weighing of interests to protect our justified interests or those of third parties. This takes place for the following purposes:

- general business management and the further development of services, systems and products
- fulfilment of internal requirements and the requirements of our affiliated companies, insurance, checking or administration purposes
- guaranteeing IT security and IT operation
- advertising, market and opinion research
- assertion of legal claims and defence in legal disputes
- prevention and solving of crimes as well as risk management and prevention of fraud

The interest of LUX ELEMENTS GmbH & Co. KG in the respective processing arises from the respective purposes and is otherwise of a business nature (efficient fulfilment of tasks, sales, avoidance of legal risks).

If the specific purpose allows, LUX ELEMENTS GmbH & Co. KG processes your data in pseudonymised or anonymised form.

3.3. On the basis of your consent (Article 6, section 1 a) GDPR)

If you have given your consent to the processing of personal data, the respective consent is the legal basis for the processing mentioned there.

In addition, you may have consented to being contacted by e-mail or telephone for advertising purposes.

You can revoke your consent at any time with effect for the future.

This also applies to declarations of consent that you have made to LUX ELEMENTS GmbH & Co. KG before the coming into force of the GDPR, i.e. before 25 May 2018. The revocation applies only to future processing.

3.4. On account of legal regulations (Article 6, section 1 c) GDPR)

LUX ELEMENTS GmbH & Co. KG is subject to various legal obligations, i.e. legal requirements (e.g. technical checking regulations, industrial health and safety regulations, money laundering laws, tax laws).

The purposes of processing include the checking of identity and age, the prevention of fraud and money laundering, accounting, the evaluation and control of risks (including the creation of a risk profile for business partners, as well as the checking of creditworthiness and the fulfilment of checking and reporting obligations under tax laws).

4. Who receives my data?

LUX ELEMENTS GmbH & Co. KG passes on your data only in compliance with the GDPR and the BDSG (German Federal Data Protection Act). Within LUX ELEMENTS GmbH & Co. KG, your data is received by those bodies that require it in order to fulfil the contractual and legal obligations or to fulfil their respective tasks (e.g. Sales, Marketing and Accounts).

In addition, the following bodies may receive your data:

- processors (Art. 28 GDPR) employed by us, in particular in the fields of IT services, logistics, disposal and printing services, who process your data for us according to our instructions
- public bodies and institutions where there is a legal or official obligation
- our respective employees, advisers, representatives, proxies, accountants, service providers
- other bodies for whom you have given us your consent to be given your data

5. How long will my data be stored?

We delete your personal data as soon as it is no longer required for the aforementioned purposes. After the termination of the business relationship your personal data will be stored if we are legally obligated to do so. This arises from legal verification and archiving obligations, which are governed among others by the German Commercial Code and Fiscal Code. Accordingly, storage periods may be up to ten years. In addition, it may be the case that personal data

is stored for the period during which claims may be asserted against us (legal statute of limitations of three or up to thirty years).

6. Are data transmitted to a third-party country or an international organisation?

Your data are transmitted to states outside of the European Economic Area – EEA (third countries) only if this is necessary for the execution of your orders or is legally prescribed or if you have given your consent thereto.

7. What other data protection rights do I have?

Under the respective legal conditions, you have the right to information (Article 15 GDPR), to correction (Article 16 GDPR), to deletion (Article 17 GDPR), to restriction of the processing (Article 18 GDPR) and to data transferability (Article 20 GDPR).

In addition, you have the right to complain to a data protection supervisory authority (Article 77 GDPR).

You can assert these rights centrally against LUX ELEMENTS GmbH & Co. KG.

The responsible supervisory authority is the State Officer for Data Protection and Freedom of Information for North Rhine-Westphalia: Landesbeauftragte für Datenschutz und Informationsfreiheit Nordrhein-Westfalen
Postfach 20 04 44
D - 40102 Düsseldorf
Tel.: +49 (0) 211/3 84 24-0
Fax: +49 (0) 211/3 84 24-10
E-Mail: poststelle@ldi.nrw.de

Right of objection

You have the right to object to the processing of your personal data for the purposes of direct advertising without giving reasons. If we process your data for the protection of justified interests, you can object to this processing for reasons arising from your particular situation. We will then no longer process your personal data unless we can prove that there are compelling reasons worthy of protection for the processing that outweigh your interests, rights and freedoms or that the processing serves the assertion or exercising of, or defence against legal claims.

8. What data protection rights can I assert as the person affected?

Within the framework of our business relationship you need only provide such personal data as are necessary for the establishment, conduction and termination of a business relationship or to whose acquisition we are legally obligated.



LUX ELEMENTS Programme 2019 – Appendix

General terms and conditions LUX ELEMENTS GmbH & Co. KG

GENERAL TERMS AND CONDITIONS

LUX ELEMENTS GMBH & CO. KG

Released December 2017

I) General

1. LUX ELEMENTS GmbH & Co. KG (the Seller) accepts and executes all orders exclusively based on the following terms and conditions.
2. The Buyer accepts these terms and conditions by placing his order. Conflicting purchase terms of the Buyer shall only be binding if accepted by the Seller in writing.
3. Ancillary verbal agreements including discounts, bonuses and dispositions shall only be valid if confirmed in writing by the Seller.

II) Terms of delivery

1. Deliveries are made at the Seller's discretion from the Leverkusen plant or from the Seller's warehouse. Deliveries are at the Buyer's risk if the Buyer is a Merchant and in any case to the account of the Buyer.
2. If the Buyer does not accept the goods at the agreed time, the Seller shall be entitled to withdraw from the delivery contract after setting a one-week acceptance period. The provisions of the German Civil Code (BGB) regarding default of acceptance shall remain unaffected.
3. If, at the request of the Buyer, the Seller takes back any goods as a gesture of goodwill, the Buyer shall bear the return freight. For the processing and handling of the goods, 15 percent of the goods' net value shall be deducted from the credit note to be issued by the Seller. Only goods from the currently valid product range can be returned, with the exception of construction chemical products and custom-made products.

III) Delayed delivery

1. All sales are subject to the timely supply to us by our sub-suppliers. This does not apply if the Seller is responsible for the delay.
2. In case of force majeure, in particular labour disputes, official intervention and operational breakdowns for which the seller is not responsible, the delivery period shall be extended by the duration of the disruption provided that it does not take an unreasonably long time. In case of delays beyond this time, the parties shall mutually agree whether to adhere to or cancel the contract. The buyer shall not be entitled to claim damages in this regard.
3. In the event of delay of the Seller, the Buyer shall grant a period of grace of 10 days unless a firm deal has been agreed upon. This grace period can be set in writing earliest after the expiry of the delivery period.

In the event of delayed delivery, claims for damages due to default shall be excluded in cases of ordinary negligence, if the Buyer is a Merchant, and it is not a firm deal. In any event, in the case of slight negligence, the liability for damages shall be limited to the foreseeable losses.

IV) Warranty

1. The warranty period shall be one year if the Buyer is a Merchant. The Seller will meet its warranty obligation by means of replacement.
2. The Seller shall not be liable for any consequential loss or damages. This shall not apply for consequential damages arising from injury of life, body or health; or which can be attributed to gross negligence, intent or breach of a substantial contract obligation (cardinal obligation); or in case of damages resulting from a failure to achieve warranted characteristics, quality or durability guarantees. If the Seller is liable for consequential damages and the Buyer is a Merchant, the liability of the Seller shall be limited to the foreseeable losses if the damage arises from the negligent breach of a substantial contract obligation (cardinal obligation).
3. If goods such as joint sealing materials are sold as per sample, the guarantee is limited to the professional compliance with the sample.
4. The information provided in the Seller's datasheets is based on the state of knowledge at the time when the datasheets were issued. They are solely intended to describe the products with view to safety requirements.

They do not constitute any assurance of delivery specifications.

5. The instructions for use issued by the Seller should be considered a general guide only. Given the diversity of uses of each product and taking into account the specific application situation, the Buyer shall be responsible to conduct its own trials.

6. Buyers intending to resell the goods received from the Seller take the sole responsibility for the correct packing, classification and marking of hazardous substances, see art. 15 GefStoffV (German Ordinance on Hazardous Substances). In particular the Buyer shall not be entitled to any claims if the packing, classification or marking provided by the Seller does no longer comply with the current regulations as a result of legal changes made after the delivery of the goods. The Seller explicitly does not assume any obligation to provide information on such legal changes.

7. The same (6) shall apply if goods of the Seller are packed using packing material of the Buyer. In this case the Buyer takes the entire responsibility for the packing and marking. As regards insufficient packing and/or marking, the Buyer shall indemnify the Seller from all third party claims.

V) Terms of payment

1. The invoice is issued on the day of despatch or availability of the goods after receipt of the delivery note. Unless otherwise agreed, the price shall be calculated based on the prices in effect on the day of delivery.
2. Invoices shall be payable within 14 days of the invoice date after deducting a discount of 2 percent or within 30 days net.
3. The offsetting against counter-claims shall not be permitted unless the Buyer's claims are undisputed or have been determined as legally binding.
4. A significant deterioration of the Buyer's financial situation shall entitle the Seller, with no prejudice to any other rights, to execute the remaining orders on a delivery against payment basis. Under the same preconditions, the Seller's claims for payment from previous deliveries shall become due for immediate payment.
5. Merchants shall be entitled to the right of retention arising from alleged deficiencies of the goods only if the deficiencies of the goods are undisputed or have been determined as legally binding. In all other instances, the Buyer may demonstrate the deficiency of the goods supplied through a professional opinion which is not arbitration opinion and which has been provided by a publicly appointed and sworn expert whereupon the Seller remains free to raise objections to this opinion.

VI) Retention of title

1. The Seller shall retain title to the delivery items until complete payment of the purchase price. If the Buyer is a Merchant, the Seller shall in addition retain title to the delivery item until all its claims against the Buyer arising out of the entire business relationship have been settled.
2. In the event the goods supplied are processed or combined with other material, the Seller shall become co-owner of the new manufactured items in the ratio the value of goods subject to retention of title bears to the value of the new items so resulting from the production process. The time of such processing decides upon the value of the goods subject to retention of title as well as the value of processing. During the processing, the Buyer shall act on behalf of the Seller without, however, acquiring any entitlement against the Seller as a result of the processing. The Buyer is obliged to store the goods subject to retention of title carefully on behalf of the Seller. If the Seller does not obtain co-ownership of the combination of several items, the Buyer shall already transfer a co-ownership share in accordance with the provisions of section 6 no. 2 sentences 1 and 2. The required declarations of intent are already being executed.
3. Where the new product is resold by the Buyer, the Buyer's claim to the purchase price shall, by way of security, take the place of the product in accordance with the provisions of section 6 no. 2 sentences 1 and 2. The Buyer shall assign the claims to the purchase price on a pro-rata basis to the Seller who hereby accepts the assignment.

4. If the Buyer re-sells the unprocessed goods, the Buyer shall hereby assign all claims, including any ancillary rights, to the Seller up to the amount of his claims. The Seller hereby accepts the assignment.

5. The amounts collected are to be transferred to a separate account for the benefit of the Seller.

6. If the value of the securities exceeds the Seller's claims by more than 10 percent, the Seller shall, at the request of the Buyer, release the exceeding amount of the securities to the Buyer.

7. The Buyer shall inform the Seller immediately in writing if an attachment is enforced upon the goods subject to retention of title or upon goods in the co-ownership of the Seller or upon claims transferred to the Seller by way of an advance assignment. The Buyer must inform the enforcement authority and the judgment creditor without delay that the goods are subject to retention of title or co-owned by the Seller or the fact that the claim has been assigned to the Seller.

VII) Place of performance and jurisdiction

1. Place of performance for all goods and services arising from this supply contract is the domicile of the Seller's commercial establishment.
2. For Merchants, the place of jurisdiction for all obligations of the parties (including actions on bills of exchange or cheques) is Leverkusen.

VIII) Applicable law

The purchase contract shall be subject to German law to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods of 11 April 1980.


IX) Final provisions

The invalidity of one or more provisions of these terms and conditions shall in no way affect the validity of the remaining provisions.

LUX ELEMENTS GmbH & Co.KG,

An der Schusterinsel 7, D-51379 Leverkusen,

Tel.: +49 (0)21 71-72 12-0, Fax: +49 (0)21 71-72 12-30





The EUF (European Union of National Tile Associations) has developed the concept '**Healthier Living with Ceramics**' together with its European member associations and sponsor members. This concept is intended as information 'pro tile' for trade, dealers and manufacturers. LUX ELEMENTS is the force behind the project and is actively involved in its implementation.



D LUX ELEMENTS GmbH & Co. KG
An der Schusterinsel 7
D - 51379 Leverkusen-Opladen
Tel. +49 (0) 21 71/7212-0
Fax +49 (0) 21 71/7212-10
info@luxelements.de
www.luxelements.com

F LUX ELEMENTS S.A.S
ZI-31, rue d'Ensisheim
F - 68190 Ungersheim
Tél. +33 (0) 3 89 83 69 79
Fax +33 (0) 3 89 48 83 27
info@luxelements.fr
www.luxelements.fr